Open Type Trimmer

Model 37

Features:

- 9 mm single turn
- Open frame
- Cermet
- RoHS compliant





Model Styles Available

Top Adjust (with extension)	37F
Top Adjust	37P
Side Adjust	37W
Side Adjust (with extension)	375

Electrical

Resistance Range	100 to 1,000,000 Ohms
Standard Resistance Tolerance	± 20%
Input Voltage, Maximum	250 V
Power rating, Watts	0.5 @ 70°C
End Resistance, Maximum	<500 ohms: 10 Ohms Max; > 500 ohms: 2% Max.
Actual Electrical Travel	280° ±15°
Insulation Resistance, Minimum	100 Megohms
Resolution	Essentially infinite
Contact Resistance Variation	5% Max.
Temperature Coefficient of Resistance	±250 ppm/°C

Mechanical

Torque, Maximum	4.5 in. oz.
Weight, Approx.	0.01 oz.
Wiper Position	Approx. 50%

General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.


Open Type Trimmer

Model 37



Environmental	
Operating Temperature Range	-30°C to +100°C
Rotational Life, 50 Cycles	±10% ΔR
Load Life, 0.5W, 500 Hours, 70°C	±5% ΔR
Resistance to Solder Heat	260°C for 3 sec.
Aqueous cleaning not recommended	

Aqueous cleaning not recommended



Circuit Diagram

Standard Resistance Values, Ohms

Resistance (ohms)	Part Marking
100	101
200	201
500	501
1K	102
2K	202
5K	502
10K	103
20K	203
50K	503
100K	104
200K	204
500K	504
1MEG	105

General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

TT Electronics | BI Technologies 413 Rood RD, Suite 7 Calexico, CA 92231 Ph: + 1 (714) 447-2345 www.ttelectronics.com/bi-technologies Issue B 04/2019 Page 2

Open Type Trimmer

Model 37





Outline Drawings

Model 37F (Top Adjust with extension)

9.0±0.5 5.7±0.5 20±00 #12-8 Hole 5.0±0.5

Model 37P (Top Adjust)










PCB HOLE PATTERN


Model 37W (Side Adjust)









PCB HOLE PATTERN



Model 37S (Side Adjust with extension)

PCB HOLE PATTERN






9.010.5

1.0

25:05



DOD UNE DATTEDN

General Note

TT Electronics reserves the right to make changes in product specification without notice or liability. All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

TT Electronics | BI Technologies 413 Rood RD, Suite 7 Calexico, CA 92231 Ph: + 1 (714) 447-2345 www.ttelectronics.com/bi-technologies Issue B 04/2019 Page 3

© TT electronics plc