

RAST | RAST 5 IDC Connectors

TE Internal #: 9-1241961-8 Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 3 Centerline (Pitch): 5 mm [.197 in]

Features



Product Type Features

Connector Product Type	Housing					
Connector & Housing Type	Receptacle					
Connector System	Wire-to-Board					
Sealable	No					
Connector & Contact Terminates To	Wire & Cable					
Configuration Features						
Keying & Polarized Rib Location	1b,2a,2b,3b					
Number of Positions	3					
Number of Rows	1					
Body Features						
Primary Product Color	Natural					
Termination Features						
Termination Method to Wire & Cable	Crimp					

Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Mechanical Attachment

Locking Latch Between Cavity Number	2&3
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Latch
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA 6.6
Centerline (Pitch)	5 mm[.197 in]
Dimensions	
Connector Length	25.5 mm[1 in]
Connector Height	13.9 mm[.547 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Operation/Application	
Circuit Application	Power & Signal

Industry Standards

RAST Version	None
Glow Wire Rating	Glow Wire
UL Flammability Rating	UL 94V-2
Packaging Features	
Packaging Quantity	2000
Packaging Method	Box & Carton
Product Compliance	
Product Compliance For compliance documentation, visit the product page on TE.com>	
•	Compliant
For compliance documentation, visit the product page on TE.com>	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors






Also in the Series | RAST 5 IDC Connectors



PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(34)	Standard Rectangular Connectors(68)	



Customers Also Bought



Housing, Receptacle, Wire-to-Board, 3 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, RAST 5 IDC Connectors



Documents

Product Drawings STANDARD TIMER MARK II HOUSING

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_9-1241961-8_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_9-1241961-8_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_9-1241961-8_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Product Specification

German

Product Environmental Compliance TE Material Declaration

English