






PART NUMBER
70264-XXX(L)LF



PART NUMBER : 70264-XXX(L)LF

L REFER LUBRICATED (OPTIONAL)


SEE NOTE 3

X REFER PLATING PERFORMANCE

SEE NOTE 3

GENERAL CHARACTERISTICS AND RoHS INFORMATIONS:
SEE DRAWING C-8626-000S

spec ref	-	dr	Terran Huang	2010/07/09	projection		size	A3	scale	4:1	
tolerance std	ISO 406 ISO 1101	eng	Rahul Mohan-M	2021/08/16	mm		ecn no	ELX-I-41698-1			
	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-	product family	mdl.param.value	rel level	Released			
mdl.param.value	linear	0.X	±0.3	Amphenol FCI	METRAL SIGNAL STRAIGHT HEADER		dwg no	70264		rev	N
		0.XX	±0.13		1 MODULE 4 ROW STB NARROW BODY						
		0.XXX	±0.050		cat. no.	mdl.param.value	Product - Customer Drw	sheet 1 of 3			
	ISO 1302	angular	0°								



KEY		
CODE	DIMENSIONS	
	DIM A MATE	DIM B TAIL
1	5.00	4.25
2	5.75	4.25
3	6.50	4.25
4	7.25	4.25
5	5.00	3.6
6	5.75	3.6
7	6.50	3.6
8	7.25	3.6

$\phi 1.5^{+0.1}$
UNPLATED HOLES

REQUIRED PCB LAYOUT
COMPONENT SIDE

FOR PTH DETAILS REFER DRAWING 58351

NOTES :

1. FOR DIM A AND DIM B, SEE SHEET 2 AND UP.
2. MATERIAL: BODY : LCP UL94-V0
CONTACT : COPPER ALLOY.
3. FOR PLATING PERFORMANCE REFER DRAWING # 10159408
4. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
5. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
6. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVENTION INFRARED OR VAPOR PHASE REFLOW OVEN.
7. A \triangle SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref	-	dr	Terran Huang	2010/07/09	projection		size	A3	scale	3:1
tolerance std	ISO 406 ISO 1101	eng	Rahul Mohan-M	2021/08/16			ecn no	ELX-I-41698-1		
	TOLERANCES UNLESS OTHERWISE SPECIFIED	chr	-	-			rel level	Released		
		appr	Kuriakose, San	2021/08/16	product family	mdl.param.value				
mdl.param.value	linear	0.X	±0.3	Amphenol FCi	METRAL SIGNAL STRAIGHT HEADER		dwg no	70264	rev	N
		0.XX	±0.13		1 MODULE 4 ROW STB NARROW BODY					
		0.XXX	±0.050		cat. no.	mdl.param.value	Product - Customer Drw	sheet 2 of 3		
ISO 1302	angular	0°	±2°							

A

B

C

D

A

B

C

D

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X01LF	D	5.00	4.25
	C	5.00	4.25
	B	5.00	4.25
	A	5.00	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X06LF	D	5.00	4.25
	C	5.75	4.25
	B	5.75	4.25
	A	6.50	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X10LF	D	5.00	3.30
	C	5.00	3.30
	B	5.00	3.30
	A	5.00	3.30

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X02LF	D	5.00	4.25
	C	5.00	4.25
	B	5.00	4.25
	A	6.50	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X07LF	D	6.50	4.25
	C	6.50	4.25
	B	5.75	4.25
	A	5.00	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X03LF	D	6.50	4.25
	C	5.75	4.25
	B	5.75	4.25
	A	6.50	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X08LF	D	5.75	4.25
	C	5.75	4.25
	B	5.75	4.25
	A	5.75	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X04LF	D	7.25	4.25
	C	6.50	4.25
	B	6.50	4.25
	A	7.25	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X09LF	D	5.00	4.25
	C	5.75	4.25
	B	6.50	4.25
	A	7.25	4.25

METRAL P/N	ROW	DIM A MATE	DIM B TAIL
70264-X05LF	D	6.50	4.25
	C	6.50	4.25
	B	6.50	4.25
	A	6.50	4.25

spec ref	-	dr	Terran Huang	2010/07/09	projection		size	A3	scale	1:1
tolerance std	ISO 406 ISO 1101	eng	Rahul Mohan-M	2021/08/16	chr	-	ecn no	ELX-I-41698-1	rel level	Released
mdl.param.value	linear	appr	Kuriakose, San	2021/08/16	product family	mdl.param.value	rel level	Released	dwg no	70264
ISO 1302	angular	0.X	±0.3	Amphenol FCi	METRAL SIGNAL STRAIGHT HEADER	rev	N	cat. no.	mdl.param.value	Product - Customer Drw
		0.XX	±0.13		I MODULE 4 ROW STB NARROW BODY	sheet 3 of 3				
		0.XXX	±0.050							
		0°	±2°							