



NOTES:

- MATERIAL: NYLON 66; UL94V-0; IEC GWIT: 775C, GWFI: 960C  
PART MEETS REQUIREMENTS OF WHIRLPOOL SPECIFICATION T-588  
(HOT WIRE IGNITION TEST)  
COLOR: BLACK
- FINISH: NONE
- PRODUCT SPECIFICATION: NONE
- UL LISTED AND CSA CERTIFIED
- THIS CONNECTOR HOUSING FOR USE WITH 43375-\*\*\*\* TERMINALS.
- SEE SDES-43335-9003 FOR REQUIREMENTS FOR MATING INTERFACE.

REV.	DESCRIPTION	DATE
C	REVISE ENGRAVING UCP2005-0734 10-5-04 SCHAFFER	
B	REVISE ENGRAVING UCP2005-0546 09-08-04 SCHAFFER	
A	INITIAL RELEASE EC+UCP2004-1490 08-23-04 BW	

DIMENSIONS SHOWN (METRIC) INCH		▽ = 0	◼ = 0	REVISE ONLY ON CAD SYSTEM																					
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°		TITLE 3-CKT. RECEPTACLE HOUSING .125 X .020 FLAT BLADE TPA (GLOW WIRE CAPABLE)																							
<table border="1"> <thead> <tr> <th></th> <th>INCH</th> <th>METRIC</th> </tr> </thead> <tbody> <tr> <td>3 PLACE</td> <td>± ---</td> <td>---</td> </tr> <tr> <td>2 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>---</td> <td>± ---</td> </tr> </tbody> </table>			INCH	METRIC	3 PLACE	± ---	---	2 PLACE	± ---	± ---	1 PLACE	---	± ---	<table border="1"> <tr> <td colspan="2">MOLEX INCORPORATED</td> <td>SHEET NO.</td> <td>DATE</td> </tr> <tr> <td colspan="2">LITSLLE, ILL. 60532 U.S.A.</td> <td>1 OF 1</td> <td>08/23/04</td> </tr> </table>				MOLEX INCORPORATED		SHEET NO.	DATE	LITSLLE, ILL. 60532 U.S.A.		1 OF 1	08/23/04
	INCH	METRIC																							
3 PLACE	± ---	---																							
2 PLACE	± ---	± ---																							
1 PLACE	---	± ---																							
MOLEX INCORPORATED		SHEET NO.	DATE																						
LITSLLE, ILL. 60532 U.S.A.		1 OF 1	08/23/04																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		PART NO. 45774-0001 DRWG. NO. SD-45774-001																							
DRWG. BY: BW	CHK'D. BY: BW	FILE NAME: SD-45774-001	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																						
APP'D. BY: BW	SCALE: 3:1	CP	C																						