

1-829261-6 ✓ ACTIVE

AMPLIMITE | AMPLIMITE Kit


TE Internal #: 1-829261-6

D-Sub Locking & Mounting, Female Screwlocks, Screw Length 19 mm [.74 in], AMPLIMITE Kit

[View on TE.com >](#)



Connectors > D-Shaped Connectors > D-Sub Accessories > D-Sub Locking & Mounting



Connector Mounting Accessory Type: **Female Screwlocks**

Screw Length: **19 mm [.74 in]**

Features

Product Type Features

Connector Mounting Accessory Type	Female Screwlocks
-----------------------------------	-------------------

Mechanical Attachment

Screwlock Style	Screwlock Only
Thread Size	4-40 UNC 2B (Female), M3 (Male)
Screw Length	19 mm [.74 in]

Dimensions

Thread Length	14.2 mm [.559 in]
---------------	-------------------

Packaging Features

Packaging Quantity	1000
Packaging Method	Box

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023
(235)

Candidate List Declared Against: JAN 2023
(233)

SVHC > Threshold:

Pb (3.5% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 1-829261-5
SCHRAUBENSICHERUNG

TE Part # 174888-2
AMPLIMITE SCREWLOCK M3

Also in the Series | AMPLIMITE Kit

Connector Backshells(102)

Connector Strain Relief(30)


D-Sub Contact Accessories(1)

D-Sub Covers(3)



D-Sub Locking & Mounting(119)

Customers Also Bought

TE Part #5-5179009-1
0.8FH,R09H.5,040,08/Sn,TUTE Part #1623292-1
CRG0805 1% 8K2TE Part #2-1445096-5
MICRO MNL HDR ASSY SINGLE ROWTE Part #1622488-1
LR1 1% 47KTE Part #1623278-1
CRG0805 1% 6K8TE Part #1-2176345-5
CRGCQ 1210 150R 1%TE Part #1-1649329-6
RT424048TE Part #2176468-7
TLRP 2010 1.0W R100 1% 75PPM 4K RL

Documents

Product Drawings

HD FEMALE SCREWLOCK

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1-829261-6_J.2d_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_1-829261-6_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-829261-6_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Product Environmental Compliance

Product Compliance

English

Product Compliance

English