
Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style	
PSS3P4014	FIRE EXTINGUISHER		- 00		
PSS3P4042	SEVERE WEATHER SHELTER	6.00 [152.4]	5.00 [127.0]	3D	
PSS3P4047	TORNADO SHELTER		1 12/.01		
PSS9P4058	SPILL STATION		10.00		
PSS9P4034	EXIT		12.00 [304.8]	90D	
PSS9P4036	EXIT (GLOW)	8.00 [203.2]	. 501.03		
PSS9P4042	SEVERE WEATHER SHELTER		8.00		
PSS9P4047	TORNADO SHELTER		[203.2]		
PSS3P4016M	FIRE EXTINGUISHER (ARROW)	18.00 [457.2]			
PSS3P4026	FIRE EXTINGUISHER (GLOW - ARROW)	24.00 [609.6]	4.00		
PSS3P4029	FIRE ALARM (ARROW)	18.00 [457.2]	[101.6]	3D	
PSS3P4016S	FIRE EXTINGUISHER	12.00 [304.8]		30	
PSS3P4034	EXIT	8.00 [203.2]	12.00 [304.8]		

- 1. [] Indicates millimeters
 2. 90D signs project from the wall
 at 90 degrees and can be viewed
 from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the
- front and sides.
 4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.






							TITLE					
A -							PSS*P*- Projection					
											_	
							ITEM REVISION NAME 100999BM/00					
							DATASET FILE NAME I00999BM_DC_C11532/00A			PANDUIT		
							DIMEN	JNLESS OTHERW NSIONAL TOLER	ISE SPE	CIFIED, RE: IN [mm]	.100 thick	
							l .	0.50 [12.7] 0.25 [6.35]			lligh hilpact plast	ic
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449] {		TH I PR	RD ANGLE DJECTION	DRAWING NUMBER:	
REV	DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU	4/15/16	JHAC	NTS	SHT 1 OF 6	SIZE
									9			

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4036	EXIT (GLOW)	8.00 [203.2]	12.00 [304.8]	
PSS3P4049	FIRE EXTINGUISHER			
PSS3P4053	SEVERE WEATHER SHELTER AREA	6.00 [152.4]	5.00 [127.0]	
PSS3P4055	TORNADO SHELTER			30
PSS3P4069	FIRST AID	10 00 [457 3]	4.00 [101.6]	30
PSS3P4070	EYE WASH	18.00 [457.2]	4.00 [101.6]	
PSS3P4081	NO SMOKING	6.00 [152.4]	5.00 [127.0]	
PSS3P4087	PLEASE RECYCLE	8.00 [203.2]	12.00 [304.8]	
PSS9P4029	FIRE ALARM	18.00 [457.2]		
PSS9P4016S	FIRE EXTINGUISHER	12.00 [304.8]		
PSS9P4016M	FIRE EXTINGUISHER		4.00 [101.6]	90D
PSS9P4069	FIRST AID	18.00 [457.2]		
PSS9P4070	EYE WASH			


- 1. [] Indicates millimeters
 2. 90D signs project from the wall
 at 90 degrees and can be viewed
 from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the
- front and sides.
 4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.



_							1						
							PSS*P*						
							CUSTOMER D						
							ITEM REVISION NAME 100999BM/00				Pandur		
							DATASET FILE NAME 100999BM_DC_C11532/00A UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]						
										CIFIED, RE: IN [mm]	.100 thick		
							1	0.50 [12.7		0.13 [3.127] 5°	high impact plast	ic	
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449] {		THI PRO	RD ANGLE DJECTION	DRAWING NUMBER:		
RE	DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU	4/15/16	JHAC	NTS	SHT 2 OF 6	SIZE	
	2								1				

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style		
PSS9P4071	SDS		12.00 [304.8]			
PSS9P4049	FIRE EXTINGUISHER					
PSS9P4053	SEVERE WEATHER SHELTER AREA	8.00 [203.2]	 8.00 203.21	900		
PSS9P4055	TORNADO SHELTER	0.00 [203.2]	0.00 [203.2]	900		
PSS9P4081	NO SMOKING					
PSS9P4087	PLEASE RECYCLE		12.00 [304.8]			
PSS3P4002	EYE WASH					
PSS3P4006	FIRST AID					
PSS3P4008	A E D (RD-BU/YL)					
PSS3P4010	A E D (RD-BK/WT)	6.00 [152.4]	5.00 [127.0]	3D		
PSS3P4011	A E D AUTOMATED EXTERNAL DEFIBRILLATOR					
PSS3P4019	FIRE EXTINGUISHER					
PSS3P4021	FIRE ALARM					

- 1. [] Indicates millimeters
 2. 90D signs project from the wall
 at 90 degrees and can be viewed
 from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the
- front and sides.
 4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.




	1				T		
·							PSS*P*** Projection Signs
							CUSTOMER DRAWING ITEM REVISION NAME 100999BM/00
							100999BM/00 DATASET FILE NAME 100999BM_DC_C11532/00A MATERIAL:
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .100 thick
							.x: 0.50 [12.7] .xxx: 0.13 [3.127] high impact plastic
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449	PROJECTION CIIOSE
REV	DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU 4/15/16 JHAC NTS SHT 3 OF 6
	<u> </u>						q

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4023	MEN	6.00 [152.4]	5.00 [127.0]	
PSS3P4016L	FIRE EXTINGUISHER	24.00 [609.6]	4.00 [101.6]	3D
PSS3P4035	WOMEN	6.00 [152.4]	E 00 [137 0]	30
PSS3P4037	FIRST AID	0.00 [132.4]	3.00 [127.0]	
PSS9P4002	EYE WASH			
PSS9P4008	AED (BU/RD/YL)			
PSS9P4006	FIRST AID	 8.00 [203.2]	 8.00 203.21	
PSS9P4014	FIRE EXIT	0.00 [203.2]	0.00 [203.2]	
PSS9P4010	AED (BK/RD/WHT)			90D
PSS9P4037	FIRST AID			
PSS9P4016L	FIRE EXTINGUISHER	24.00 [609.6]	4.00 [101.6]	
PSS9P4026	FIRE EXTINGUISHER (GLOW)	24.00 609.6	4.00 [[0].6]	
PSS9P4011	A E D AUTOMATED EXTERNAL EFIBRILLATOR	8.00 [203.2]	8.00 [203.2]	

- 1. [] Indicates millimeters
 2. 90D signs project from the wall
 at 90 degrees and can be viewed
 from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the
- front and sides.
 4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.






1							PSS*P*** Projection Signs CUSTOMER DRAWING
							ITEM REVISION NAME I00999BM/00 DATASET FILE NAME
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± 0.50 [12.7] .xxx ± 0.13 [3.127] Whigh impact plastic
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449	THIRD ANGLE PROJECTION C11532
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	RVU 4/15/16 JHAC NTS SHT 4 0F 6
	2				2		1

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style	
PSS9P4019	FIRE EXTINGUISHER				
PSS9P4021	FIRE ALARM		 8.00 203.02	900	
PSS9P4023	MEN] 8.00 [203.02]	8.00 [203.02]	900	
PSS9P4035	WOMEN	70.00 [203.02]			
PSS3P4058	SPILL STATION		12.00 [304.8]		
PSS3P4071	SDS		12.00 (304.8)	3D	
PSS3P4062	A E D AUTOMATED EXTERNAL DEFLIBRILLATOR (GLOW)	6.00 [152.4]	5.00 [127.0]		
PSS9P4062	A E D AUTOMATED EXTERNAL DEFLIBRILLATOR (GLOW)	8.00 [203.2]	8.00 [203.2]	90D	
PSS3P4392	FIRE EXTINGUISHER / EXTINTOR DE INCENDIOS	12.00 [304.8]	9.00 [228.6]	3D	

- 1. [] Indicates millimeters
 2. 90D signs project from the wall
 at 90 degrees and can be viewed
 from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the
- front and sides.
 4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.






A							PSS*P*: Projection				Signs	
							CUSTOMER DRA				PANDUIT	
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± 0.50 [12.7] .xxx ± 0.13 [3.127]			.100 thick		
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449	.xx : 0.25 [6.35] ANGLES : 5 ° THIRD ANGLE PROJECTION		DRAWING NUMBER:			
RE	EV DATE	BY	CHK	APR	DESCRIPTION	ECN	RVU	4/15/16	JHAC	SCALE NTS	SHT 5 OF 6	A
	2							1				

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4443	SEVERE WEATHER SHELTER AREA / AREA DE REFUGIO EN CONDICIONES ATMOSFERAS RIGUROSAS			3D
PSS3P4444	TORNADO SHELTER / REYGUI CONTRA TORNADOS			
PSS9P4443	SEVERE WEATHER SHELTER AREA / AREA DE REFUGIO EN CONDICIONES ATMOSFERAS RIGUROSAS			0.00
PSS9P4444	TORNADO SHELTER / REYGUI CONTRA TORNADOS	12.00 [304.8]	9.00 [228.6]	90D
PSS9P4392	FIRE EXTINGUISHER / EXTINTOR DE INCENDIOS			
PSS394658	A E D AUTOMATED EXTERNAL DEFIBRILLATOR/ DESFIBRILADOR EXTERNO AUTOMATICO			3D
PSS9P4658	A E D AUTOMATED EXTERNAL DEFIBRILLATOR/ DESFIBRILADOR EXTERNO AUTOMATICO			90D

- 1. [] Indicates millimeters
 2. 90D signs project from the wall
 at 90 degrees and can be viewed
 from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the
- front and sides.
 4. VISIT WWW.PANDUIT.COM TO VIEW LEGEND AND COLOR.





A							PSS*P*: Projection				Signs	
							CUSTOMER DRAV				PANDUIT	•
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] .x ± 0.50 [12.7] .xxx ± 0.13 [3.127]			.100 thick		
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449	1 ~	0.25 [6.35]	THI		DRAWING NUMBER: C11532	
RE	DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU	4/15/16	JHAC	NTS	SHT 6 OF 6	A
		2							1		_	