

#### **TECHNICAL DATA SHEET**

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000



### Features:

- 2-Feeds (3G, GNSS)
- GNSS Active Antenna
  - LNA gain 30dB
  - Pre and post LNA filtering
- Adhesive tape mount
- Size 136 x 37.7 x 13.8mm
- Connector SMA Male
- Cable 16.4 feet
- RoHS compliant

# **Applications:**

- 3G 806-2170MHz
- GNSS (Beidou, GPS, Galileo, Glonass)
- · Vehicular mounting
- Asset Tracking, Navigation, Fleet Management
- Mobile and Fixed broadband
- · Utility boxes

All dimensions are in mm / inches

Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



#### TECHNICAL DATA SHEET

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000

# **ELECTRICAL SPECIFICATIONS**

Frequency(LTE Cable)	806-960/1710-2170	MHz
	1561.098±2.046/	
Frequency(GNSS cable)	$1575.42 \pm 1.023$	MHz
	1602.5625±4	
Nominal Impedance	50	Ω
VSWR (LTE)*	2.5:1	Max
VSWR (GNSS)*	2:1	Max
Peak Gain (LTE,698-960MHz,Typical)**	1.7	' dBi
Peak Gain (LTE,1710-2700MHz,Typical)**	2.9	) dBi
Efficiency (LTE,698-960MHz,Typical)**	55	5 %
Efficiency (LTE,1710-2700MHz,Typical)**	75	5 %
HPBW / Horizontal Plane (LTE/WiFi)**	(	Omni
HPBW / Vertical Plane (LTE, 698-960MHz, Typic	cal)**	32°
HPBW / Vertical Plane (LTE,1710-2700MHz, Typ	oical)**	50°
Polarization (LTE)	Vertical	
Polarization (GNSS)	RHCP	
RHCP Peak Gain (GNSS Radiating element, Typ	oical)*** 1	dBic
Gain (LNA gain)	30	$dB \pm 2 dB$
Out of Band Rejection		
698 MHz	>70	dB
960MHz	>65	dB
1710MHz	>60	dB
2170MHz		dB
2400MHz		dB
2700MHz	>65	dB





#### TECHNICAL DATA SHEET

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000

**ELECTRICAL SPECIFICATIONS** 

Noise Figure <2.4 dB

Operating Voltage 3.3-5 Vdc±0.5V Current Consumption 9 mA± 2 mA

### **MECHANICAL SPECIFICATIONS**

Overall size 136 x 37.7 x 13.8mm

Weight 194g
Antenna Color black

Connector type SMA male
Cable type (LTE) RG174
Cable type (GNSS) RG174

Cable length 16.4' (5 m)

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature -40/+85 ° C
Storage Temperature -40/+85 ° C
Ingress Protection IP67
Wind-loading 100mph
RoHS Compliant Yes

### **OTHER SPECIFICATIONS**

Mounting Adhesive Tape

Radome Material PC/PET, UV resistant

Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






#### TECHNICAL DATA SHEET

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000

### DART NIIMBER

### **MECHANICAL DRAWING**





#### **TECHNICAL DATA SHEET**

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000

### **Test Setup**

\*VSWR is tested with 5m cable in free space

\*\* Radiation Performance is tested with 200mm cable in free space

\*\*\*GNSS module is tested on 70X70mm ground plane




**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000


## **Series: Low Profile Blade**

### **CHARTS**

## VSWR of 3G antenna



# Radiation efficiency of 3G antenna










**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000


## **Series: Low Profile Blade**

### **CHARTS**

# Peak Gain of 3G antenna



# 3G antenna X-Y plane radiation pattern at 3G low band



Issue: 1709

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000


# Series: Low Profile Blade

### **CHARTS**

# 3G antenna Z-X plane radiation pattern at 3G low band



# 3G antenna Y-Z plane radiation pattern at 3G low band



Issue: 1709

RŏHS




**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000


## **Series: Low Profile Blade**

### **CHARTS**

# 3G antenna X-Y plane radiation pattern at 3G high band



# 3G antenna Z-X plane radiation pattern at 3G high band






#### TECHNICAL DATA SHEET

**Description**: 3G/Active GNSS Blade Antenna


PART NUMBER: W4120GNSS5000

### **CHARTS**

# 3G antenna Y-Z plane radiation pattern at 3G high band



# LNA Gain and out-of-band rejection








**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000


### **Series: Low Profile Blade**

### **CHARTS**

# Radiation Pattern (70mm x 70mm ground plane ) GPS & Galileo



# Radiation Pattern (70mm x 70mm ground plane ) GLONASS






#### TECHNICAL DATA SHEET

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000

**CHARTS** 

# Radiation Pattern (70mm x 70mm ground plane ) BD2







#### **TECHNICAL DATA SHEET**

**Description**: 3G/Active GNSS Blade Antenna

PART NUMBER: W4120GNSS5000

### **PACKAGING**

56pcs antennas per package box

56pcs PE bags per package box

1pcs antenna per PE bag

Package box: 440mm\*292mm\*310mm