

HVA 280

TE Internal #: 2103124-6

PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles > High-Voltage Header



Connector System: Wire-to-Wire

Number of Positions: 2

Centerline (Pitch): 10.4 mm [.409 in]

Sealable: Yes

Number of Rows: 1

All High-Voltage Header (34)

Features

Product Type Features

Hybrid Header	Yes
Connector Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Wire
Sealable	Yes
Configuration Features	
Number of Sections	1
Number of Signal Positions	2

Body Features

Number of Positions

Number of Rows

Primary Product Color	Orange
Connector & Keying Code	F

2

Contact Features

Contact Type	Tab
Mating Tab Width	2.8 mm[.11 in]



Mating Tab Thickness	.8 mm[.031 in]
Mechanical Attachment	
Mounting Holes	Without
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Locking Interface
Housing Features	
Centerline (Pitch)	10.4 mm[.409 in]
Dimensions	
Connector Length	45.4 mm[1.78 in]
Connector Width	40.6 mm[1.59 in]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Packaging Features	
Packaging Type	Package
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part)



Decamethylcyclopentasiloxane (D5) (.5% in

Component Part)

Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Also in the Series | HVA 280



Automotive Connector Caps & Covers (5)



Automotive Connector EMC Shielding (15)



Automotive Housings(78)



Connector Seals & Cavity Plugs(8)





Electric, Hybrid & Fuel Cell Cable Assemblies(6)



High Voltage Wire Processing Equipment(7)




Other Automotive Connector Accessories(37)



PCB Headers & Receptacles(37)

Customers Also Bought





TE Part #2103245-4 Inner Housing, Split Hdr, Key D, HVA280



TE Part #2-2141600-2
TAB 2.8x0.8 CONTACT CF SRC Ag







TE Part #2103149-4
PLUG, HVIL ONLY, KEY D, HVA280-

TE Part #1-2141272-6
2POS, MIXED,HEADER ASSY,CODF

Documents

Product Drawings

HVA280 2P HEADER ASSY, KEY F

English

HVA280

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2103124-6_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2103124-6_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2103124-6_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

PCB Mount Header, Wire-to-Wire, 2 Position, 10.4 mm [.409 in] Centerline, Fully Shrouded, Sealable, Signal, Orange, HVA 280



Instruction Sheets
Instruction Sheet (U.S.)

English