



Color:

## Data

### Physical data

|        |                       |
|--------|-----------------------|
| Width  | 1 mm / 0.039 inches   |
| Height | 67.3 mm / 2.65 inches |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



|       |                      |
|-------|----------------------|
| Depth | 38 mm / 1.496 inches |
|-------|----------------------|

## Mechanical Data

|               |              |
|---------------|--------------|
| Mounting type | snap-on type |
|---------------|--------------|

## Material Data

|                      |  |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
|----------------------|--|

|                             |                  |
|-----------------------------|------------------|
| Color                       | orange           |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Weight                      | 2.4 g            |

## Commercial data

|                       |               |
|-----------------------|---------------|
| ETIM 8.0              | EC000886      |
| ETIM 7.0              | EC000886      |
| PU (SPU)              | 100 (25) pcs  |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4055143905428 |
| Customs tariff number | 85389099990   |

## Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Required accessories

### End plate

|  |
|--|
| Power distribution disconnect terminal block |
|--|

#### Item no.: 2010-7111

1-conductor power distribution disconnect terminal block; 10 mm<sup>2</sup>; Push-in CAGE CLAMP®; 10,00 mm<sup>2</sup>; gray

[www.wago.com/2010-7111](http://www.wago.com/2010-7111)

|                             |
|-----------------------------|
| N-disconnect terminal block |
|-----------------------------|

#### Item no.: 2010-7114

1-conductor N-disconnect terminal block; 10 mm<sup>2</sup>; Push-in CAGE CLAMP®; 10,00 mm<sup>2</sup>; blue

[www.wago.com/2010-7114](http://www.wago.com/2010-7114)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Downloads

### Documentation

#### Additional Information

pdf  
2.2 MB

Download

## CAD/CAE-Data

### CAD data

2D/3D Models 2010-7192

URL

Download

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2010-7192

URL

Download

End plate; 1 mm thick; orange

## Installation Notes

### Product family

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.