


Moisture Sensor (SKU:SEN0114)



Contents

- 1 Introduction
- 2 Specification
- 3 Usage

Introduction

This moisture sensor can read the amount of moisture present in the soil surrounding it. It's a low tech sensor, but ideal for monitoring an urban garden, or your pet plant's water level. This is a must have tool for a connected garden!

This sensor uses the two probes to pass current through the soil, and then it reads that resistance to get the moisture level. More water makes the soil conduct electricity more easily (less resistance), while dry soil conducts electricity poorly (more resistance).

It will be helpful to remind you to water your indoor plants or to monitor the soil moisture in your garden.

Specification

Power supply: 3.3v or 5vOutput voltage signal: 0~4.2v

Current: 35mAPin definition:

Analog output(Blue wire)

GND(Black wire) Power(Red wire)

Size: 60x20x5mm Value range: 0 ~300 : dry soil 300~700 : humid soil 700~950 : in water

Specification

Power supply: 3.3v or 5v Output voltage signal: 0~4.2v

Current: 35mA Pin definition:


Analog output(Blue wire) GND(Black wire)

Power(Red wire)

Size: 60x20x5mm

Value range: 0 ~300 : dry soil 300~700 : humid soil 70050 : in water


Usage



Moisture sensor Connection diagram

```
/*
 # Example code for the moisture sens
or
 # Editor
              : Lauren
  # Date
              : 13.01.2012
 # Version
              : 1.0
 # Connect the sensor to the AO(Analo
g 0) pin on the Arduino board
 # the sensor value description
 # 0 ~300
               dry soil
 # 300~700
               humid soil
  # 700~950
            in water
void setup(){
 Serial.begin(57600);
void loop(){
 Serial.print("Moisture Sensor Value:
");
 Serial.println(analogRead(A0));
 delay(100);
```

Open the Arduino Serial Monitor, and choose its baud rate 57600 as set in the code.



More

Share

Relative humidity to absolute humidity calculator http://planetcalc.com/2167/