


ITEM	PART#	DESCRIPTION	QTY	UOM
A	5016461600	2.0 W/B Dual Grid Rcpt Hsg 16Ckt Beige	1	PC
B	5016471000	2.0 W/B Dual Grid Rcpt Crmp TerChn	16	PC
C	----	WHITE PART ID LABEL	1	PC

PART NUMBER	TITLE	L1	L2(REF)
2219561160	iGrid R-S 16ckt 50mm disc Sn	50±5	15
2219561161	iGrid R-S 16ckt 100mm disc Sn	100±5	15
2219561162	iGrid R-S 16ckt 150mm disc Sn	150±5	15
2219561163	iGrid R-S 16ckt 300mm disc Sn	300±5	15
2219561164	iGrid R-S 16ckt 600mm disc Sn	600±5	15

FROM	TO	DESCRIPTION	COLOUR
A1	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A2	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A3	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A4	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A5	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A6	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A7	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A8	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A9	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A10	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A11	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A12	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A13	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A14	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A15	--	1X22AWG DISC SR-PVC BK UL10002	BLACK
A16	--	1X22AWG DISC SR-PVC BK UL10002	BLACK



- NOTES:
1. CABLE ASSEMBLY MUST PASS 100% CONTINUITY AND POLARITY TEST.
 2. CONNECTOR VIEW SHOWN FROM MATING SIDE.
 3. LABEL TEXT MUST BE 2 MM MAX. IN HEIGHT WITH ARIAL FONT.
 4. LABEL MUST BE WRAPPED IN FLAG TYPE ON A SINGLE CABLE.
 5. TINNING SHOULD BE DONE WITH LEAD FREE SOLDER BAR ONLY.
 6. FREE ENDS MUST BE STRIPPED, TWISTED & TINNED. THE LENGTH OF TINNING IS 5±1MM. TINNING DIA MUST BE 0.90MM MAX.

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2022/09/12	D	INITIAL RELEASE	THANUB

DOCUMENT STATUS	P1	RELEASE DATE	2023/03/15	06:15:41
-----------------	----	--------------	------------	----------

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
$\frac{E}{A} = 0$	DIMENSION UNITS	SCALE	CURRENT REV DESC:
$\frac{E}{E} = 0$	mm	NTS	
$\frac{E}{P} = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
DIVISIONAL SYMBOLS	ANGULAR TOL	±	°
	4 PLACES	±	
	3 PLACES	±	
	2 PLACES	±	
	1 PLACE	±	
	0 PLACES	±	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
	THIRD ANGLE PROJECTION	DRAWING	SERIES
		A4-SIZE	221956
	EC NO: 742198		2023/03/14
	DRWN: THANUB		2023/03/15
	CHK'D: SKUMAR07		2023/03/15
	APPR: SKUMAR07		2023/03/15
	INITIAL REVISION:		
	DRWN: THANUB		2022/11/25
	APPR: SKUMAR07		2022/12/09
	DOCUMENT NUMBER		DOC TYPE
	2219561160		PSD
	DOC PART		REVISION
	000		D
	MATERIAL NUMBER		CUSTOMER
	SEE TABLE		GENERAL MARKET
	SHEET NUMBER		1 OF 1

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A