


Data sheet | Item number: 711-199

Jumper; for conductor entry; 2-way; from 1 to 3; gray

www.wago.com/711-199



Color:

Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

Rated current	24 A
---------------	------

Physical data

Jumper assignment	1-3
-------------------	-----

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
-------	------

Fire load	0.011 MJ
-----------	----------

Weight	1.2 g
--------	-------

Commercial data

eCl@ss 10.0	27-14-11-40
-------------	-------------

eCl@ss 9.0	27-14-11-40
------------	-------------

ETIM 8.0	EC000489
----------	----------

ETIM 7.0	EC000489
----------	----------

PU (SPU)	100 (25) pcs
----------	--------------

Packaging type	box
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4044918456296
------	---------------

Customs tariff number	85366990990
-----------------------	-------------

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Additional Information

2019 年4月3日

pdf
2.0 MB

Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



CAD/CAE-Data

CAE data

	URL	Download
WSCAD Universe 711-199		

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 711-199	URL	Download
Jumper; for conductor entry; 2-way; from 1 to 3; gray		

Installation Notes

Subject to changes. Please also observe the further product documentation!