

Cable marker carrier - LM - 1004377

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)


Cable marker carrier, white, Unlabeled, Mounting type: Assembly with cable binders, Cable diameter: 1-12 mm, Lettering field: 24 x 4 mm



Product Features

- An insert label is placed inside the sealing cap to protect the labeling against dirt
- Plastic cable markers for marking and bundling conductors and cables indoors

Key commercial data

Packing unit	1 PCE
Minimum order quantity	100 PCE
Catalog page	Page 178 (CL2-2011)
GTIN	 4 017918 012069
Custom tariff number	39269097
Country of origin	GERMANY

Technical data

General

Width (a)	24 mm
Color	white
Inflammability class according to UL 94	V2
Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen
Material	PA

Classifications

ETIM

ETIM 2.0	EC000761
----------	----------

Cable marker carrier - LM - 1004377

Classifications

ETIM

ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC001530

UNSPSC

UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410
UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410

eCl@ss

eCl@ss 4.0	24190219
eCl@ss 4.1	24190219
eCl@ss 5.0	27149103
eCl@ss 5.1	27400401
eCl@ss 6.0	27400401
eCl@ss 7.0	27400401

Accessories

Accessories

Marking

Insert strip - ESL 24X 4 - 0808231

Insert strip, Sheet, white, Unlabeled, Can be labeled with: Office-Drucksysteme, Plotter, Perforated and ruled, Mounting type: Insert, Lettering field: 24 x 4 mm



Insert label - EMT (24X4)R - 0816265



Insert label, Roll, white, Unlabeled, Can be labeled with: Thermomark R, Thermomark X, Thermomark S, Mounting type: Insert, Cable diameter: ≤12 mm, Lettering field: 24 x 4 mm

