



CUSTOMER DRAWING

712AH



NOTES:

- 1. DIMENSIONS SHOWN FOR REFERENCE ONLY.
- 2. HEX NUT AND FLAT WASHER SUPPLIED UNASSEMBLED.
- 3. MATERIAL:
 HOUSING, HEX NUT COPPER ALLOY, NICKEL PLATED
 INSULATOR HOUSING THERMOPLASTIC, BEIGE
 TERMINAL INSULATORS PHENOLIC
 FLAT WASHER STEEL, NICKEL PLATED
 PIN, SPRING, TERMINALS COPPER ALLOY, SILVER PLATED
- (B) 4. IT IS RECOMMENDED THAT THE JACK MOUNTING NUT BE TIGHTENED SNUG BY HAND BEFORE APPLYING A FINAL TIGHTENING TORQUE OF 8-10 LB-IN USING HAND TOOLS ONLY. POWER DRIVER OR IMPACT DRIVERS ARE NOT RECOMMENDED.
 - 5. THESE PRODUCTS ARE RoHS COMPLIANT



SCHEMATIC

												OPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED IDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.				
						UNLESS OTHERWISE SPECIFIED	SIZE	W	/IDTH	MULT		LBS/M		TEMPER	R	
						1. ALL DIMENSIONS IN INCHES [mm]	FINISH				MATERIAL					
						- TWO PLACE DECIMALS ±0.02 [0.5]	SPEC No.				SPEC No.					
						- THREE PLACE DECIMALS ±0.005 [0.13]	FIRST USED ON		N	SCALE 3:1						
E	В 28	397	06/11/21	PC	TJK		DATE DRAWN	BY	CHKD	APVD	Switchera					
H.			00/00/4-				6/27/16	PNK	PNK	SRC						
	A 279	941	09/06/17	PC	TJK		0/2//10	IIII	6/27/16	6/27/16		SHEET	1	of 1		
RE	EV ECO N	UMBER	DATE	BY	APVD		NAME HT POWER JACKS			3	PART No				REV	
REVISIONS					-	DO NOT SCALE DRAWING	7 _ 2AH SERIES, RoHS				712	4H 722	AH	732AH	∥ В	

SolidWorks CAD File B

4