# 5-2271137-2 ACTIVE

TE Internal #: 5-2271137-2

Standard Circular Connectors, Wire-to-Wire, 8 Position, Sealable, Printed Circuit Board, Signal, Reverse Gender, A Polarization Code, PA





Connectors > Circular Connectors > Standard Circular Connectors

Connector System: Wire-to-Wire

Number of Positions: 8

Sealable: Yes

Connector & Contact Terminates To: Printed Circuit Board

Contact Current Rating (Max): 2A

#### **Features**

### **Product Type Features**

Assembly Requirement	Factory Assembled	
Prewired	No	
Assembly Type	Electrical Connector	
Circular Connector Shell Type	All Plastic	
Connector Product Type	Connector Assembly	
Connector System	Wire-to-Wire	
Sealable	Yes	
Connector & Contact Terminates To	Printed Circuit Board	
Circular Connector Type	Receptacle	
Shell Type	Plastic	
Configuration Features		

Keying	A
Number of Positions	8
Number of Power Positions	0
Number of Signal Positions	8
Contacts Preloaded	Yes

### **Body Features**

Circular Connector Insulation Material Type	PA	
Hermetically Sealed	Yes	

#### **Contact Features**



Contact Current Rating (Max)	2 A	
Reverse Gender	Yes	
Circular Connector Contact Type	Socket	
Mechanical Attachment		
Polarization Code	A	
Mating Alignment Type	1 Key	
Mating Retention	With	
Housing Features		
Circular Connector Shell Size	18	
Dimensions		
Wire Size	.25 – .34 mm²	
Usage Conditions		
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]	
Operation/Application		
Circuit Application	Signal	
Shielded	No	

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)  Candidate List Declared Against: JUNE 2023 (235)  SVHC > Threshold:  Pb (4% in Component Part)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability
Dra du et Cama dian es Diadaine er	

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### Compatible Parts

TE Part # T4111002081-000
M12,MALE,STRAIGHT,A CODE,8P,
PG9,GOLD

TE Part # 2823066-1
M16 NUT-M12 FRONT PANEL
MOUNT CONNECTORS

## **Customers Also Bought**

TE Part #1393260-4 SR6B4012 - V23050-A1012-A542	TE Part #T4013019041-000 M8,SCREW, MALE,R/A,SHIELD,4P, GOLD	TE Part #T4073014041-001 M8.FMLE.PNLFRONT.4POS.STR WIRE	TE Part #T4171020008-001 M12,REAR MOUNT,MALE, A, 8P, 0.2M WIRE
TE Part #T4113012081-000 M12 M, 8P GOLD A_CODE RA SHIELDED PG9	TE Part #5520258-3 M/JTOP6P/6CPNL STOPSTRAY P	TE Part #K1021410 Relay 29-211-12	TE Part #T4061120003-005 M8 CABLE ST M 5M 3POS PUR CABLE



TE Part #NB07402001 HTAT-12/3-0-STK

TE Part #T4171110005-002 M12,REAR MOUNTING,FEMALE,A,5P, 0.5M WIRE

#### **Documents**

### **Product Drawings**

M12.FEMALE PNL.ACODE.SOLDER REAR.8P(AU)

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5-2271137-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-2271137-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-2271137-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

### **Product Specifications**

**Product Specification** 

English