


TABLE I

PART NO.	DIM "A"	DIM "B"	DIM "C"	DIM "D"	COLOR
PSL-11RED	1.56 (39.6)	1.06 (26.92)	0.78 (19.81)	0.250 (6.35)	RED
PSL-11RED-LS	1.56 (39.6)	3.00 (76.2)	0.78 (19.81)	0.250 (6.35)	RED
PSL-11BLK	1.56 (39.6)	1.06 (26.92)	0.78 (19.81)	0.250 (6.35)	BLACK
PSL-11BLK-LS	1.56 (39.6)	3.00 (76.2)	0.78 (19.81)	0.250 (6.35)	BLACK
PSL-11BLU	1.56 (39.6)	1.06 (26.92)	0.78 (19.81)	0.250 (6.35)	BLUE
PSL-11BLU-LS	1.56 (39.6)	3.00 (76.2)	0.78 (19.81)	0.250 (6.35)	BLUE
PSL-11GRN	1.56 (39.6)	1.06 (26.92)	0.78 (19.81)	0.250 (6.35)	GREEN
PSL-11GRN-LS	1.56 (39.6)	3.00 (76.2)	0.78 (19.81)	0.250 (6.35)	GREEN
PSL-11ORNG	1.56 (39.6)	1.06 (26.92)	0.78 (19.81)	0.250 (6.35)	ORANGE
PSL-11ORNG-LS	1.56 (39.6)	3.00 (76.2)	0.78 (19.81)	0.250 (6.35)	ORANGE
PSL-11YEL	1.56 (39.6)	1.06 (26.92)	0.78 (19.81)	0.250 (6.35)	YELLOW
PSL-11YEL-LS	1.56 (39.6)	3.00 (76.2)	0.78 (19.81)	0.250 (6.35)	YELLOW



NOTES:

1. DIMENSIONS IN [] ARE IN MILLIMETERS.
2. EACH LOCK IS SUPPLIED WITH TWO (2) KEYS.

CAD FILENAME/LAYERS 100619CS_C10382_PSL11xxx-xx_00.prt

PANDUIT CORP. TINLEY PARK, ILLINOIS

CUSTOMER DRAWING
PSL-11***-**
ALUMINUM PADLOCKS

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(.X) ± .032 (.XXX) ± .010
(.XX) ± .020 ANGLES ±

UNLESS OTHERWISE SPECIFIED,
ALL DIMENSIONS ARE GIVEN
IN INCHES, THIRD ANGLE PROJECTION.

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP
0	10-25-05	RVU		DRAWING RELEASED.	4241	R		
A	9-19-05	RVU	DWY	ENGINEERING RELEASE	0000	R		

DRAWN BY RVU	MAT'L: ALUMINUM	SCALE NTS
DATE 9-19-05		DRAWING NO. C10382
CHK'D		DWG A SIZE