

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2008

© COPYRIGHT 2008

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

A1

-

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B4	PN 1-928854-2 OBSOLETE	07OCT14	PKS	RRP

1 Kontakt geeignet fuer:  
Lackdraht, Einzeldraht  $\varnothing 0.40-0.63\text{mm}$   
Lackdraht, zwei Draehte gleichen  
Durchmessers ( $\varnothing 0.40-0.57\text{mm}$ )  
Slot accepts:  
SINGLE MAGNET WIRE  $\varnothing 0.40-0.63\text{mm}$   
DOUBLE MAGNET WIRE SAME  
DIAMETERS ( $\varnothing 0.40-0.57\text{mm}$ )

2 Flachstecker A2.8-0.5mm oder A2.8-0.8mm  
nach DIN 46244  
FLAT PIN A2.8-0.5mm OR A2.8-0.8mm  
ACCORDING TO DIN 46244

3 Bereich wird beim Kontaktieren abgetrennt  
AREA WILL BE CUTTED OF BY TERMINATION

4 Kontakt Kammer nach Spez. 411-18514  
CAVITY ACCORDING DWG Spec. 411-18514

5 Kennziffer fuer Lackdrahtbereich (10)  
IDENTIFICATION NO. (10)

6 Unter Vorstrich-Zahl 1-...  
auch "ohne" Rastnase lieferbar  
UNDER PRAEFIX NO: 1- ....  
ALSO "WITHOUT LOCKING NOSE AVAILABEL

7 OBSOLETE PARTS: OBSOLETE CIS SRREAMLINING PER  
D.RENAUD/D.SINISI

OBSOLETE	REV.	PCS	DESCRIPTION	MATERIAL	SURFACE COLOR
<del>1-928854-2</del> 6	B	-	MAG-MATE Kontakt "without"	CuNiSi	POSTTINNED
1-928854-1 6	B	-	MAG-MATE Kontakt "without"	CuNiSi	PRETINNED
<del>928854-2</del>	B	-	MAG-MATE Kontakt "with"	CuNiSi	POSTTINNED
<del>928854-1</del> 7	B	-	MAG-MATE Kontakt "with"	CuNiSi	PRETINNED
COSTUMER PART NO	REV.	PCS	DESCRIPTION	MATERIAL	SURFACE COLOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN S.Goerke 16-03-1989

CHK H.PLÖBER 16-03-1989

APVD -

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

Customer Drawing

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	$\pm 0.2\text{mm}$
0 PLC	$\pm$
1 PLC	$\pm$
2 PLC	$\pm$
3 PLC	$\pm$
4 PLC	$\pm$
ANGLES	$\pm 1^\circ$
FINISH	SEE TABLE

Customer Drawing

NAME	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
MAG-MATE TERMINAL WITH TAB-RECEPT. 2.8-0.5/0.8	A3	00779	C=928854	-
SCALE	SHEET	OF	REV	
10:1	1	1	B4	

1470-19 (3/11)