
SPBT3.0DPx data package

Introduction

The data package (DP) is an easy to use AT command set embedded in the SPBT3.0DPx ST Bluetooth® module series. It is a user friendly interface that implements the cable replacement and supports communication with smart phones and MFi devices.

SPBT3.0DPx modules have the DP firmware with SPP, HID and IAP2 (iPOD accessory protocol) services for communication with smart phones and Apple iOS Bluetooth enabled devices.

The modules with their embedded DP firmware have been qualified by Bluetooth® SIG. (For more information about Qualified Design Listing and product declaration procedure, visit: <https://www.bluetooth.com/develop-with-bluetooth/qualification-listing/declare-your-product>.)

1 Acronyms and abbreviations


Table 1. List of acronyms

Term	Description
ASM	active status mode
ASCII	American standard code for information interchange – a standard describing encoding of characters; the use in this document is strictly US 7-bit
BD	Bluetooth device
BT	Bluetooth
DCD	modem 'data carrier detect' signal – indication from a modem that a connection has been made through, for example, a dial-up connection
DP	data package
DSM	deep sleep mode
DTE	data terminal entity, e.g., a computer
DTR	modem 'data terminal ready' signal – indication to a modem that the data terminal is ready for connection
DUN	dial-up networking (profile)
FW	firmware
GPIO	general purpose input-output
HCI	host controller interface
HID	human interface device
HW	hardware
iAP2	iAP2 iPOD accessory protocol
LAN	local area network
LMP	link manager protocol
LPO	low power oscillator
MITM	refers to the 'man-in-the-middle' security attack
PIN	personal identification number
SIG	Bluetooth special interest group
SPP	serial port profile
UART	universal asynchronous receiver-transmitter

2 Data package firmware interface overview

The DP firmware is a cable replacement application that provides communication between Bluetooth-enabled devices. A serial port is used to communicate with a host device through an AT command interface as shown below.

Figure 1. Communication between module and host



The AT command firmware provides:

- serial port profile (SPP) support for both client and server applications
- iPOD accessory protocol (iAP2) support for communication with Apple iOS Bluetooth-enabled devices
- human interface device (HID) profile for keyboard or mouse roles. An HID connection can co-exist with SPP, or iAP2 connection
- command and bypass modes; it is possible to switch between command and bypass (data transmit/receive) modes during an active connection
- security through bonding and data encryption
- module low power modes; it is possible to switch between active status mode and deep sleep mode to reduce power consumption when the module is not connected
- BT connection mode; it is possible to set a connection to sniff mode to reduce power consumption

3 Data package command list

The following table lists all the DP commands with links to behavior, syntax, and response details.

Table 2. DP command list summary

Command	Description	DP version
AbortDiscovery	Quit discovery mode	2.1
AutoReconnect	Enable/disable auto-reconnect mode	2.0 ⁽¹⁾
AutoReconnectSetup	Set auto-reconnect configuration settings	2.0 ⁽¹⁾
Bond	Initiate bonding entry	2.0
BtcVersion	BT chip version	2.0
Build	Return current firmware build ID number	2.0
Bypass	Enter data bypass mode	2.0
CancelConnect	Abort connection set-up initiated by module	2.2
ChangeBaud	Change host interface baud rate	2.0
ChangeDefaultBaud	Change the default host interface baud rate	2.0
Config	Return/set a configuration variable	2.0
CpTest	Test connection with MFi Co-Processor	2.0
DefaultLocalName	Change default device local name	2.0
DeleteAutoReconnect	Delete auto-reconnect configuration settings	2.0
DisableBond	Disable or deny a bonding with a specific device	2.0
Discovery	Discover and list in range device	2.0
EnableBond	Enable bonding with a specific device	2.0
EraseBondTable	Erase all the entry from the bonding table	2.0
ExitSniff	Switch device from sniff to normal mode	2.0
Factory	Reset factory settings	2.0
FWVersion	Return current module FW version	2.0
GetBDAddress	Read local BT address	2.0
GetRSSI	Get RSSI of current Bluetooth connection	2.1
GPIOConfig	Config GPIO as input or output	2.0 ⁽¹⁾
GPIORead	Read GPIO status	2.0
GPIOWrite	Set GPIO high or low	2.0
HIDConnect	Initiate a HID connection with the specified device	2.0
HIDDisconnect	Close the HID connection	2.0
HIDIntSend	Send HID report in interrupt mode	2.0

Command	Description	DP version
HostEvent	Enable/disable transmission of "AT-AB .." event to host	2.0
HWVersion	Return current module HW version	2.0
iAP2AppLaunchReq	Send request to launch associated app	2.0
IAP2Connect	Initiate connection versus specified IOS device	2.0
IAP2Disconnect	Disconnect by current iOS device	2.0
LocalName	Temporarily change device local name	2.0
PassKey	Provide MITM authentication passkey	2.2
PassKeyAccept	Accept MITM confirmation code	2.0
ReadClock	Reads the piconet clock of the local or remote device	2.1
RemoteName	Get friendly name of remote device	2.2
Reset	Do a master SW reset	2.0
RoleSwitch	Switch from/to master or slave role	2.0
ShowConnection	Show active data link	2.0
ShowDev	Show list of bonding table	2.0
Sniff	Switch device from normal to sniff mode	2.0
SPPConnect	Initiate an SPP connection with specified device	2.0
SPPDisconnect	Close SPP connection with specified device	2.0
StartFwUpdate	Start FW update procedure	2.0
UpdateInquiryScan	Allow modification of inquiry scan parameters (i.e. time)	2.0
UpdatePageScan	Allow modification of page scan parameters (i.e. time)	2.0
VarVersion	Return current version of configuration variable	2.0
Version	Return current version of AT command interface	2.0

1. Additional configuration options added in DP version 2.2.

3.1 AbortDiscovery

The AbortDiscovery command is used to stop Discovery operation initiated by Discovery command.

3.1.1 Syntax

```
AT+AB AbortDiscovery
```

3.1.2 Responses

- AT-AB InquiryAbortDone

3.2 AutoReconnect

This command enables/disables auto-reconnect mode. When enabled, the module tries to open an SPP or iAP2 connection automatically with a target device. The parameters of the auto-reconnect mode are configured with the `AutoReconnectSetup` commands. AutoReconnect status is stored into not volatile memory, so it is kept even after reset, or power cycle.

3.2.1 Syntax

```
AT+AB AutoReconnect [enable/disable]
```

```
AT+AB AutoReconnect [enable/disable] [first/last]
```

Where:

[enable/disable] is either:

- `enable` (or `e`) to enable the auto-reconnect mode
- `disable` (or `d`) to disable the auto-reconnect mode

[first/last] is either:

- 0: First connected device after Enable command is auto-reconnected
- 1: Last device connected before reset/power cycle is auto-reconnected

This parameter is optional and available only since DP version 2.2. If not provided it is assumed 0 (first).

3.2.2 Responses

If the request is successfully submitted, the response is:

- AT-AB AutoReconnectDone Enabled or AT-AB AutoReconnectDone Disabled

3.3 AutoReconnectSetup

This command configures the auto-reconnect parameters, which are stored in non-volatile memory.

3.3.1 Syntax

```
AT+AB AutoReconnectSetup [interval]
```

```
AT+AB AutoReconnectSetup [interval][attempts]
```

```
AT+AB AutoReconnectSetup [interval][attempts][BD Address][Type]
```

Where:

[interval] is the pause in seconds between attempts. Note that a page attempt is skipped if there is already a Bluetooth activity (discovery, active connection, connection setup) in progress.

[attempts] is the number of pages attempted to the specified device until a connection is successful. A value of 2000 will perform unlimited pages.

[BD Address] is the BD address of the remote device to page and attempt to connect

[Type] can be:

- "SPP" to indicate an SPP connection
- "iAP2" to indicate an iAP2 connection
- "HID" to indicate an HID connection (available only since DP version 2.2)

If parameters [BD Address] and [Type] are not specified, the module uses the first or last device that connected after the enabling of auto-reconnect.

The selection between first or last is provided by Autoreconnect command. If last device mode is selected, autoreconnect will be activated only after reset/power cycle.

3.3.2 Responses

If the request is successfully submitted, the response is:

- AT-AB AutoReconnectSetupDone

3.4 Bond

This command initiates bonding with a specified device. A personal identification number (PIN) is also required with this command. The bond table contains up to 100 devices.

The first device after the hundredth overwrites the oldest one on the list.

3.4.1 Syntax

```
AT+AB Bond [BD Addr] [PIN]
```

Where:

[BD addr] is the BD address of the remote device to bond with

[PIN] is the PIN code to use (up to 16 characters)

3.4.2 Responses

If the request is successfully submitted, the response is:

- AT-AB BondPending [Remote BD Addr]

If the operation is successful, the response is:

- AT-AB BondOk

If the operation fails, the response is:

- AT-AB BondFail

3.5 BtcVersion

This command returns the current ID of the Bluetooth controller chip.

3.5.1 Syntax

```
AT+AB BtcVersion
```

3.5.2 Responses

If the embedded BT front end controller is working properly, the response is formatted as:

- /00 <HCI_Ver> <HCI_Rev> <LMP_Ver> <Manuf_Name> <LMP_subver>

Table 3. BtcVersion parameter details

Parameter ID	Parameter detail	Size
<HCI_Ver>	HCI version	8 bit
<HCI_Rev>	HCI revision	16 bit
<LMP_Ver>	LMP ID	8 bit
<Manuf_Name>	Manufacturer name	16 bit
<LMP_subver>	LMP subversion ID	16 bit

3.6 Build

This command returns the current build ID of the application firmware.

3.6.1 Syntax

```
AT+AB Build
```

3.6.2 Responses

If the operation is successful, the response is:

- AT-AB DataPackage FW Build [date].[M.m.p]

Where:

[date] is the date code (yymmdd) of the application firmware

[M.m.p] Major FW version, minor FW version and point version

3.7 Bypass

This command returns the DP FW interface to bypass mode if a connection is still available. It can be used to change a setting after a connection has been made (such as the UART baud rate). If the module does not have a connection, it responds as if the connection were down.

3.7.1 Syntax

```
AT+AB Bypass
```

3.7.2 Responses

If a connection is still available, the response is:

- AT-AB -BypassMode-

If a connection is not available or is closed from the connected device, then the module returns:

- AT-AB ConnectionDown

3.8 CancelConnect

This command aborts on-going connection set-up initiated by module.

3.8.1 Syntax

```
AT+AB CancelConnect
```

3.8.2 Responses

If there is connection attempt running, the response is:

- AT-AB SPPConnectionClosed or AT-AB iAP2ConnectionClosed
- AT-AB ConnectionDown

If there is no connection attempt running, the response is:

- AT-AB ErrExecute no connection attempt running

3.9 ChangeBaud

The host sends the ChangeBaud command to change the local UART rate to a new speed identified by the host. This setting only remains in effect during the current session until reset.

3.9.1 Syntax

```
AT+AB ChangeBaud [rate]
```

Where [rate] is the new baud rate (300, 600, 1200, 2400, 4800, 9600, 19200, 38400, 57600, 115200, 230400, 460800, 921600 or 2000000).

3.9.2 Responses

If the change is accepted, the response is:

- AT-AB Baudrate Changed

The actual change is effective after the response is transmitted. The original baud rate is restored on the following reboot.

If the rate indicated is not one of the above or not usable, the system returns:

- AT-AB ERRInvalidParameter

3.10 ChangeDefaultBaud

The host sends the ChangeDefaultBaud command to change the default UART rate to a new speed identified by the host. This command overrides the default baud rate through the dynamic configuration script, so the device does not require reprogramming to update this setting and the new baud rate applies until the device is either re-programmed or another ChangeDefaultBaud command is issued.

The new baud rate does not take effect until the device is reset. To change the baud rate of the current session, use the ChangeBaud command.

3.10.1 Syntax

```
AT+AB ChangeDefaultBaud [rate]
```

Where [rate] is the new baud rate (300, 600, 1200, 2400, 4800, 9600, 19200, 38400, 57600, 115200, 230400, 460800, 921600 or 2000000).

3.10.2 Responses

If the change is accepted, the response is:

- AT-AB Baudrate Changed

If the rate indicated is not one of the above or not usable, the system returns:

- AT-AB ERRInvalidParameter

3.11 Config

This command retrieves or sets a configuration variable.

3.11.1 Syntax

```
AT+AB Config
```

with no parameter returns a dump of the variables with corresponding values

```
AT+AB Config [variable name]
```

returns the value of the specified variable

```
AT+AB Config [variable ID]
```

returns the value of the specified variable ID

```
AT+AB Config [variable name] = [variable value]
```

sets the value of [variable name] to [variable value]

```
AT+AB Config [variable ID] = [variable value]
```

sets the value of [variable ID] to [variable value]

A new variable value is stored in Flash and loaded when the firmware starts, so a new value is only applied after the following reset. Writing to Flash is a delicate operation and can take hundreds of milliseconds. You must wait for the “AT-AB ConfigOk” response before resetting the module.

If the operation is aborted by power loss or reset, the parameters are invalidated and the factory configuration is used (default values).

In that case, the module at power on/reset sends the following events with the factory baudrate (= 115200) to the host:

```
[RX] - AT-AB ErrExecute -Invalid Configuration-
```

```
[RX] - AT-AB ResetPending
```

```
[RX] - AT-AB -CommandMode-
```

```
[RX] - AT-AB BDAAddress 0080e1ba001b
```

Tip: if the module at power on seems not responding at your expected baudrate (different from factory 115200 baudrate), a factory reset may have occurred due to a previous power loss..

In this case, you may need to check at 115200 bps, and in case set again the configuration variables you need to customize (DeviceName, UartBaudrate, StreamingSerial, etc...).

Refer to [Section 5 Variable definitions](#) for full details regarding configuration variables.

3.11.2 Responses

The AT+AB Config command returns a full dump of all the configuration variables.

Successful commands issued to set a specific parameter return:

- AT-AB ConfigOK

Successful commands get a specific parameter return:

- [variable ID]<TAB>[variable name] = [variable value]

Incorrect or unacceptable parameters return:

- AT-AB ErrInvalidParam <param>

3.12 CpTest

The CpTest command is used to test the connection with the MFi Co-processor.

3.12.1 Syntax

```
AT+AB CpTest
```

3.12.2 Responses

If the operation is successful, the response is:

- AT-AB CP Device Version: 0x05
- AT-AB CP Firmware Version: 0x01
- AT-AB CP Authentication protocol Major version: 0x02
- AT-AB CP Authentication protocol Minor version: 0x00

- AT-AB CP Device ID: 0x00000200

If the operation is not successful, the response is:

- AT-AB CP Address Fail

3.13 DefaultLocalName

This command sets the BT Classic name of the device to the name that is reported during device discovery. By default, the DP FW interface uses “STBTC3.0 Module”. This command permanently changes the local name, unlike [Section 3.35 LocalName](#) .

3.13.1 Syntax

```
AT+AB DefaultLocalName [name]
```

Where [name] is the new, case sensitive, local name string (up to 40 characters). The name is assumed to be all text up to the end of the command, including spaces.

3.13.2 Responses

If the operation is successful, the response is:

- AT-AB LocalNameOk

3.14 DeleteAutoReconnect

This command deletes the auto-reconnect configuration settings.

3.14.1 Syntax

```
AT+AB DeleteAutoReconnect
```

3.14.2 Responses

If the request is successfully submitted, the response is:

- AT-AB DeleteAutoReconnectDone

3.15 DisableBond

This command prohibits new bonding with a device; it cannot be used while a connection is active.

3.15.1 Syntax

```
AT+AB DisableBond
```

3.15.2 Responses

If the operation is successful, the response is:

- AT-AB BondDisabled

3.16 Discovery

This command initiates device discovery and returns the number (maximum 10) of responses from nearby devices, followed by the Bluetooth address and name of each responding device.

Scanning lasts 10.24 s and devices are listed the same order as the scan results.

3.16.1 Syntax

```
AT+AB Discovery
```

3.16.2 Responses

When the discovery command is accepted, the response is:

- AT-AB InqPending

Once the initial inquiry is complete and discovery has started, the response is:

- AT-AB DiscoveryPending [num]

where [num] is the decimal number (max. 10) of devices found.

For each successful name request, the response uses the returned names thus:

- AT-AB Device [BD addr] [name]

where [BD addr] is in hexadecimal with the most significant byte first and [name] is a string in double quotes "".

For each unsuccessful name request, the corresponding name is "Unknown". The name request may not be successful if the connection for the request is unsuccessful.

- AT-AB Device [BD addr] "Unknown"

3.17 EnableBond

This command enables bonding with another device.

3.17.1 Syntax

```
AT+AB EnableBond
```

```
AT+AB EnableBond [BD addr]
```

```
AT+AB EnableBond [BD addr] [PIN]
```

```
AT+AB EnableBond [BD addr] [PIN] [timeout]
```

Where:

[BD addr] is the BD address of the remote device for which bonding is enabled. Set FFFFFFFF to allow any device.

[PIN] is the PIN code (up to 16 characters) used for PIN pairing; not used for simple pairing.

[timeout] is the duration in seconds (from 1 to 1000) in which the bond can occur. When the timer expires, the bond is disabled and the AT-AB BondDisabled event is sent to the Host.

3.17.2 Responses

If the operation is successful, the response is:

- AT-AB BondEnabled

If bonding has been initiated by a remote device, the notification is:

- AT-AB BondPending [BD addr]

where [BD addr] is the BD address of the remote device that initiated the bonding. If bonding has occurred, the notification is:

- AT-AB BondOk [BD addr]

where [BD addr] is the BD address of the remote device with successful bonding.

If bonding initiated by a remote device fails, the notification is:

- AT-AB BondFail

3.18 EraseBondTable

This command indiscriminately erases all of the bonded device entries.

3.18.1 Syntax

```
AT+AB EraseBondTable
```

3.18.2 Responses

If the operation is successful, the response is:

- AT-AB BondTableErased

3.19 ExitSniff

This command is used by DP FW to switch an SPP connection with a device from sniff mode to active mode.

3.19.1 Syntax

```
AT+AB ExitSniff [BD address]
```

Where [BD address] is the BD address of the device to be switched to active mode.

3.19.2 Responses

If the operation is successful, the response is:

- AT-AB ActiveMode

3.20 Factory

This command restores the factory configuration settings.

3.20.1 Syntax

```
AT+AB Factory
```

3.20.2 Responses

If the request is successfully submitted, the response is:

- AT-AB FactoryDone

3.21 FWVersion

This command returns the current DP FW version.

3.21.1 Syntax

```
AT+AB FWVersion
```

3.21.2 Responses

If the operation is successful, the response is:

- AT-AB FWVersion [M.m.p]

Where:

[M.m.p] Major FW version, minor FW version and point version

3.22 GetBDAddress

This command reads the Bluetooth device address or MAC address of the local device.

3.22.1 Syntax

```
AT+AB GetBDAddress
```

3.22.2 Responses

If the operation is successful, the response is:

- AT-AB BD_ADDR = [BD address]

3.23 GetRSSI

This command returns RSSI of current Bluetooth connection.

3.23.1 Syntax

```
AT+AB GetRSSI{BD Addr}
```

Where [BD Addr] is the BD address of the connected device.

3.23.2 Responses

If connected:

- AT-AB RSSI Value: [dB value in decimal]

if disconnected:

- AT-AB ErrInvalidParam No Connection

3.24 GPIOConfig

The GPIOConfig command is used to configure a GPIO pin to input or output.

3.24.1 Syntax

```
AT+AB GPIOConfig [GPIO Pin] [Configuration]
```

```
AT+AB GPIOConfig [GPIO Pin] [Configuration] [Type]
```

where [GPIO Pin] is the pin number of the desired GPIO to configure. GPIO numbering depends on the specific HW used; the valid range is:

- For SPBT3.0DP1 1 to 16 if StreamingSerial=TRUE, 1 to 14 if StreamingSerial=FALSE
- For SPBT3.0DP2 1 to 10 if StreamingSerial=TRUE, 1 to 8 if StreamingSerial=FALSE

[Configuration] valid values are: 'i' or 'I' for input and 'o' or 'O' for output.

[Type] The following pin types can be selected with this parameter:

a - analog

o - open drain output

u - internal pull-up enabled

d - internal pull-down enabled

r - interrupt on rising edge - internal pull-down enabled

f - interrupt on falling edge - internal resistor disabled

rf - interrupt on rising and falling edge - internal resistor disabled

When interrupt is triggered, the following AT message is sent: `AT-AB GPIO XX=0/1`

GPIO3 cannot be used as interrupt (it clashes with GPIO8)

If optional parameter `[Type]` is not specified than GPIO is configured as:

PushPull if output

Input no-pull if input

3.24.2 Responses

If the operation is successful, the response is:

- `AT-AB GPIOConfigDone`

If an incorrect parameter is passed to the module, it returns:

- `AT-AB ErrInvalidParam`

3.25 GPIORead

This command reads a GPIO pin. A GPIO may be read while configured as either an input or output.

3.25.1 Syntax

```
AT+AB GPIORead [GPIO Pin]
```

where `[GPIO Pin]` is the pin number of the desired GPIO to read. GPIO numbering depends on the specific HW used; the valid range is:

- For SPBT3.0DP1 1 to 16 if StreamingSerial=TRUE, 1 to 14 if StreamingSerial=FALSE
- For SPBT3.0DP2 1 to 10 if StreamingSerial=TRUE, 1 to 8 if StreamingSerial=FALSE

3.25.2 Responses

If the operation is successful, the response is:

- `AT-AB GPIOReadDone [result]`

Where `[result]` is either 1 to indicate high, or 0 to indicate low.

If an incorrect parameter is passed to the module, it returns:

- `AT-AB ErrInvalidParam`

3.26 GPIOWrite

This command sets a GPIO pin high or low. A GPIO may only be set when configured as an output.

3.26.1 Syntax

```
AT+AB GPIOWrite [GPIO Pin] [Setting]
```

Where:

`[GPIO Pin]` is the pin number of the desired GPIO to write. GPIO numbering depends on the specific HW used.

`[Setting]` is a 1 to set a pin to high and a 0 to set a pin to low.

3.26.2 Responses

If the operation is successful, the response is:

- `AT-AB GPIOWriteDone`

3.27 HIDConnect

The HIDConnect command is used to initiate a HID connection with the specified host device. The remote BD address must be specified.

3.27.1 Syntax

```
AT+AB HIDConnect [BD Addr]
```

Where [BD Addr] is the remote device's BD address to connect

3.27.2 Responses

If the connection is successful, the response is:

- AT-AB HIDConnectionUp

If the connection cannot be completed, the response is:

- AT-AB HIDConnectionClosed

3.28 HIDIntSend

The HIDIntSend command is used to send HID reports to the remote hid host.

3.28.1 Syntax

```
AT+AB HIDIntSend [report]
```

Where [report] parameter is dependent upon the enabled device type.

For Keyboard device [report] is 2 two bytes hex values (4 characters). It is a simplified keyboard that does not support setting status LEDs and allow only one simultaneous key press (except modifiers):

1st byte: modifiers keys status:

Bit0: CTRL Left.

Bit1: SHIFT Left.

Bit2 : ALT Left.

Bit3: GUI Left.

Bit4: CTRL Right.

Bit5: SHIFT Right

Bit6: ALT Right.

Bit7: GUI Right.

Bit value:

1 key pressed.

0 key released

2nd byte: key code specified in Usage Page of USB keyboard (section 10 of document "USB HID usage tables" ver 1.12):

www.usb.org/developers/hidpage/Hut1_12v2.pdf

Example (press and release Enter key):

```
at+ab hidIntSend 0028
```

```
at+ab hidIntSend 0000
```

Example (press Shift, then press 'e', then release both keys):

```
at+ab hidIntSend 0200
```

```
at+ab hidIntSend 0208
```

```
at+ab hidIntSend 0000
```

For Mouse device [report] is a 3 bytes hex values (6 characters):

1st byte: X axis movement as 2's complement. (-126, +127). Positive movement is left to right

2nd byte: Y axis movement as 2's complement. (-126, +127). Positive movement is up to down

3rd byte: buttons status.

Bit0: left button.

Bit1: central button.

Bit2: right button.

Bit3-7: must be 0

Bit value:

1: button pressed

0: button released

Example (Move pointer right and down by 0x10 pixels. Then left button pressed):

```
at+ab hidIntSend 101000
```

```
at+ab hidIntSend 000001
```

3.28.2 Responses

If transmission is successful, the response is

- AT-AB HIDIntSent

3.29 HIDDisconnect

The HIDDisconnect command is used by DP FW to terminate a connection with the remote host device.

3.29.1 Syntax

```
AT+AB HIDDisconnect
```

3.29.2 Responses

If the connection is successful, the response is

- AT-AB HIDConnectionClosed

3.30 HostEvent

This command enables or disables notification to the HOST of all the "AT-AB..." event messages, even responses to AT commands. That is to emulate a "true cable replacement". Only data received from remote end are sent to the host.

This setting remain in effect during the current session until reset.

3.30.1 Syntax

```
AT+AB HostEvent [enable/disable]
```

3.30.2 Responses

If the operation is successful, and the parameter was "enable", the response is:

- AT-AB HostEvent Enabled

If the operation is successful, and the parameter was "disable", there is no response.

3.31 HWVersion

This command returns the current module HW version.

3.31.1 Syntax

```
AT+AB HWVersion
```

3.31.2 Responses

If the operation is successful, the response is:

- AT-AB HWVersion [M.m]

Where:

[M.m] Major HW version, minor HW version

3.32 iAP2AppLaunchReq

This command is used by the DP FW to send the request to the Apple device to launch the App defined with the iAPAppBundleID configuration variable. The iAP2 connection must already be established.

3.32.1 Syntax

```
AT+AB iAP2AppLaunchReq
```

3.32.2 Response

If the request is sent to the apple device, the response is

- AT-AB IAP2AppLaunchDone

If the iAP2 connection is not established, the response is:

- AT-AB ErrExecute -iAP2 not connected-

If the iAPAppBundleID configuration variable is invalid, the response is:

- AT-AB ErrExecute -Invalid iAPAppBundleID-

3.33 IAP2Connect

This command is used by DP FW to initiate a connection with the specified Apple iOS device. The remote BD address must be specified.

3.33.1 Syntax

```
AT+AB IAP2Connect [BD Addr]
```

Where [BD Addr] is the BD address of the iOS remote device to page.

3.33.2 Responses

If the connection is successful, the response is:

- AT-AB ConnectionUp [Remote BD Addr]
- AT-AB -iAP2-BypassMode-

If the connection cannot be completed, the response is:

- AT-AB iAP2ConnectionClosed

3.34 IAP2Disconnect

This command is used by DP FW to terminate a connection with the remote Apple iOS device.

3.34.1 Syntax

```
AT+AB IAP2Disconnect
```

3.34.2 Responses

If the connection is successful, the response is

- AT-AB IAP2ConnectionClosed

3.35 LocalName

This command is used to set the name of the device to the name that is reported during device discovery. Changing the name using this command does not permanently change the local name.

3.35.1 Syntax

```
AT+AB LocalName [name]
```

Where `[name]` is a string for the new local name (up to 40 characters). The name is all the text up to the end of the command, including spaces.

3.35.2 Responses

If the operation is successful, the response is:

- AT-AB LocalNameOk

If `[name]` is not valid (i.e., too long or empty) the following error message is returned:

- AT-AB ErrInvalidParam

3.36 PassKey

This command is used to provide authentication code for MITM protected pairing. The command must be sent as a response to the event AT-AB PassKeyReq (see [Section 4.1 AT events](#)) within 40 seconds.

3.36.1 Syntax

```
AT+AB PassKey [Code]
```

Where

`[Code]` is a 6 decimal digit code (i.e. 123456)

3.36.2 Responses

There is no response. If the operation is successful the module is bonded.

3.37 PassKeyAccept

This command is used to accept the MITM confirmation code, automatically generated during the bonding phase, when MITM protection is required. In that case this command is necessary to complete pairing.

3.37.1 Syntax

```
AT+AB PassKeyAccept [y/n]
```

Example for confirmation:

```
AT+AB PassKeyAccept y
```

Example for denying confirmation:

```
AT+AB PassKeyAccept n
```

3.37.2 Responses

There is no response. If the operation is successful the module is bonded.

This command must be sent as a response to the AT-AB PassKeyConfirmReq [PASSKEY] (see [Section 4.1 AT events](#)) within 30 seconds, otherwise the module assumes:

```
AT+AB PassKeyAccept n
```

3.38 ReadClock

This command reads the piconet clock of the local or remote device.

3.38.1 Syntax

```
AT+AB ReadClock
AT+AB ReadClock [Remote BDAAddress]
```

3.38.2 Response

For local clock:

- Clock [Local BDAAddress] [clock output in HEX]

For remote clock:

- If connected:
 - Clock [Remote BDAAddress] [clock output in HEX]
- if disconnected:
 - AT-AB ErrInvalidParam No Connection

3.39 RemoteName

Get friendly name of remote device.

3.39.1 Syntax

```
AT+AB RemoteName [BD Addr]
```

Where:

[BD Addr] is the BD address of the remote device whose name is requested.

If connection is in place, [BD Addr] must be the one of the connected device.

3.39.2 Responses

If the operation is successful, the response is:

- AT-AB Device [BD Addr] [name]

where [BD Addr] is in hexadecimal with the most significant byte first and [name] is a string in double quotes " ".

If the operation is not successful, the response is:

- AT-AB Device [BD Addr] "Unknown"

Note: If [BD Addr] is neither in bond table, nor discovery table, a connection to the device is attempted, if not in place already.

In this case, successful operation includes connection/disconnection events:

- *AT-AB ConnectionUp [BD Addr]*
- *AT-AB Device [BD Addr] [name]*
- *AT-AB ConnectionDown*

3.40 Reset

This command resets the DP FW interface; it is provided in the event that a host application wants to perform a software reset for error recovery. There is a response prior to reset in order to verify that the command was received by the DP FW interface.

3.40.1 Syntax

```
AT+AB Reset
```

3.40.2 Responses

If the operation is successful, the response is:

- *AT-AB ResetPending*

3.41 RoleSwitch

This command changes a link from/to a master or slave role

3.41.1 Syntax

```
AT+AB RoleSwitch [bd address][role]
```

Where *[bd address]* is the address of the remote device that receives the role switch.

[role] is the required device role:

0: Master

1: Slave

3.41.2 Responses

If the operation is successful, the response is:

- *AT-AB RoleSwitchDone [NewRole]*

Where *[NewRole]* can be master or slave

- *AT-AB ErrExecute* when there is no connection, or connection is in sniff mode

3.42 ShowConnection

This command is used to display the details of active links.

3.42.1 Syntax

```
AT+AB ShowConnection
```

3.42.2 Responses

Reply format with active connection:

- Channel ID, Remote Device BD Address, Status, Profile
- 0, 4cb199dccd22, Connected, SPP

Reply without active connection:

- No Device Connected

3.43 ShowDev

This command lists the contents of the bond table.

3.43.1 Syntax

```
AT+AB ShowDev
```

3.43.2 Responses

This command returns the list of all the bonded devices with their BD address.

If the bonding table has no items, it returns:

- AT-AB BondTableEmpty

3.44 Sniff

This command is used by DP FW to switch the status of the current connection from active mode to sniff mode.

3.44.1 Syntax

```
AT+AB Sniff [BD address] [Sniff Interval Min] [Sniff Interval Max] [Attempts] [Timeout]
```

Where:

[BD address] is the BD address of the connected device to be switched to sniff mode.

[Sniff Interval Min] is the minimum acceptable interval between each consecutive sniff period.

[Sniff Interval Max] is the maximum acceptable interval between each consecutive sniff period.

Value is given in slots from 2 to 65534. Each slot has duration of 0.625 ms. If not specified, the value of configuration variable AutoSniffIntMax is used.

[Attempts] The number of master-to-slave transmission slots during which a device should listen for traffic, from 1 to 32768. If not specified, the value of configuration variable AutoSniffAttempts is used.

[Timeout] The amount of time before a sniff radio timeout occurs. Expressed in 1.25 ms increments. Range between 0 and 32768. If not specified, the value of configuration variable AutoSniffRadioTimeout is used.

Example sniff command:

```
at+ab sniff 0CB319BD8270 500 1000 100 50
```

3.44.2 Responses

If the operation is successful, the response is:

- AT-AB SniffMode

3.45 SPPConnect

This command initiates a connection with the specified device, specifying the remote BD address. The remote service is optional. If not specified, the first registered SPP service is used.

3.45.1 Syntax

```
AT+AB SPPConnect [BD Addr]
```

Where [BD Addr] is the BD address of the remote device to page.

3.45.2 Responses

If the connection is successful, the response is:

- AT-AB ConnectionUp [BD Addr]
- AT-AB -BypassMode-

If the connection cannot be completed, the response is:

- AT-AB SPPConnectionClosed

3.46 SPPDisconnect

This command terminates a connection with the remote device.

3.46.1 Syntax

```
AT+AB SPPDisconnect
```

3.46.2 Responses

If the connection is successful, the response is:

- AT-AB SPPConnectionClosed

3.47 StartFwUpdate

This command can be issued to start the FW update procedure. It is software alternative to using the Boot pin to set the SPBT3.0DPx module in Bootloader mode.

3.47.1 Syntax

```
AT+AB StartFwUpdate
```

3.47.2 Responses

If the command execution is successful, the response is:

- AT-AB Fw Update Started

After sending the response, the module enters Bootloader mode.

If the firmware download procedure is not started within 30 seconds, a reset is triggered and the firmware restarts. Refer to the firmware update procedure in the datasheet for details.

3.48 UpdateInquiryScan

The command modifies the inquiry scan parameters: mode, duration and interval.

3.48.1 Syntax

```
AT+AB UpdateInquiryScan [mode]
```

```
AT+AB UpdateInquiryScan [mode] [duration] [interval]
```

Where

[mode] is the discoverable mode:

- 0: non-discoverable
- 2: discoverable

[duration] is the scan length in slots; 18 to [interval]. The default duration is 18 slots. This parameter is optional.

[interval] is the period between scans in slots; 18 to 4096. The default interval is 2048 slots. This parameter is optional. This parameter is optional.

The duration of one slot is 0.625 ms.

Both optional parameters have to be included or excluded in the command. It is not possible to specify just one of the two optional parameter.

3.48.2 Responses

If the command is successful, the response is:

AT-AB InquiryScanUpdateDone

3.49 UpdatePageScan

The UpdatePageScan command is used to modify the page scan parameters: mode, duration, and interval.

3.49.1 Syntax

```
AT+AB UpdatePageScan [mode]
```

```
AT+AB UpdatePageScan [mode] [duration] [interval]
```

where `[mode]` is the connectable mode:

- 0: non-connectable
- 1: connectable

`[duration]` is the scan length in slots from 18 to `[interval]`. The default duration is 18 slots. This parameter is optional.

`[interval]` is the period between scans in slots from 18 to 4096; the default interval is 2048 slots. This parameter is optional.

The duration of one slot is 0.625 ms.

Both optional parameters must either be included or excluded together; you cannot just specify one of the two.

3.49.2 Responses

If the command is successful, the response is:

- AT-AB PageScanUpdateDone

3.50 VarVersion

This command returns the current version of the DP configuration variable.

3.50.1 Syntax

```
AT+AB VarVersion
```

3.50.2 Responses

If the operation is successful, the response is:

```
AT-AB VarVersion [M.m]
```

Where:

`[M.m]` Major version and minor version of the configurable variable

3.51 Version

This command returns the current version of the DP AT command interface.

3.51.1 Syntax

```
AT+AB Version
```

3.51.2 Responses

If the operation is successful, the response is:

- AT-AB DataPackage Ver [M.m]

Where:

[M.m] Major version and minor version of the AT command interface.

4 Event handling

4.1 AT events

The table below list the events that the module can send to the host.

Table 4. Event description details

Event	Event detail
AT-AB -CommandMode-	Module returned or entered command mode
AT-AB ConnectionUP [ADDR]	SPP connection has been established successfully with a device with [ADDR] address
AT-AB ConnectionDown	BT connection has been closed
AT-AB SPPConnectionClosed	SPP connection has been closed
AT-AB iAP2ConnectionClosed	iAP2 connection has been closed accessory stopped the connection accessory is out of range
AT-AB ACCSessionStarted	External accessory session has been started.
AT-AB ACCSessionStopped	External accessory session has been stopped. Possible reason: accessory stopped the connection accessory is out of range
AT-AB -BypassMode-	Module is now connected and in SPP bypass mode
AT-AB -iAP2-BypassMode-	Module is now connected and in iAP2 bypass mode
AT-AB iAP2ConnectionUp	iAP2 authenticated connection is up
AT-AB ErrExecute	Module internal error notification (1)
AT-AB PassKeyConfirmationReq [PASSKEY]	Module is requesting the host to confirm the validity of the indicated [PASSKEY] Host must answer as reported in Section 3.37 PassKeyAccept
AT-AB PassKeyReq	Module is requesting the host to enter 6 digits PassKey
AT-AB BondFail	A new association has failed to complete
AT-AB BondOk	A new association has completed successfully
AT-AB BondPending	An association process is in progress
AT-AB RemoteMode	Module entered remote mode
AT-AB HIDConnectionUP	HID connection with remote host is established. HIDIntSend commands can be used
AT-AB HIDConnectionClosed	HID connection is closed
AT-AB GPIOXX=0/1	Interrupt on a GPIO pin (enabled via GPIOConfig) is detected

1. *AT-AB ErrExecute -Fatal Error- signals occurrence of unrecoverable error due to conflict between outgoing connection tried at same time of an incoming connection. The error can eventually happen only after SPPConnect, iAP2Connect commands or Autoreconnect enabled. After the error, a module reset is automatically triggered.*

5 Variable definitions

This section lists the variables handled by the SPBT3.0DPx module to configure the correct behavior for the specific application scenario.

As already mentioned, each variable is accessible via the `AT+AB Config` command.

Variables are saved in internal non-volatile memory and any changed values are loaded on system reset.

Below is an example showing a variable change to configure the UART BaudRate:

Table 5. Sample configuration sequence

Direction	Command	Note
Host TX	AT+AB Config UartBaudrate<CR+LF>	Read actual UART configuration (115200)
Module TX	var7<TAB>UartBaudrate = 115200<CR+LF>	
Host TX	at+ab config uartbaudrate=921600<CR+LF>	Change the UART bit rate to 921600
Module TX	AT-AB ConfigOK<CR+LF>	Change acknowledgment
Host TX	AT+AB Reset<CR+LF>	Reset the module. This reloads the new variable value
Module TX	AT-AB ResetPending<CR+LF>	
Host TX	AT+AB Config UartBaudrate<CR+LF>	The host has to reconfigure the baud rate to 921600 in order to be able to communicate with the module
Module TX	var7<TAB> UartBaudrate = 921600<CR+LF>	The new UART baud rate has been applied

If the specified parameter is not listed, an ErrInvalidParam message is returned.

Table 6. List of configuration variables

Variable ID	Variable	Description	Default	Var
Var1	BuildVersion	BT module build revision		2.0
Var3	BD_ADDR	BT module MAC address (read only)		2.0
Var4	DeviceName	BT classic device name shown during connection process. Sequence is case sensitive, maximum length is 40 characters	ST BTC3.0 module	2.0
Var5	StreamingSerial	Allows the configuration of the UART flow control. When set to: TRUE: flow control is disable FALSE: flow control (CTS and RTS) is enabled Note: disabling the flow control may cause data loss due to data overrun	TRUE	2.0

Variable ID	Variable	Description	Default	Var
Var6	PIN	Code used for pairing (4 - 16 characters). Sequence is case sensitive	1234	2.0
Var7	UartBaudrate	Main UART BaudRate: 300, 600, 1200, 2400, 4800, 9600, 19200, 38400, 57600, 115200, 230400, 460800, 921600 or 2000000 It should be set based on the application specific requirements. This parameter must be tuned accordingly with the CPU frequency (CpuMHz)	115200	2.0
Var8	UartParity	Main UART parity. It may be configured as one of the following: NONE EVEN ODD	NONE	2.0
Var9	UartDataBits	Main UART DataBits per character. It may be configured as either: 8 9 The new configuration is effective after a SW system reset or a power cycle is performed	8	2.0
Var10	UartStopBits	Main UART StopBits per character. It may be configured as either: 1 2 The new configuration is effective after a SW system reset or a power cycle is performed	1	2.0
Var12	AutoSniff	The AutoSniff functionality when active, allow the system to turn on automatically the sniff feature when there is no data exchange on the BT link. It may be configured as either: FALSE TRUE	FALSE	2.0

Variable ID	Variable	Description	Default	Var
Var13	AutoSniffTimeout	<p>The inactivity timeout in seconds used for AutoSniff above.</p> <p>If the AutoSniff is enabled, the module will try to set the BT link in sniff mode in case there has not been any data exchange for AutoSniffTimeout seconds.</p> <p>Acceptable range: 1-255</p>	5	2.0
Var14	AutoSniffInterval	<p>Minimum acceptable interval between each consecutive sniff period. It may be any even number between 2 and 65534. The value is expressed in 0.625 ms increments (6 = 3.75 ms)</p>	500	2.0
Var16	HostDeepSleepEnable	<p>Enables/disables the deep sleep mode (DSM) of the module.</p> <p>It may be configured as either:</p> <p>FALSE TRUE</p> <p>See Section 6 Module power modes</p>	FALSE	2.0
Var18	GPIO_HostWakeup	<p>The GPIO_HostWakeup variable allows the GPIO pin to be selected and used to switch between mode power modes.</p> <p>It may be configured as one of the following: NONE, 2, 3 (*), 7, 8 (*)</p> <p>See chapter "Module Power Mode" for details.</p> <p>See GPIO table for details</p>	NONE	2.0

Variable ID	Variable	Description	Default	Var
Var25	CpuMHz	<p>CpuMHz allows the CPU clock frequency to be configured. It may be configured as:</p> <p>13, 16, 26, 42, 46, 50, 64, 84 or 100</p> <p>Increasing the clock allows better performance with higher power consumption.</p> <p>Decreasing the clock reduces performance and consequently power consumption. It must be adjusted according to the application scenarios</p>	84	2.0
Var30	COD	<p>The variable COD allows Bluetooth class of the device to be specified</p> <p>Up to 6 numeric characters are allowed</p>	200404	2.0
Var32	HostEvent	All "AT-AB ..." host events are sent when true	TRUE	2.0
Var33	BondingAllowed	<p>Enable/disable association with other devices.</p> <p>It may be configured as either:</p> <p>FALSE: rejects any association request</p> <p>TRUE: allows association with new devices</p>	TRUE	2.0
Var34	PageScan	<p>Configures the page scan mode</p> <p>It may be configured as either:</p> <p>FALSE: page scan disabled. The module is not connectable.</p> <p>TRUE: page scan enabled. The module is connectable.</p>	TRUE	2.0

Variable ID	Variable	Description	Default	Var
Var35	InquiryScan	<p>Configure the inquiry scan mode.</p> <p>It may be configured as either:</p> <p>FALSE: inquiry scan disabled. The module is not visible.</p> <p>TRUE: inquiry scan enabled. The module is visible.</p>	TRUE	2.0
Var37	UseExtLPO	<p>Configures the external 32768 Hz LPO.</p> <p>It may be configured as either:</p> <p>FALSE: internal LPO enabled</p> <p>TRUE: external LPO enabled</p> <p>Note that using the external LPO would reduce the power consumption in DSM</p>	FALSE	2.0
Var40	DefaultSecurity	<p>Configures the security on incoming / outgoing connections:</p> <p>It may be configured as one of the following:</p> <p>1: Expected: use of pairing with PIN. No "man in the middle" protection. No encryption (legacy device only)</p> <p>2: Expected: simple secure pairing, encryption, user interaction is acceptable</p>	2	2.0

Variable ID	Variable	Description	Default	Var
Var41	DefaultAuth	<p>Configures the authentication procedure based on input/output capabilities of the Bluetooth device.</p> <p>It may be configured as one of the following:</p> <p>4: The device is not capable of input output (pass key confirmation by host disabled)</p> <p>5: The device can display and accept input (pass key confirmation by host enable)</p> <p>6: The device is only capable of a display</p> <p>7: The device is a keyboard with no display</p>	4	2.0
Var42	EnableIAP2	<p>Enables iAP2 to support IOS devices</p> <p>It may be configured as either:</p> <p>FALSE: iAP2 support disabled</p> <p>TRUE: iAP2 support enabled</p>	TRUE	2.0
Var43	AllowSniff	<p>Configures the sniff mode.</p> <p>It may be configured as either:</p> <p>FALSE: sniff mode not supported</p> <p>TRUE: sniff mode is supported</p>	FALSE	2.0
Var44	iAP2AppID	<p>Allows the application ID to be specified and to be associated to the accessory</p> <p>Up to 50 alphanumeric characters are allowed</p>	"com.yourcompany.yourApp"	2.0

Variable ID	Variable	Description	Default	Var
Var51	RmtEscapeSequence	<p>Enable remote mode:</p> <p>TRUE: remote mode enabled. Remote escape sequence detection logic is enabled.</p> <p>FALSE: remote mode disabled. Remote escape sequence detection logic is disabled.</p> <p>The remote escape sequence is "@#@\$@%"</p>	FALSE	2.0
Var55	MITMEvent	<p>Enables/disables the host passkey via UART. It may be configured as either:</p> <p>FALSE: if MITMEvent=FALSE at the other end too, module does not generate the Passkey events to the host</p> <p>TRUE: module generates the passkey events to the host</p>	FALSE	2.0
Var60	AccManufacturer	<p>Configured the accessory manufacturer identifier exposed while an iOS device is being connected.</p> <p>Up to 20 alphanumeric characters are allowed</p>	"yourcompany"	2.0
Var61	AccModelNumber	<p>Configured the accessory model identifier exposed while an iOS device is being connected.</p> <p>Up to 20 alphanumeric characters are allowed</p>	"Your Model"	2.0
Var62	AccSerialNumber	<p>Configures the accessory host device serial number exposed while an iOS device is being connected.</p> <p>Up to 20 alphanumeric characters are allowed</p>	"your iAP2 SN"	2.0

Variable ID	Variable	Description	Default	Var
Var63	EnableSPPRcv	<p>Configures the capability of the host to receive data that belong to the SPP profile while the module is in command mode.</p> <p>It may be configured as either:</p> <p>FALSE: module should not send any data to the host.</p> <p>TRUE: module should send received data to the host.</p> <p>Note that if the module sends data to the host in command mode, the following event is sent before the data: "AT-AB RecvData:"</p>	FALSE	2.0
Var64	EnableIAP2Rcv	<p>Configures the capability of the host to receive data that belong to the iAP2 profile while the module is in command mode.</p> <p>It may be configured as either:</p> <p>FALSE: module should not send any data to the host.</p> <p>A maximum of 4 data packets are stored and sent out when module switches to bypass mode. If more packets are received, they are dropped.</p> <p>TRUE: module should send received data to the host.</p> <p>Note that if the module sends data to the host in command mode, the following event is sent before the data: "AT-AB RecvData:"</p>	FALSE	2.0
Var65	AccFirmwareVersion	<p>Configures the accessory host device firmware version.</p> <p>Up to 20 alphanumeric characters are allowed</p>	"your FW version"	2.0
Var66	AccHardwareVersion	<p>Configures the accessory host device hardware version.</p> <p>Up to 20 alphanumeric characters are allowed</p>	"your HW version"	2.0

Variable ID	Variable	Description	Default	Var
Var67	AccProductID	Configures the unique identifier of the product (assigned by vendor). Unsigned short value to be provided as hex format without '0x' prefix (i.e. 'abcd')	0000	2.0
Var68	AccVersion	Configures the software version. Unsigned short value to be provided as hex format without '0x' prefix (i.e. 'abcd')	0000	2.0
Var69	AccVendorID	Sets the vendor ID. Unsigned short value to be provided as hex format without '0x' prefix (i.e. 'abcd')	0000	2.0
Var70	AccVendorIDSource	Configures the identity of the organization that assigns the vendor ID value. Unsigned short value to be provided as hex format without '0x' prefix (i.e. 'abcd')	0000	2.0
Var72	iAP2AppBundleID	Configures IOS application associated to the MFi accessory. Format is reverse DNS notation. To disable the iAP2 AppLaunch feature, set a string shorter than 3 characters (i.e., "a")	"com.yourcompany.yourApp"	2.0
Var73	CPI2CAddress	Configures the I ² C address of the CP device as unsigned char hex format. Unsigned short value to be provided as hex format without '0x' prefix (i.e. 'ab')	22	2.0
Var74	EnableUARTbreak	Enables/disables the UART break to switch from ByPass to Command mode	FALSE	2.0

Variable ID	Variable	Description	Default	Var
Var75	EnableEscapeSeq	<p>Enable/disable the use of the escape sequence in order to switch from command to bypass mode</p> <p>If enabled: The escape sequence is detected. The module sends AT events to the HOST in case of mode switch</p> <p>If disabled: the escape sequence is not detected. The module does not send AT events to the HOST in case of mode switch</p> <p>The escape sequence is "^#\$%^%"</p>	TRUE	2.0
Var76	GPIO_HostModeInd	<p>Defines the GPIO module output pin used by the module to indicate to the host the current operating mode.</p> <p>Acceptable values: NONE, 2, 3, 7, 8</p> <p>GPIO usage: 0: module is in command mode 1: module is in ByPass mode</p> <p>See Table 8. SPBT3.0DP2 GPIO configuration table.</p>	0	2.0

Variable ID	Variable	Description	Default	Var
Var77	GPIO_HostModeSel	<p>Defines the GPIO module input pin that can be used by the host to select the operating mode (Command or ByPass mode):</p> <p>GPIO usage:</p> <p>Falling edge: if applicable, switch from ByPass to command Mode</p> <p>Rising edge: if applicable, switch from command to ByPass mode</p> <p>See Table 8. SPBT3.0DP2 GPIO configuration table and Table 9. SPBT3.0DP1 GPIO configuration table for the list of acceptable values.</p>	NONE	2.0
Var78	EnableUartBreakInd	Controls enabling of UART break as indication to the host of bypass/command mode switch	FALSE	2.2
Var79	User_Flag	Provides host application non-volatile 1 byte storage	FALSE	2.2
Var80	User_Data	Provides host application non-volatile 40 characters string storage	Your private data	2.2
Var86	EnableSPPSrv	<p>Enables the SPP service.</p> <p>It may be configured as one of the following:</p> <p>FALSE: SPP service disable</p> <p>TRUE: SPP service enable</p>	TRUE	2.0
Var87	iAP2TeamID	<p>Configures the MFi team ID associated to the app.</p> <p>Up to 50 alphanumeric characters are allowed</p>	"Your Team ID"	2.0
Var88	EnableHIDKeybd	Controls enabling of HID keyboard profile	FALSE	2.0
Var89	EnableHIDMouse	Controls enabling of HID mouse profile	FALSE	2.0

Variable ID	Variable	Description	Default	Var
Var91	AutoSniffIntMax	<p>Maximum acceptable interval between each consecutive sniff period.</p> <p>May be any even number between 0x0002 and 0xFFFFE The value is expressed in 0.625 ms increments (0x0006 = 3.75 ms)</p>	1000	2.0
Var92	AutoSniffAttempts	<p>The number of master-to-slave transmission slots during which a device should listen for traffic (sniff attempt). Expressed in 0.625 ms increments. Range between 0x0001 and 0x7FFF</p>	100	2.0
Var93	AutoSniffRadioTimeout	<p>The amount of time before a sniff radio timeout occurs. Expressed in 1.25 ms increments. Range between 0x0000 and 0x7FFF</p>	20	2.0
Var94	GPIO_FactoryReset	<p>Enables the factory reset of the configuration variables using the GPIO8 pin. When TRUE, if GPIO8 is high at next reset, factory configuration is restored. If this function is needed, it is suggested to enable it at first power-on of the module</p>	FALSE	2.1
Var95	UartRxPullUp	<p>Enables 1.8 V pull-up on the module UART Rx pin. It can be disabled in case the host UART tx pin level is higher than 1.8 V</p>	TRUE	2.1
Var96	UartTxOD	<p>Manages UART Tx and RTS pins output configuration.</p> <p>TRUE: open drain FALSE: push-pull</p> <p>Note that open drain configuration allows adjustment of the UART tx output signal level to host logic with external pull-up without requiring the level shifter. Maximum tested speed is 115200 baud rate with 4.7 k pull-up to 3.3 V</p>	FALSE	2.1

5.1 Variables dependency

Some variable correct setting is dependent of the setting of another variable.

The list of interdependent variables as follows:

- MITMEvent vs DefaultAuth: if DefaultAuth=4, MITMEvent must be FALSE
- EnableHIDKeybd vs EnableHIDMouse: If EnableHIDMouse=TRUE, EnableHIDKeybd must be FALSE

CPUMHz vs. UartBaudrate: the following table shows the allowed CPUMHz values with respect to baud rate:

Table 7. CPUMHz vs. baud rate

Baud rate	CPUMHz Min.	CPUMHz Max.
300	13	16
600	13	26
1200	13	64
2400	13	84
4800	13	100
9600	13	100
19200	13	100
38400	13	100
57600	13	100
115200	13	100
230400	13	100
460800	13	100
921600	16	100
2000000	42	100

6 Module power modes

The SPBT3.0DPx module has the following power modes:

1. active status mode (ASM) (default mode)
2. deep sleep mode (DSM)

DSM mode can only be entered when there is no Bluetooth connection or discovery, pairing, or scanning activity in progress.

When the module is in DSM:

- the AT command interface is not active

GPIO_4 indicates the current module power mode:

- 0: indicates that the module is in DSM mode
- 1: indicates that the module is in ASM mode

6.1 Enable deep sleep mode

To enable the DSM, the `GPIO_HostWakeUp` and `HostDeepSleepEnable` variables have to be set. Refer to the tables below for the list of GPIOs that can be used as `GPIO_HostWakeUp`.

```
/* define the module GPIO to be used by the HOST to enter /exit DSM mode */
```

```
AT+AB config GPIO_HostWakeUp = 3
```

```
/* enable the DSM mode*/
```

```
AT+AB config HostDeepSleepEnable = TRUE
```

6.2 Host forcing the module to enter DSM

To request the module to enter DSM, the HOST must force the `GPIO_HostWakeUp` pin LOW.

6.3 Host forcing the module to exit DSM

To set the module in ASM, the HOST must force the `GPIO_HostWakeUp` pin HIGH.

If the module is in DSM mode and the HOST wants to send an AT command, the module must first be switched to ASM mode.

6.4 Module exit DSM autonomously

The module automatically exits DSM if there is a Bluetooth connection or upon discovery, pairing, or scanning activity.

Note: *If both inquiry scan and page scan are disabled, module cannot exit DSM autonomously. In this case watchdog resets the module after 5 seconds. To avoid watchdog reset, host should wake up the module cyclically with a period smaller than 5 seconds.*

7 BT connection modes

As defined by the SIG, a Bluetooth connection can be set in either:

1. Active mode
2. Sniff mode

When a connection is established, it is in active mode by default, but it is possible to exchange data in both modes.

To reduce power consumption both the master and the slave can try to set the connection into sniff mode. Both master and slave should support sniff mode otherwise the link always remains in active mode.

7.1 Switch to sniff mode automatically

To automatically set a BT link to sniff mode, set the following variables thus:

```
AT+AB config AutoSniff = TRUE
```

```
AT+AB config AllowSniff = TRUE
```

```
AT+AB Config AutoSniffTimeout = 5
```

The module automatically issues a request to switch the Bluetooth link to sniff mode after `AutoSniffTimeout` seconds of inactivity.

7.2 Switch to sniff mode manually

When a connection is established, the HOST can send the “AT+AB Sniff” command to request setting the link to sniff mode.

To manually set a BT link to sniff mode, the following variable should be set:

```
AT+AB config AllowSniff = TRUE
```

7.3 Switch to active mode manually

When a connection is in sniff mode, the HOST can send the “AT+AB ExitSniff” command to switch the link to active mode.

7.4 Variables affecting sniff mode

Few other variables setting must be considered for sniff mode:

- HostDeepSleepEnable=TRUE reduces power consumption in sniff mode
- If CPUMHz < 42 MHz, sniff mode works only if UseExtLPO=TRUE

8 Module operating modes

The module has the following operating modes:

1. Command mode: the module is ready to handle AT commands received from the host. This is the default mode after power on.
2. Bypass mode: the module is connected and acts as serial cable replacement. Any data received from the host is sent to the remote device. Any data received from the remote device is transmitted to the host.
3. Remote mode: the module is connected and is ready to handle AT commands received from the remote device. Remote mode is available only over SPP connection, not over iAP2 connection.

An operating mode switch can be requested by the host, by the remote device or can be autonomously initiated by the module in case of Bluetooth activity (link establishment, link closure, link drop).

The host requests an operating mode switch by:

1. Using the AT command interface (commands or EscapeSequence)
2. Using the GPIO_HostModeSel GPIO
3. Using the UART break

The module can notify the host of a mode switch by:

1. Using the AT command interface
2. Using the GPIO_HostModeInd GPIO
3. Using the UART break

The remote device can request the switch to remote mode by:

1. Sending the remote escape sequence

The AT command interface is the default method used. To disable usage of the escape sequence to switch from bypass to command mode, configure the following variable thus:

```
AT+AB config EnableEscapeSeq = FALSE
```

To use the GPIO method, configure the `GPIO_HostModeSel` and `GPIO_HostModeInd` variables thus:

```
AT+AB Config GPIO_HostModeSel = 2
```

```
AT+AB Config GPIO_HostModeInd = 3
```

To use the UART break symbol method for the host to request bypass to command mode switch, configure the `EnableUartBreak` variable thus:

```
AT+AB Config EnableUartBreak = true
```

To use the UART Break symbol method, as bypass to command mode switch indication to the host, configure the `EnableUartBreakInd` variable thus:

```
AT+AB Config EnableUartBreakInd = true
```

Break duration is the STM32F4 UART supported one: 10 bits for 1 stop bit, 11 bits for 2 stop bits.

All the above methods can be used in a non-exclusive manner. The following sections describe how to switch between modes.

8.1 Command to bypass mode switch

A command to bypass mode switch can be:

1. initiated by the module:
 - a. when an SPP or iAP2 session is opened
2. initiated by the host:

- a. with the "AT+AB Bypass" command
- b. with the GPIO_HostModeSel (transition from low to high)

8.2 Bypass to command mode switch

A command to bypass mode switch can be:

1. initiated by the module:
 - a. when an SPP or iAP2 session is closed
2. initiated by the HOST:
 - a. with the escape sequence ("^#^\$^%")
 - b. with the GPIO_HostModeSel (transition from high to low)
 - c. sending the UART break symbol

When requested by the host, the switch occurs after two seconds of inactivity; i.e., no data exchanged over UART interface. However, when the host is using the GPIO_HostModeSel pin (list item 2.b.) with the EnableEscapeSeq set to FALSE, the operating mode switch is immediate. With EnableEscapeSeq=FALSE and EnableUartBreak=TRUE, if the UART break used is very long, it is recommended to use a "dummy" invalid command after sending the break, to re-align module UART receiver. The answer to dummy invalid command (i.e. Dummy") is "AT-AB ErrFormat".

8.3 Bypass to remote mode switch

A bypass to remote mode switch can occur in the following cases:

1. The remote device sends the remote escape sequence ("@#@\$@%")

8.4 Remote to bypass mode switch

A remote to bypass mode switch can occur in the following cases:

1. The remote device sends the AT+AB ByPass command
2. The HOST sends any data to the module

9 SPBT3.0DP2 module GPIO configuration

The table below shows the functions that can be associated with each module GPIO.

Table 8. SPBT3.0DP2 GPIO configuration table

Module GPIO	Default function	Alternate function
1	Connection status probe 0: BT connection down 1: BT connection up	GPIO input
2	GPIO input	GPIO output GPIO_HostModeSel GPIO_HostWakeUp
3	GPIO input	GPIO output GPIO_HostModeInd
4	Active status probe 1: active status mode Blinking: deep sleep mode	GPIO input
5	I ² C SDA	GPIO input GPIO output
6	I ² C SCL	GPIO input GPIO output
7	GPIO input	GPIO output GPIO_HostModeInd GPIO_HostWakeUp
8	GPIO input	GPIO output GPIO_HostModeSel
9 ⁽¹⁾	GPIO input	GPIO output
10 ⁽¹⁾	GPIO input with internal pull-down	GPIO output

1. Available only with the firmware version > 1.1, when variable `StreamingSerial=TRUE`.

10 SPBT3.0DP1 module GPIO configuration

The table below shows all the possible functions that can be associated to each GPIO of the module.

Table 9. SPBT3.0DP1 GPIO configuration table

Module GPIO	Default function	Alternate function
1	Connection status probe 0: BT connection down 1: BT connection up	GPIO input
2	GPIO input	GPIO output GPIO_HostModeInd
3	GPIO input	GPIO output
4	Active status probe 1: Active status mode Blinking: deep sleep mode	GPIO input
5	GPIO input	GPIO output GPIO_HostWakeUp
6	GPIO input	GPIO output GPIO_HostModeSel
7	GPIO input	GPIO output
8	GPIO input	GPIO output GPIO_HostModeSel
9	GPIO input	GPIO output GPIO_HostModeInd
10	GPIO input	GPIO output GPIO_HostWakeUp
11	I ² C SCL	GPIO input GPIO output
12	I ² C SDA	GPIO input GPIO output
13	GPIO input	GPIO output
14	GPIO input	GPIO output
15 (1)	GPIO input	GPIO output
16 (1)	GPIO input with internal pull-down	GPIO output

1. Available only with firmware version > 1.1, when variable `StreamingSerial=TRUE`.

11 Secure simple pairing

The SPBT3.0DPx module provides configurable pairing modes, allowing different device input/output capabilities to be adapted and to require the security level (MITM protection).

The configuration variables that affect pairing (bonding) process are:

- Var40 DefaultSecurity
- Var41 DefaultAuth
- Var55 MITMEvent

The general rules that affect the resulting pairing mode:

- DefaultSecurity=1 on one side forces PIN pairing
- MITMEvent=FALSE on both side results in “Just Works” pairing, independent of the DefaultAuth value
- MITMEvent=TRUE on one side forces MITM protected pairing independent of MITMEvent setting on the other side
- DefaultAuth=4 forces “Just Works” pairing

The following tables summarize the resulting simple pairing mode between two modules during the bonding process, with DefaultSecurity=2.

Module in configuration DefaultAuth=5, MITMEvent=TRUE is typically equivalent to a smart BT device (PC, phone, tablet ..)

Legenda:

JW: just works

NC: numeric comparison (event “AT-AB PassKeyConfirmationReq”)

PE: passkey entry (event “AT-AB PassKeyReq”)

NV: not valid configuration. DefaultAuth=4 (No input / No output) by definition cannot support MITM protection (MITMEvent=TRUE), that requires user interaction.

Table 10. SPBT3.0DP DisplayYesNo (DefaultAuth=5) and MITMEvent=FALSE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	JW	JW	JW
TRUE	NV	NC	NC	PE

Table 11. SPBT3.0DP DisplayYesNo (DefaultAuth=5) and MITMEvent=TRUE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	NC	NC	PE
TRUE	NV	NC	NC	PE

Table 12. SPBT3.0DP DisplayOnly (DefaultAuth=6) and MITMEvent=FALSE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	JW	JW	JW
TRUE	NV	NC	NC	PE

Table 13. SPBT3.0DP DisplayOnly (DefaultAuth=6) and MITMEvent=TRUE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	NC	JW	PE
TRUE	NV	NC	JW	PE

Table 14. SPBT3.0DP KeyboardOnly (DefaultAuth=7) and MITMEvent=FALSE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	JW	JW	JW
TRUE	NV	PE	JW	PE

Table 15. SPBT3.0DP KeyboardOnly (DefaultAuth=7) and MITMEvent=TRUE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	PE	PE	PE
TRUE	NV	PE	PE	PE

Table 16. SPBT3.0DP NoInO (DefaultAuth=4) and MITMEvent=FALSE

MITMEvent	DefaultAuth			
	4	5	6	7
FALSE	JW	JW	JW	JW
TRUE	NV	JW	JW	JW

12 Module I/O levels

SPBT3.0DPx module is internally supplied by a voltage regulator at 1.8 V, that means the module I/O levels are referred to this voltage. When standard pins (not 5 V tolerant) are used to interface other parts of application board at different voltages compared to 1.8 V, a voltage level shifter circuit may be necessary. Refer to SPBT3.0DPx datasheet to identify standard pins.

Consider typical case of interfacing 3.3 V +/- 0.3 V logic circuitry.

12.1 Standard pin used as output

Output high level is limited to 1.8 V, that could be not enough to guarantee the input high level V_{IH} of the circuit that interface the module. Based on the supply voltage used, a verification is recommended.

12.2 Standard pin used as input

The voltage must be scaled down in order to guarantee the logic levels do not to exceed the maximum values:

$$1.3 \text{ V} < V_{IH} <= 1.8 + 0.4 \text{ V}$$

$$0 < V_{IL} < 0.5 \text{ V}$$

A level shifter or a resistor divider with $3.6 / 1.8 = 2$ ratio can be used.

Value of resistors must be chosen compromising the maximum frequency of the input signal, and current consumption.

12.3 Reset pin

Voltage at Reset pin must be limited to $1.8 \text{ V} + 0.4 \text{ V}$ when driven by an external active output. If the external signal exceed the allowed value a solution must be implemented to limit the input voltage level.

- Use an open drain or open collector to drive the reset pin
- Use a series resistor to limit the injected current. For 3.3 V a resistor in the range of 6.8 k -10 k
- Use a resistor divider taking care that, in worst condition, $V_{IH} > 2 \text{ V}$
- Put a Schottky diode in series to the reset line and check that the low level logic is $< 0.8 \text{ V}$

13 Firmware upgrade

The SPBT3.0DPx modules leverage the STM32 built-in bootloader to load the new firmware. It is a three-step procedure:

- Enter bootloader mode
- Transfer the new firmware
- Exit bootloader mode

13.1 Enter bootloader mode

To enter the Bootloader mode two options are available.

Via BOOT0 pin:

- Set the BOOT0 pin to HIGH level
- Reset the module:
 - Set the RESET pin to HIGH
 - Pause
 - Set the RESET pin to LOW

Via AT Command:

- Send over module UART command “at+ab StartFwUpdate<CR><LF>”

13.2 Transfer the new firmware

The specification of the protocol used in the STM32 bootloader to download the new firmware is described in the document:

http://www.st.com/web/en/resource/technical/document/application_note/CD00264342.pdf

A reference implementation of the STM32 bootloader protocol can be found at the following link:

<http://sourceforge.net/projects/stm32flash/>

The STM32 Flash loader demonstrator, a Windows GUI that implement that protocol can be downloaded at the following link:

<http://www.st.com/en/development-tools/flasher-stm32.html>

13.3 Exit bootloader mode

To exit Bootloader mode:

- Set the BOOT0 pin to LOW or leave it floating
- Reset the module:
 - Set the RESET pin to HIGH
 - Pause
 - Set the RESET pin to LOW

13.4 Using STEVAL-BT3.0DPx

In case of STEVAL-BT3.0DPx USB dongle for Bluetooth SPBT3.0DPx module, the three steps above can be done this way:

- Enter bootloader mode:
 - Plug the USB dongle into the PC USB port
 - Insert a jumper on JP1
 - Push the SW1 reset button

If serial console available on PC, it is possible to send command:

“at+ab StartFwUpdate<CR><LF>”

In this case it is not necessary to insert a jumper on JP1.

- Transfer the new file:
 - Launch the ST Flash Loader Demonstration GUI (version has to be $\geq 2.7.0$) <http://www.st.com/en/development-tools/flasher-stm32.html>
 - Program the new file with the GUI
- Exit bootloader mode:
 - Remove the jumper on JP1
 - Push the SW1 reset button

14 iAP2 sample connection

14.1 MFi coprocessor communication

The MFi coprocessor is connected to the module through the I²C interface. Refer to the module datasheet for a reference schematic diagram.

You can test I²C communication using the command CPTest. If the response is "AT-AB CP Address Fail", you need to change MFi chip I²C address stored in the variable "CPI2CAddress". Its default value is 22 (hex):

```
[TX] - AT+AB CPTest
[RX] - AT-AB CP Address Fail
[TX] - at+ab config CPI2CAddress = 20
[RX] - AT-AB ConfigOK
[TX] - at+ab reset
AT-AB ResetPending
:
:
[TX] - AT+AB CPTest
[RX] - AT-AB CP Device Version: 0x05
[RX] - AT-AB CP Firmware Version: 0x01
[RX] - AT-AB CP Authentication protocol Minor version: 0x00
[RX] - AT-AB CP Device ID: 0x00000200
```

14.2 EADemo sample app

External Accessory demo application source code is available from Apple after obtaining the MFi license from Apple. You can compile and install it on your Apple device.

On the module side (accessory), you must set the iAP2AppID configuration variable with the App name:

```
[TX] - at+ab config iAP2AppID = com.yourcompany.EADemo
[RX] - AT-AB ConfigOK
[TX] - at+ab reset
[RX] - AT-AB ResetPending
```

14.3 Bluetooth Accessory connection from Apple device

In the BT settings menu, connect to the SPBT3.0DPx module.

On the module UART control port, the following messages are sent out:

```
[RX] - AT-AB ConnectionUp CC29F5175A17
[RX] - AT-AB BondPending
[RX] - AT-AB BondOk CC29F5175A17
[RX] - AT-AB iAP2ConnectionUp CC29F5175A17
```

Manually launch the EADemo App. In the App menu, from the connected device list, select the SPBT3.0DPx module to open an iAP2 External Accessory Session.

On the module UART control port, the following messages are sent out:

```
[RX] - AT-AB AccSessionStarted
[RX] - AT-AB -iAP2-BypassMode
```

14.4 EADemo app automatic launch

The iAP2 accessory protocol allows automatic launching of the corresponding application on your Apple device. To use this feature, you need set the iAP2AppBundleID variable to define the App to be launched.

```
[TX] - at+ab config iAP2AppBundleID = com.alpwise.EADemo
[RX] - AT-AB ConfigOK
[TX] - at+ab reset
[RX] - AT-AB ResetPending
:
:
```

Connect to the SPBT3.0DPx module, as described previously.

Instead of launching the EADemo app manually, you can trigger it from accessory with a user action (i.e., by pressing a button on accessory). The user action must trigger the generation of the following AT command:

```
[TX] - AT+AB iAP2AppLaunchReq
[RX] - AT-AB IAP2AppLaunchDone
```

The iAP2 external accessory session can now be started from the App menu.

Note: *If the iAP2 App launch feature is not used, disable it. To disable it, the iAP2AppBundleID configuration variable should be set with a string shorter than 3 characters:*

```
[TX] - at+ab config iAP2AppBundleID = a
[RX] - AT-AB ConfigOK
[TX] - at+ab reset
[RX] - AT-AB ResetPending
:
:
```

This is important for Apple MFi certification as the test checks whether the feature is enabled or disabled.

14.5 MFi certification for Bluetooth accessories

ATS (Accessory Test System) is a toolset available from Apple after obtaining the MFi license. The toolset allows iAP2 protocol conformance testing in your lab, before sending your equipment to Apple labs for MFi certification.

Important: *ATS self-test must be passed before applying for full final certification.*

The toolset includes a Bluetooth sniffer to capture traffic between an accessory and an Apple device. It is strongly suggested to perform test in an RF-free environment to avoid sniffer lost packets due to RF interference.

Other recommendations for Apple MFi tests include:

1. Customize all the configuration variables related to iAP2 External Accessory (their names start with "Acc...": Var60, Var61, Var62, Var65, var66, Var67, Var68, Var69, Var70).
2. In particular, set the AccSerialNumber variable with the serial number as indicated in the label of your product.
3. If the iAP2 App launch feature is used, it has to be started by a user action (e.g., a button push).
4. If the iAP2 App launch feature is not used, disable it by setting the iAP2AppBundleID configuration variable with a string shorter than 3 characters (i.e. "at+ab config iAP2AppBundleID = a")

15 AT commands for regulatory testing

HCI testing commands are required to set the SPBT3.0DPx module into proper status to perform RF regulatory certification tests.

That is achieved using special AT command “AT+AB SendHCI”.

15.1 TxRx test command

This command is used to transmit or receive data packets without having a Bluetooth connection.

In TX test mode, the device will transmit packets without whitening, according to the specified parameters. This is similar to the transmitter tests in the Bluetooth Test Mode chapter of the Bluetooth Specification, but the device is master.

In RX test mode the device will put itself in a packet receive mode, where the packets are expected to arrive on a single, fixed frequency. When in TX or RX test mode, the Host can send the command again to change the parameters or to end the test mode. It is not allowed to switch on the fly between TX and RX mode, without first exiting the current scenario.

Purpose:

To verify the radio TX performance, by sending out Bluetooth packets that will be captured by a test device (e.g. spectrum analyzer).

To verify the radio interoperability between two Bluetooth devices. Before starting the test, both devices must agree on the used Test_Scenario, Frequency, Interval, Packet_Type, Data_Length, BD_Address and LT_Address. These must be applied at both sides.

15.1.1 Syntax

```
AT+AB SendHCI F4FC1C80808080[Test Scenario][Hopping Mode][Channel]00[Packet Type] [
Payload Bytes][BD address]01[Channel Map]
```

Where:

[Test Scenario]: (1 byte)

- Transmitter tests:
 - 0x01: TX pattern 0
 - 0x02: TX pattern 1
 - 0x03: TX pattern 1010
 - 0x04: TX pattern PRBS (random)
 - 0x09: TX pattern 11110000
- Receiver tests:
 - 0x0A: Rx pattern 1010
 - 0x0B: Rx pattern PRBS (random – PRBS9, seed 0x1FF)
 - 0x0C: Rx pattern 11110000
- 0xFF: Exit Test - use this value to stop a transmission before switching to a new test command

[Hopping Mode]: (1 byte)

- 0x00: single frequency
- 0x01: standard hopping - Europe (only possible in Tx Test mode)
- 0x05: reduced hopping (only possible in Tx Test mode)

[Channel]: (1 byte)

- Channel: 0x00 to 0x4E (from 2402 to 2480 MHz). This is used only if Hopping Mode is set to 0x00 Single Frequency

[Packet Type]: (1 byte)

- DH1:0x84

- DH3: 0x8B
- DH5: 0x8F
- 2DH1: 0x94
- 2DH3: 0x9A
- 2DH5: 0x9E
- 3DH1: 0xA8
- 3DH3: 0xAB
- 3DH5: 0xAF

[Payload Bytes]: (2 bytes, little endian)

- 0x00 – 0x3fd (0-1021) MUST be smaller or equal to the maximum payload of the packet type selected

For example for DM1 use 18, that is 0x12, in little endian on 2 bytes is 0x1200.

For example for DM1 use 341, that is 0x155, in little endian on 2 bytes is 0x5501.

[BD Address]: (6 bytes)

- BD_Address of the transmitting device. Not used for TX test. Use 0x000000E18000

[Channel Map]: (10 bytes, little endian)

- b0 - b78: Mask to enable transmission of each channel. Used only in case Hopping Mode is set to Reduced Hopping

b79: not used. Leave it to 0.

Examples:

to enable hopping only on the first 4 channels (from 2402 to 2405 MHz), the channel map should be 0x00000000000000000000000000000000F, that in little endian is 0x0F000000000000000000000000000000.

to enable hopping only on the last 3 channels (from 2477 to 2480 MHz), the channel map should be 0x700000000000000000000000000000000, that in little endian is 0x000000000000000000000000000070.

15.1.2 Responses

If the command is successful, the response is:

- AT-AB CommandComplete: 0e 04 02f4fc00

15.1.3 TxRx_Test command examples

Command:

```
at+ab sendhci F4FC1C80808080020100008F5301000000E1800001FFFFFFFFFFFFFFFFFFFF7F
```

- Test Scenario: TX pattern 1
- Hopping Mode: Standard Hopping - Europe, 0x01
- Frequency: 0x00
- Packet Type: DH5
- Payload Size: 0x0153
- BD Address: 0x0080E1000000
- Channel_Map: 0x7FFFFFFFFFFFFFFFFFFFFF

Response:

- AT-AB CommandComplete: 0e 04 02f4fc00

Command:

```
at+ab sendhci F4FC1C80808080010500008F5301000000E1800001FFFFFF0000000000000000
```

- Test Scenario: TX pattern 0
- Hopping Mode: Reduced Hopping
- Frequency: 0x00
- Packet Type: DH5, 0x8F

- Payload Size: 0x0153
- BD Address: 0x0080E1000000
- Channel_Map: 0x0000000000000000FFFFFF

Response:

- AT-AB CommandComplete: 0e 04 02f4fc00

15.2 Static TxRx test command

Using this command, the HOST is able to force the SPBT3.0DPx radio into 'static' transmission or 'static' receive mode.

In static transmission mode, the radio continuously transmits modulated "0" or "1" at the maximum power level.

In static receive mode, the radio continuously receives and demodulates data.

15.2.1 Syntax

```
AT+AB_SendHCI_F8FC04 [Mode] [TXRX] [Channel Number] [Data]
```

```
AT+AB_SendHCI_F8FC05 [Mode] [TXRX] [Channel Number] [Data] [Modulation Mode]
```

```
AT+AB_SendHCI_F8FC06 [Mode] [TXRX] [Channel Number] [Data] [Modulation Mode] [Power Step]
```

Where:

[Mode]: (1 byte)

- 0x00: Stop
- 0x01: Start

[TXRX]: (1 byte)

- 0x00: Transmission
- 0x01: Reception

[Channel Number]: (1 byte)

- 0x00 - 0x4E from 2402 MHz to 2480 MHz

[Data]: (1 byte)

- 0x00: symbol 0 is modulated
- 0x01: symbol 1 is modulated

[Modulation Mode]: (1 byte) (optional)

- 0x00: BR
- 0x01: BR packet in EDR
- 0x02: EDR 2 Mbps
- 0x03: EDR 3 Mbps

[Power Step]: (1 byte) (Optional).

This parameter is applicable for TX mode only. This parameter is optional. If not specified, the maximum power step for the given Modulation Mode is selected.

- 0x01: minimum output power
- 0x02
- 0x03: maximum output power

15.2.2 Response

- AT-AB CommandComplete: 0e 04 02f8fc00

15.2.3 Static TxRx_Test command examples

Command:

```
at+ab SendHCI F8FC050100000000
```

- Mode: Start
- TXRX: Transmission
- Channel Number: 0x00
- Data: 0 is modulated
- Modulation Mode: BR

Response:

```
AT-AB CommandComplete: 0e 04 02f8fc00.
```

Command:

```
at+ab SendHCI F8FC06010000000003
```

- maximum output power

Response:

```
AT-AB Command Complete: 0e 04 02f8fc00
```

Command

```
at+ab SendHci F8FC06010000000001
```

- minimum output power

Response:

```
AT-AB CommandComplete: 0e 04 02f8fc00.
```

15.3 Operating modes settings

The following is a short guide for setting operating modes typically required for regulatory testing.


15.3.1 Single frequency – Continuous Waveform Mode – Maximum output power

This is called the CW (Continuous Wave) mode. In this state the module transmits a specific pattern at the maximum output power on a specific channel.

15.3.1.1 Channel 0 (2402 MHz)

To start the transmission of the carrier waveform on Bluetooth channel 0 (2402 MHz) at the maximum output power, it is necessary to send the following HCI command:

```
[TX] - AT+AB SENDHCI F8FC050100000000
[RX] - AT-AB CommandComplete: 0e 04 02f8fc00
```


Figure 2. Carrier waveform on Bluetooth channel 0


Date: 17.MAR.2016 08:22:13


To stop the transmission of the static frequency, the following command has to be sent:

```
[TX] - AT+AB SENDHCI F8FC050000000000
[RX] - AT-AB CommandComplete: 0e 04 02f8fc00
```

15.3.1.2 Channel 38 (2440 MHz)

To start the transmission of the carrier waveform on Bluetooth channel 38 (2440 MHz) at the maximum output power, it is necessary to send the following HCI command:

```
[TX] - AT+AB SENDHCI F8FC050100270000
[RX] - AT-AB CommandComplete: 0e 04 02f8fc00
```

Figure 3. Carrier waveform on Bluetooth channel 38


Date: 17.MAR.2016 09:31:52

To stop the transmission of the static frequency, the following command has to be sent:


```
[TX] - AT+AB SENDHCI F8FC050000000000
[RX] - AT-AB CommandComplete: 0e 04 02f8fc00
```

15.3.1.3 Channel 78 (2480 MHz)

To start the transmission of the carrier waveform on Bluetooth channel 78 (2480 MHz) at the maximum output power, it is necessary to send the following HCI command:

```
[TX] - AT+AB SENDHCI F8FC0501004E0000
[RX] - AT-AB CommandComplete: 0e 04 02f8fc00
```

Figure 4. Carrier waveform on Bluetooth channel 78



Date: 17.MAR.2016 09:38:46

To stop the transmission of the static frequency, the following command has to be sent:

```
[TX] - AT+AB SENDHCI F8FC050000000000
[RX] - AT+AB CommandComplete: 0e 04 02f8fc00
```

15.4 PER test

For EU RED receiver blocking test, it is possible to get packet error rate (PER) in TxRx test mode. For the test, two SPBT30DPx modules are required, one as transmitting station, the other as receiving station. Dedicated commands read the transmitted and received bluetooth packets. HCI TxRx test commands are used to select the test mode scenario. User must select the same test mode scenario in Tx and Rx stations. The following test scenario as test set-up is considered:

Test scenario

- Packet type: EDR (3DH5)
- Channel: 78 (0x4E)
- Packets spacing (time slots): 100 (0x64)
- Data pattern: 1010

Note:

- After each test, receiving station must be reset before next test
- with above settings, testing time must be lower than 25 seconds to avoid 16-bit counter overflow

Commands sequence

1. Reset both stations
Command: AT+AB reset

Answer: AT-AB ResetPending

2. Rx station: reset counters Rx

Command: AT+AB ReadCountersRx 0100

Answer: Rx packets 0

Wrong packet type 0

Wrong packet length 0

Payload bit errors 0

3. Rx station: Start Rx Test

Command: AT+AB SendHci F4FC1C808080800A004E64AF5001000000E180000101000000000000000000

Answer: AT-AB CommandComplete: 0e 04 02f4fc00

4. Tx station: reset counters Tx

Command : AT+AB ReadCountersTx 0100

Answer: BR Ack packets 0

BR Nack packets 0

EDR Ack packets 0

EDR Nack packets 0

5. Tx station: Start Tx Test

Command: AT+AB SendHci F4FC1C8080808003004E64AF5001000000E180000101000000000000000000

Answer: AT-AB CommandComplete: 0e 04 02f4fc00

6. Tx station: Stop Tx Test, after desired testing time (< 25 seconds)

Command: AT+AB SendHci F4FC1C80808080FF0100008F5501000000E1800001FFFFFFFFFFFFFFFFFFFF7F

Answer: AT-AB CommandComplete: 0e 04 02f4fc00

7. Tx station: read counters Tx

Command : AT+AB ReadCountersTx 0100

Answer: BR Ack packets 0

BR Nack packets 0

EDR Ack packets 19712

EDR Nack packets 0

8. Rx station: read counters Rx

Command: AT+AB ReadCountersRx 0100

Answer: Rx packets 19712

Wrong packet type 0

Wrong packet length 0

Payload bit errors 0

Payload errors 0

To set different test scenarios, refer to above paragraph « TxRx test command ».

SendHci commands have different (coherent) field values. Read counter commands do not change.

PER computation

Depending on the packet type choice, the basic rate (BR) Tx counters, or enhanced data rate (EDR) Tx counters are incremented.

Nack packets can be also considered the re-transmitted packets number.

The total transmitted packets (PTx) are given by :

$PTx = (Ack + Nack)$ packets

Packet Loss (PL) is given by:

$PL = (PTx - Rx)$ packets

$PER = PL/PTx$

Revision history

Table 17. Document revision history

Date	Version	Changes
15-Jun-2016	1	Initial release.
06-Mar-2017	2	Added: Section 12: "Firmware upgrade", and Section 14: "AT commands for regulatory testing". Updated: Data package command list and Variable definition.
18-Sep-2017	3	Updated introduction in cover page. Updated Section 3: "Data package command list". Updated Section 5: "Variable definitions". Updated Section 14: "AT commands for regulatory testing" and Section 3.26: "HIDConnect". Updated Section 3.26: "HIDConnect" and Section 14.2.2: "Response". Minor text changes.
26-Feb-2018	4	Minor text changes throughout the document.

Contents

1	Acronyms and abbreviations	2
2	Data package firmware interface overview	3
3	Data package command list	4
3.1	AbortDiscovery	5
3.1.1	Syntax	5
3.1.2	Responses	5
3.2	AutoReconnect	5
3.2.1	Syntax	6
3.2.2	Responses	6
3.3	AutoReconnectSetup	6
3.3.1	Syntax	6
3.3.2	Responses	6
3.4	Bond	7
3.4.1	Syntax	7
3.4.2	Responses	7
3.5	BtcVersion	7
3.5.1	Syntax	7
3.5.2	Responses	7
3.6	Build	7
3.6.1	Syntax	8
3.6.2	Responses	8
3.7	Bypass	8
3.7.1	Syntax	8
3.7.2	Responses	8
3.8	CancelConnect	8
3.8.1	Syntax	8
3.8.2	Responses	8
3.9	ChangeBaud	8
3.9.1	Syntax	8
3.9.2	Responses	9

3.10	ChangeDefaultBaud	9
	3.10.1 Syntax	9
	3.10.2 Responses	9
3.11	Config	9
	3.11.1 Syntax	9
	3.11.2 Responses	10
3.12	CpTest.....	10
	3.12.1 Syntax	10
	3.12.2 Responses	10
3.13	DefaultLocalName	11
	3.13.1 Syntax	11
	3.13.2 Responses	11
3.14	DeleteAutoReconnect	11
	3.14.1 Syntax	11
	3.14.2 Responses	11
3.15	DisableBond	11
	3.15.1 Syntax	11
	3.15.2 Responses	11
3.16	Discovery	11
	3.16.1 Syntax	11
	3.16.2 Responses	12
3.17	EnableBond	12
	3.17.1 Syntax	12
	3.17.2 Responses	12
3.18	EraseBondTable	13
	3.18.1 Syntax	13
	3.18.2 Responses	13
3.19	ExitSniff.....	13
	3.19.1 Syntax	13
	3.19.2 Responses	13
3.20	Factory	13
	3.20.1 Syntax	13

	3.20.2	Responses	13
3.21		FWVersion	13
	3.21.1	Syntax	13
	3.21.2	Responses	13
3.22		GetBDAddress	14
	3.22.1	Syntax	14
	3.22.2	Responses	14
3.23		GetRSSI	14
	3.23.1	Syntax	14
	3.23.2	Responses	14
3.24		GPIOConfig	14
	3.24.1	Syntax	14
	3.24.2	Responses	15
3.25		GPIORead	15
	3.25.1	Syntax	15
	3.25.2	Responses	15
3.26		GPIOWrite	15
	3.26.1	Syntax	15
	3.26.2	Responses	15
3.27		HIDConnect	15
	3.27.1	Syntax	16
	3.27.2	Responses	16
3.28		HIDIntSend	16
	3.28.1	Syntax	16
	3.28.2	Responses	17
3.29		HIDDisconnect	17
	3.29.1	Syntax	17
	3.29.2	Responses	17
3.30		HostEvent	17
	3.30.1	Syntax	17
	3.30.2	Responses	17
3.31		HWVersion	17

3.31.1	Syntax	17
3.31.2	Responses	18
3.32	iAP2AppLaunchReq	18
3.32.1	Syntax	18
3.32.2	Response	18
3.33	IAP2Connect	18
3.33.1	Syntax	18
3.33.2	Responses	18
3.34	IAP2Disconnect	18
3.34.1	Syntax	18
3.34.2	Responses	19
3.35	LocalName	19
3.35.1	Syntax	19
3.35.2	Responses	19
3.36	PassKey	19
3.36.1	Syntax	19
3.36.2	Responses	19
3.37	PassKeyAccept	19
3.37.1	Syntax	19
3.37.2	Responses	20
3.38	ReadClock	20
3.38.1	Syntax	20
3.38.2	Response	20
3.39	RemoteName	20
3.39.1	Syntax	20
3.39.2	Responses	20
3.40	Reset	21
3.40.1	Syntax	21
3.40.2	Responses	21
3.41	RoleSwitch	21
3.41.1	Syntax	21
3.41.2	Responses	21

3.42	ShowConnection	21
3.42.1	Syntax	21
3.42.2	Responses	21
3.43	ShowDev	21
3.43.1	Syntax	22
3.43.2	Responses	22
3.44	Sniff	22
3.44.1	Syntax	22
3.44.2	Responses	22
3.45	SPPConnect	22
3.45.1	Syntax	22
3.45.2	Responses	22
3.46	SPPDisconnect	23
3.46.1	Syntax	23
3.46.2	Responses	23
3.47	StartFwUpdate	23
3.47.1	Syntax	23
3.47.2	Responses	23
3.48	UpdateInquiryScan	23
3.48.1	Syntax	23
3.48.2	Responses	24
3.49	UpdatePageScan	24
3.49.1	Syntax	24
3.49.2	Responses	24
3.50	VarVersion	24
3.50.1	Syntax	24
3.50.2	Responses	24
3.51	Version	24
3.51.1	Syntax	24
3.51.2	Responses	25
4	Event handling	26
4.1	AT events	26

5	Variable definitions	.27
5.1	Variables dependency	38
6	Module power modes	.40
6.1	Enable deep sleep mode	40
6.2	Host forcing the module to enter DSM	40
6.3	Host forcing the module to exit DSM	40
6.4	Module exit DSM autonomously	40
7	BT connection modes	.41
7.1	Switch to sniff mode automatically	41
7.2	Switch to sniff mode manually	41
7.3	Switch to active mode manually	41
7.4	Variables affecting sniff mode	41
8	Module operating modes	.42
8.1	Command to bypass mode switch	42
8.2	Bypass to command mode switch	43
8.3	Bypass to remote mode switch	43
8.4	Remote to bypass mode switch	43
9	SPBT3.0DP2 module GPIO configuration	.44
10	SPBT3.0DP1 module GPIO configuration	.45
11	Secure simple pairing	.46
12	Module I/O levels	.48
12.1	Standard pin used as output	48
12.2	Standard pin used as input	48
12.3	Reset pin	48
13	Firmware upgrade	.49
13.1	Enter bootloader mode	49
13.2	Transfer the new firmware	49
13.3	Exit bootloader mode	49
13.4	Using STEVAL-BT3.0DPx	49
14	iAP2 sample connection	.51

14.1	MFi coprocessor communication	51
14.2	EADemo sample app	51
14.3	Bluetooth Accessory connection from Apple device	51
14.4	EADemo app automatic launch	51
14.5	MFi certification for Bluetooth accessories	52
15	AT commands for regulatory testing	53
15.1	TxRx test command	53
15.1.1	Syntax	53
15.1.2	Responses	54
15.1.3	TxRx_Test command examples	54
15.2	Static TxRx test command	55
15.2.1	Syntax	55
15.2.2	Response	55
15.2.3	Static TxRx_Test command examples	56
15.3	Operating modes settings	56
15.3.1	Single frequency – Continuous Waveform Mode – Maximum output power	56
15.4	PER test	59
	Revision history	61
	Contents	62
	List of tables	69
	List of figures	70
	Disclaimer	71

List of tables

Table 1.	List of acronyms	2
Table 2.	DP command list summary	4
Table 3.	BtcVersion parameter details	7
Table 4.	Event description details	26
Table 5.	Sample configuration sequence	27
Table 6.	List of configuration variables	27
Table 7.	CPUMHz vs. baud rate	39
Table 8.	SPBT3.0DP2 GPIO configuration table	44
Table 9.	SPBT3.0DP1 GPIO configuration table	45
Table 10.	SPBT3.0DP DisplayYesNo (DefaultAuth=5) and MITMEvent=FALSE	46
Table 11.	SPBT3.0DP DisplayYesNo (DefaultAuth=5) and MITMEvent=TRUE	46
Table 12.	SPBT3.0DP DisplayOnly (DefaultAuth=6) and MITMEvent=FALSE	46
Table 13.	SPBT3.0DP DisplayOnly (DefaultAuth=6) and MITMEvent=TRUE	47
Table 14.	SPBT3.0DP KeyboardOnly (DefaultAuth=7) and MITMEvent=FALSE	47
Table 15.	SPBT3.0DP KeyboardOnly (DefaultAuth=7) and MITMEvent=TRUE	47
Table 16.	SPBT3.0DP NoINoO (DefaultAuth=4) and MITMEvent=FALSE	47
Table 17.	Document revision history	61

List of figures

Figure 1.	Communication between module and host	3
Figure 2.	Carrier waveform on Bluetooth channel 0	57
Figure 3.	Carrier waveform on Bluetooth channel 38	58
Figure 4.	Carrier waveform on Bluetooth channel 78	59

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics – All rights reserved