

PART NAME

NON-METALLIC ENCLOSURE (STYLE B)

PART No.

NBB-10243 & NBB-10263 & NBB-15243 & NBB-22243

MATERIAL:

UL LISTED INDOOR VERSION

SOLID BODY & COVER \_\_\_\_\_ ABS/PC BLENDED PLASTIC  
UL94-5VB FLAMMABILITY RATING

CLEAR COVER \_\_\_\_\_ POLYCARBONATE PLASTIC  
UL94V-0 FLAMMABILITY RATING  
UV STABILIZED

UL LISTED OUTDOOR VERSION

SOLID BODY & COVER \_\_\_\_\_ PBT/PC BLENDED PLASTIC  
UL94-5VA FLAMMABILITY RATING  
UV STABILIZED

ABS VERSION

SOLID BODY & COVER \_\_\_\_\_ ABS  
UL94-HB FLAMMABILITY RATING

ALL VERSIONS

GASKET \_\_\_\_\_ MODIFIED POLYURETHANE

NOTE: UNIT COMES COMPLETE WITH  
(4) WALL MOUNTING BRKTS.  
& (4) M5 x 10mm LG. TRUSS  
HD. MACHINE SCREWS (NOT SHOWN)

COVER INCLUDES GRAY POLYURETHANE GASKET.

INTERNAL HINGED PANEL MOUNTING BRACKETS,  
STAINLESS STEEL LOCKING HASP,  
AIR AND MOISTURE VENTS AND GALVANIZED  
STEEL INTERNAL PANEL ARE NOT INCLUDED,  
BUT CAN BE PURCHASED SEPARATELY.

FINISH:

BODY \_\_\_\_\_ LIGHT GRAY  
COVER \_\_\_\_\_ LIGHT GRAY OR CLEAR

LATCHES & HINGES \_\_\_\_\_ NON-METALLIC  
WALL MOUNTING BRACKETS \_\_\_\_\_ STAINLESS STEEL

INDUSTRY STANDARDS:

UL LISTED INDOOR VERSION


UL508 TYPE 1, 2, 3, 3R, 4, 4X INDOOR, 12 & 13  
NEMA TYPE 1, 2, 3, 3R, 4, 4X, 12 & 13  
IEC529-IP65

UL LISTED OUTDOOR VERSION

UL508 TYPE 1, 2, 3, 3R, 4, 4X, 12 & 13  
NEMA TYPE 1, 2, 3, 3R, 4, 4X, 12 & 13  
IEC529-IP65

ABS VERSION

NEMA TYPE 1, 2, 3, 3R, 4, 4X, 12 & 13  
IEC529-IP65



DIMENSIONS = INCHES  
[MILLIMETERS]

NOTE: ALL DIMENSIONS HAVE ±0.039 [±1] TOLERANCE  
UNLESS OTHERWISE SPECIFIED

UL LISTED INDOOR VERSION		UL LISTED OUTDOOR VERSION	ABS VERSION
PART NO.		PART NO.	PART NO.
SOLID COVER	CLEAR COVER	SOLID COVER	SOLID COVER
NBB-10243	NBB-10263	NBB-15243	NBB-22243

DIMENSIONS																			
A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U		
7.475	6.650	6.040	5.900	4.717	2.960	11.280	10.462	9.875	8.860	8.278	6.902	4.330	1.185	10.600	10.640	6.800	6.840		
[190]	[169]	[153]	[150]	[120]	[75]	[287]	[266]	[251]	[225]	[210]	[175]	[110]	[30]	[269]	[270]	[173]	[175]		