## 2 METERS LENGTH



Connector A 132451 SMA Plug Straight Brass Gold + Heatshrink 50 Ohm LMR-240 Continuity/Hi-Pot Connector B 031-6828 TNC Jack Straight Bulkhead - Rear Mount Brass Nickel + Heatshrink

## Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

Ε	Connector A			Cable			Connector B		
1	Part #:	132451		Part #:	LMR-240	Part #:	031-6828		
1	Description:	SMA PLUG LMR	240 Optimized 50O	Description:	LMR-240 - FEP 0.24	Description:	TNC BHD JK LMR2	40 LMR240-UF 50O	
1	Туре:	SMA		Dielectric:	FEP	Type:	TNC		
	Gender:	Plug		Shielding:	Braid	Gender:	Jack		
1	Body Type:	Straight		Diameter:	0.24	Body Type:	Straight		
	Contact Type:	Solder		Impedance:	50 Ohm	Contact Type:	Solder		
	Polarity:	Standard		Sheathing:	None	Polarity:	Standard		
1	Impedance:	50 Ohm		Testing:	Continuity Hi-Pot	Impedance:	50 Ohm		
1	Mounting:	Cable		Length:	2 Meters	Mounting:	Bulkhead - Rear Mo	unt	
	Body Material:	Brass		-		Body Material:	Brass		
	Body Finish:	Gold				Body Finish:	Nickel		
1	IP Rating:	None				IP Rating:	None		
	Contact Material:	Brass				Contact Material:	Beryllium Copper		
	Contact Finish:	Gold				Contact Finish:	Gold		
r	Max. Freq.:	6 GHz				Max. Freq.:	6 GHz		
	Booting:	SMA Plug Straigh	t			Booting:	TNC Jack Straight BHD		
						Clocking:	0°		
THIS DRAWING MAY CONTAIN PROPRIETA DV DICOMA TON				Title:	т ни і міралам		UNLESS SPECIFIED		
FOR ANY PURPOSE DETRIM INC. IT MAY NOT BE REPRO			PROPRIETARY INFORMATION A FOR ANY PURPOSE DETRIMENT INC. IT MAY NOT BE REPRODUC IN ANY FORM WITHOUT THE W	TAL TO CUSTOM CABLE JCED OR TRANSCRIBED		I-JK LMR24 2M		TOLERANCE: 0-18 inches +/- 1/2" over 18" +/- 2% ASSEMBLY:	
						Part No:		CENTER LABEL IF LENG	
CONTROLLED DOCUMENT - DO NOT COPY			ESTABLISHES AND AGREEMENT OF THE FOREGOING.		G. Q-3G04S000M002M	Q-3G04S000M002M		IS LESS THAN 12 INCHE	



## **RoHS 2015/863 Compliance Statement**

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/2/2023

Part Number: Q-3G04S000M002M

Manufacturer: Amphenol Custom Cable

Description: SMA-ST-PL/TNC-ST-JK LMR24 2M

This information is valid as of the date indicated for the item (part number) listed.

**Director of Quality Assurance** 

Janice Frank