
1717478-2 - ACTIVE

TE Internal #: 1717478-2 DC Jack Connectors, Board-to-Board, 8 Position, .098 in [2.5 mm] Centerline, Receptacle, 30 VDC, Vertical, Printed Circuit Board, Power & Signal

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: Board-to-Board

Number of Positions: 8

Centerline (Pitch): 2.5 mm [.098 in]

Connector & Housing Type: Receptacle

Operating Voltage: 30 VDC

Features

Product Type Features

Connector System	Board-to-Board		
Connector & Housing Type	Receptacle		
Connector & Contact Terminates To	Printed Circuit Board		
Configuration Features			
Number of Positions	8		
PCB Mount Orientation	Vertical		
Electrical Characteristics			
Operating Voltage	30 VDC		
Contact Features			
Contact Current Rating (Max)	6 A		
Mechanical Attachment			
PCB Mount Retention	Without		
Connector Mounting Type	Board Mount		
Housing Features			

1717478-2

DC Jack Connectors, Board-to-Board, 8 Position, .098 in [2.5 mm] Centerline, Receptacle, 30 VDC, Vertical, Printed Circuit Board, Power & Signal



Centerline (Pitch)	2.5 mm[.098 in]
Usage Conditions	
Operating Temperature Range	-20 – 80 °C[-4 – 176 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	100
Packaging Method	Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023

Halogen Content

Solder Process Capability

(235)

Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

1717478-2

DC Jack Connectors, Board-to-Board, 8 Position, .098 in [2.5 mm] Centerline, Receptacle, 30 VDC, Vertical, Printed Circuit Board, Power & Signal





Customers Also Bought



PITCH BATTERY	2.5MM PITCH BATTERY REC. ASSY 8POS. R/A	REC. ASSEMBLY 8POS. 2.5MM PITCH BATTERY	PITCH BATTERY
201 201 10 10 10 10 10 10 10 10 10 10 10 10 1			
TE Part #1-2176328-9 CRGP 1206 330R 1%			

Documents

Product Drawings

REC. ASSEMBLY 8POS. 2.5MM PITCH BATTERY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1717478-2_2_c-1717478-2-2.2d_dxf.zip

1717478-2

DC Jack Connectors, Board-to-Board, 8 Position, .098 in [2.5 mm] Centerline, Receptacle, 30 VDC, Vertical, Printed Circuit Board, Power & Signal



English

Customer View Model ENG_CVM_CVM_1717478-2_2_c-1717478-2-2.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1717478-2_2_c-1717478-2-2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 2_PIECE_POWER_CONNECTORS_qrg_4-1773458-1

English

Product Specifications Product Specification

English

Product Environmental Compliance Product Compliance Document

English

Product Compliance Document

English