
## **GPS Active Internal Patch**

### **APAM1068JL01V2.0**

RoHS/RoHS II compliant MSL level: N/A



#### **FEATURES:**

- Compact Size
- Easy to Install
- RoHS Compliant

#### > TYPICAL APPLICATIONS:

- Automotive Navigation, Marine buoys,
- Personal Tracking
- Surveying equipment, Cell phone, Laptop,
- Healthcare and medical monitoring devices, PND, PDA

### **STANDARD SPECIFICATIONS:**


#### Antenna

Parameters	Min.	Тур.	Ma	ax.	Units	Note
Center Frequency	157	1575.42±1.02			MHz	
Bandwidth	3				MHz	
Gain		-2.0			dBic	(Peak gain on 70*70mm Ground Plane facing Zenith.)
VSWR @ Center Frequency		1.5				
Polarization Model		RHCP				(Right Hand Circular Polarization)
Impedance		50			Ω	
Working Temperature	-25			+72	°C	
Storage Temperature	-45			+85	°C	


### Low Noise Amplifier (LNA)

Parameters	Min.	Тур.	Max.	Units	Note
Center Frequency	1575.42±1.02			MHz	
DC Voltage	2.70		3.30	V	
Gain		18		dB	(Without cable +25°C± 10°C)
Output VSWR		2.0			
Noise Figure		2.0			(+25°C± 10°C)
DC current		3.5		mA	(At 3.0V)

### > SMITH CHART



### **◯** GPS LNA GAIN PLOT





5101 Hidden Creek Lane Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sale please visit: www.abracon.com REVISED: 08.03.2018

ABRACON IS ISO9001-2015 CERTIFIED


# **GPS Active Internal Patch**

### APAM1068JL01V2.0

RoHS/RoHS II compliant



### **OUTLINE DIMENSION:**



Description	Material
Antenna Type	Dielectric Ceramics
PCB	FR4
Shielding	Tinplate
RF Cable	φ0.81±0.1mm, L1=15±2mm, L=20mm
RF Connector	I-PEX
Thickness	6.8mm Max

Unit: mm

### **PACKAGING:**

Package Type Tray Vacuum Bag Outer Box	Quantity 50 pcs/tray 200pcs/box 1000 pcs/box	328
Inner Be	Vacuum Bag Package Tray Adhesive tape	TYPE QTY PCS SYZE: 345 × 210 × 275mm G. WT kG N. WT kG 345 ± 5.0

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Lane Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sale please visit: www.abracon.com REVISED: 08.03.2018

ABRACON IS ISO9001-2015 CERTIFIED