







REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
A		FIRST RELEASED	13JUL2021	J.J	N.S




3-2363961-0
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X	26SEP2019	TE Connectivity Ltd.	
		CHK W.H	26SEP2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.20 3 PLC ± 0.15 4 PLC ± - ANGLES ± -		NAME PRODUCT SPEC 108-115166 APPLICATION SPEC	
MATERIAL 		FINISH 		WEIGHT -	
		CUSTOMER DRAWING		SIZE A2	CAGE CODE 00779
		SCALE 12:1		DRAWING NO C=2363961	RESTRICTED TO -
				SHEET 1 of 6	REV A

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C.BOARD PATTERN DIMENSION (WITH HOLD DOWN)



MATING HIGHT

NOTES:

1. MATERIAL:

- 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
- 1.2 CONTACT: COPPER ALLOY.
- 1.3 HOLD DOWN: COPPER ALLOY.

2. FINISH:






- 2.1 CONTACT:
GOLD FLASH ON CONTACT AND SOLDERING AREA.
NICKEL UNDER PLATING OVERALL.
- 2.2 HOLD DOWN:
TIN PLATING OVER NICKEL UNDER PLATING.

3. REFLOW SOLDER CAPABLE TO 260 °C.

4. MATING PLUG PART NUMBER: 3-2363962-0.


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE TE Connectivity Ltd.	
		CHK	26SEP2019		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED		NAME	
mm				0.4mm PITCH BTB CONN. H0.8 REC ASSEMBLY	
		0 PLC	±	PRODUCT SPEC	
		1 PLC	± 0.3	108-115166	
		2 PLC	± 0.20	APPLICATION SPEC	
		3 PLC	±	SIZE	
		4 PLC	±	CAGE CODE	
		ANGLES	±	DRAWING NO	
MATERIAL		FINISH		RESTRICTED TO	
				A2 00779 C=2363961	
				CUSTOMER DRAWING	
				SCALE	12:1
				SHEET	2 of 6
				REV	A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



- NOTES :
- PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.
 - * CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED: 5 PPM.
 - * LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).
 - * CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-C.
- MATERIAL :
 COVER TAPE : PET, COLOR: TRANSPARENT.
 CARRIER TAPE : POLYSTYRENES, BLACK COLOR.
 REEL : POLYSTYRENES, BLUE COLOR.
 SHIPPING BOX: CORRUGATED FIBER
 - DIMENSION :
 REEL : SEE DRAWING
 SHIPPING BOX : SEE DRAWING
 - QUANTITY : SEE TABLE
 - WEIGHT : SEE TABLE
 - PEELING RESISTANCE : 10gf~130gf
 - PEELING SPEED : 300mm/MINUTES

9.6KG	1.47KG	5000	14	70000	3-2363961-0
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX	PART NUMBER








OUT BOX PACKAGE DIAGRAM DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE Connectivity Ltd.																					
		CHK	26SEP2019																						
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED		NAME																					
<table border="1"> <tr><td>0 PLC</td><td>±</td></tr> <tr><td>1 PLC</td><td>± 0.3</td></tr> <tr><td>2 PLC</td><td>± 0.20</td></tr> <tr><td>3 PLC</td><td>± -</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± -</td></tr> <tr><td>FINISH</td><td>± -</td></tr> </table>		0 PLC	±	1 PLC	± 0.3	2 PLC	± 0.20	3 PLC	± -	4 PLC	± -	ANGLES	± -	FINISH	± -	<table border="1"> <tr><td>APVD</td><td>-</td></tr> <tr><td>PRODUCT SPEC</td><td>108-115166</td></tr> <tr><td>APPLICATION SPEC</td><td>-</td></tr> </table>		APVD	-	PRODUCT SPEC	108-115166	APPLICATION SPEC	-	0.4mm PITCH BTB CONN. H0.8 REC ASSEMBLY	
0 PLC	±																								
1 PLC	± 0.3																								
2 PLC	± 0.20																								
3 PLC	± -																								
4 PLC	± -																								
ANGLES	± -																								
FINISH	± -																								
APVD	-																								
PRODUCT SPEC	108-115166																								
APPLICATION SPEC	-																								
MATERIAL		WEIGHT	-	SIZE	A2																				
		CUSTOMER DRAWING	SCALE	CAGE CODE	00779																				
			12:1	DRAWING NO	C=2363961																				
			SHEET	RESTRICTED TO	-																				
			3 of 6	REV	A																				

2363961

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




4-2363961-0
PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN H.X	26SEP2019	TE Connectivity Ltd.	
		CHK W.H	26SEP2019		
		APVD -	-	NAME	
		PRODUCT SPEC		0.4mm PITCH BTB CONN. H0.8 REC ASSEMBLY	
		APPLICATION SPEC		108-115166	
		WEIGHT		SIZE	RESTRICTED TO
		0		A2	-
		CUSTOMER DRAWING		CAGE CODE	DRAWING NO
				00779	C=2363961
		SCALE		SHEET	REV
		12:1		4 of 6	A

2363961

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C.BOARD PATTERN DIMENSION (WITH HOLD DOWN)



MATING HIGHT

NOTES:

1.MATERIAL:

- 1.1 HOUSING: LCP, UL 94 V-0, COLOR: BLACK.
- 1.2 CONTACT: COPPER ALLOY.
- 1.3 HOLD DOWN: COPPER ALLOY.

2. FINISH:





- 2.1 CONTACT:
GOLD FLASH ON CONTACT AND SOLDERING AREA.
NICKEL UNDER PLATING OVERALL.
- 2.2 HOLD DOWN:
TIN PLATING OVER NICKELUNDER PALTING.

3.REFLOW SOLDER CAPABLE TO 260 °C.

4.MATING PLUG PART NUMBER:4-2363962-0.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE TE Connectivity Ltd.	
		CHK	26SEP2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED		NAME	
		0 PLC	±	PRODUCT SPEC	
		1 PLC	± 0.3	108-115166	
		2 PLC	± 0.20	APPLICATION SPEC	
		3 PLC	±		
MATERIAL		FINISH		SIZE	RESTRICTED TO
				A2	-
				CAGE CODE	DRAWING NO
				00779	C=2363961
				SCALE	SHEET
				12:1	5 of 6
				REV	A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



NOTES :

PACKAGING MATERIAL IN PLASTIC, RUBBER, INK, PIGMENT AND PAINT MUST MEET CONTROLLED SUBSTANCES SPEC PER 230-702.

* CADMIUM AND CADMIUM COMPOUNDS NOT TO EXCEED: 5 PPM.

* LEAD, CADMIUM, CHROM VI AND MERCURY NOT TO EXCEED: 100 PPM (COMBINED).

* CARRIER TAPES, COVER TAPES, REELS AND TAPED COMPONENTS MUST MEET THE REQUIREMENTS DEFINED PER EIA-481-C.

1. MATERIAL :
 COVER TAPE : PET, COLOR: TRANSPARENT.
 CARRIER TAPE : POLYSTYRENES, BLACK COLOR.
 REEL : POLYSTYRENES, BLUE COLOR.
 SHIPPING BOX: CORRUGATED FIBER

2. DIMENSION :
 REEL : SEE DRAWING
 SHIPPING BOX : SEE DRAWING


3. QUANTITY : SEE TABLE

4. WEIGHT : SEE TABLE

5. PEELING RESISTANCE : 10gf~130gf

6. PEELING SPEED : 300mm/MINUTES

6.018KG	0.81KG	5000	6	30000	4-2363961-0
GROSS WEIGHT	NET WEIGHT	PCS/ REEL	REEL/ BOX	PCS/ BOX	PART NUMBER



OUT BOX PACKAGE DIAGRAM DRAWING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26SEP2019	TE TE Connectivity Ltd.	
		CHK	26SEP2019		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED		NAME	
0 PLC ±		1 PLC ± 0.3		PRODUCT SPEC	
2 PLC ± 0.20		3 PLC ±		108-115166	
4 PLC ±		ANGLES ±		APPLICATION SPEC	
MATERIAL		FINISH		SIZE	RESTRICTED TO
				A2	
		WEIGHT		CAGE CODE	DRAWING NO
				00779	C=2363961
CUSTOMER DRAWING				SCALE	SHEET
				12:1	6 of 6
				REV	A