### Buchanan | Buchanan 8 Series

TE Internal #: 1-1437657-7 Barrier Strips, Tri-Barrier, Double Printed Circuit Pin, Wire-to-Board, 6 Position, 11.1 mm [.438 in] Centerline, 1 Row, Buchanan 8 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Double Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 6

Centerline (Pitch): 11.1 mm [.438 in ]

## Features

## Product Type Features

Block Style	Flat Bottom with standoffs	
Connector System	Wire-to-Board	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Levels	1	
Number of Positions	6	
Number of Rows	1	
Electrical Characteristics		
Operating Voltage	600 V	
Body Features		
Primary Product Color	Black	
Product Orientation	Vertical	
Barrier Strip Style	Tri-Barrier	
Contact Features		

Barrier Strips, Tri-Barrier, Double Printed Circuit Pin, Wire-to-Board, 6 Position, 11.1 mm [.438 in] Centerline, 1 Row, Buchanan 8 Series



PCB Contact Termination Area Plating Material	Tin	
Contact Base Material	Copper Alloy	
Contact Current Rating (Max)	30 A	
Termination Features		
Bottom Termination Type	Double Printed Circuit Pin	
Mechanical Attachment		
Screw Head Type	Wire Clamp Combo Head	
Screw Plating Material	Zinc	
Screw Material	Steel	
Top Termination Type	Wire Clamp Combo Head	
Mounting Options	None	
Thread Size	8-32	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Thermoplastic	
Centerline (Pitch)	11.1 mm[.438 in]	

## Dimensions

Product Length	68.53 mm[2.698 in]	
Wire Size	.326 – 5.26 mm²	
Usage Conditions		
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]	
Operation/Application		
Circuit Application	Power	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	180	
Packaging Method	Package	
Other		
Terminal Blocks & Strips Comment	Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.	

Barrier Strips, Tri-Barrier, Double Printed Circuit Pin, Wire-to-Board, 6 Position, 11.1 mm [.438 in] Centerline, 1 Row, Buchanan 8 Series



## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	

### Solder Process Capability

Wave solder capable to 265°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## **Compatible Parts**



## Also in the Series | Buchanan 8 Series

Barrier Strips, Tri-Barrier, Double Printed Circuit Pin, Wire-to-Board, 6 Position, 11.1 mm [.438 in] Centerline, 1 Row, Buchanan 8 Series





# Customers Also Bought



EP2.5 HDR 3P VERT W/O BOSS, TAPING	CPF 0201 30K1 0.1% 25ppm 1K RL	CPF 0201 48K7 0.1% 25ppm 1K RL	CPF 0201 49K9 0.1% 25ppm 1K RL



## Documents

Product Drawings 8DBL-06-006=#8 TRIBARRIER

English

## **CAD** Files

Customer View Model

ENG\_CVM\_CVM\_1-1437657-7\_G1.3d\_stp.zip

English

Customer View Model

**S** For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Double Printed Circuit Pin, Wire-to-Board, 6 Position, 11.1 mm [.438 in] Centerline, 1 Row, Buchanan 8 Series



### ENG\_CVM\_CVM\_1-1437657-7\_G1.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_1-1437657-7\_G1.3d\_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773458-2\_BARRIER\_STRIPS\_QUICK\_REFERENCE\_GUIDE

English