



CUSTOMER: NORTEL NETWORKS



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL94V-0. TERMINALS - HIGH PERFORMANCE COPPER ALLOY. STIFFENER - STAINLESS STEEL.
2. FINISH: SELECTIVE GOLD (Au) IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) OVERALL.
3. REFER TO MOLEX PRODUCT SPECIFICATION PS-74031-999 FOR PERFORMANCE SPECIFICATIONS.
4. REFER TO MOLEX DOCUMENT SD-74041-002 FOR ADDITIONAL DETAIL ON THE SIGNAL WAFER.
5. REFER TO MOLEX DOCUMENT SD-74037-006 FOR ADDITIONAL DETAIL ON THE GUIDANCE MODULE.
6. REFER TO MOLEX DOCUMENT SD-75885-002 FOR ADDITIONAL DETAIL ON THE POWER MODULE.
7. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.
8. PARTS ARE PACKAGED IN TUBES PER PK-70873-5041.




ITEM	PART NUMBER	DESCRIPTION	QTY
1	74046-0259	STIFFENER	1
2	74041-1051	SIGNAL WAFER-50 GOLD, LF	60
3	74037-8013	PF GUIDE MODULE	1
4	73726-0000	GUIDE MODULE MNTG SCREW	2
5	74037-0018	PF GUIDE MODULE	1
6	75885-9000	POWER MODULE, CUSTOM, LF	1
7	75885-8122	POWER MODULE, LF	1
8	75885-8202	POWER MODULE, LF	1
9	74038-1001	END CAP	2


DAUGHTERCARD HOLE PATTERN (CONNECTOR SIDE)

CHG TO LEAD-FREE EC No: JCP 2012-2179 DRAWN BY: CHYKSDANALLEY 2012/01/12 APPR: SMILLER 2012/02/09	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.25 ±--- 1 PLACE ±0.38 ±--- ANGULAR ±1/2°	DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWN BY: GB DATE: 2012/01/12 CHECKED BY: LAURX DATE: 2003/09/18 APPROVED BY: SMILLER DATE: 2012/02/09	MATERIAL NO. 74040-0943	DOCUMENT NO. SD-74040-943	TITLE VHDM 8 ROW, LF DAUGHTERCARD SALES DRAWING
			MOLEX INCORPORATED			SHEET NO. 1 OF 1
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

CUSTOMER: NORTEL NETWORKS



LEAD-FREE
PLATING



- NOTES: (UNLESS OTHERWISE SPECIFIED)
1. MATERIALS: HOUSING - LIQUID CRYSTAL POLYMER (LCP) GLASS-FILLED, UL94V-0. TERMINALS - HIGH PERFORMANCE COPPER ALLOY. STIFFENER - STAINLESS STEEL.
 2. FINISH: SELECTIVE GOLD (Au) IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) ON PCB TAILS, NICKEL (Ni) OVERALL.
 3. REFER TO MOLEX PRODUCT SPECIFICATION PS-74031-999 FOR PERFORMANCE SPECIFICATIONS.
 4. REFER TO MOLEX DOCUMENT SD-74041-002 FOR ADDITIONAL DETAIL ON THE SIGNAL WAFER.
 5. REFER TO MOLEX DOCUMENT SD-74037-006 FOR ADDITIONAL DETAIL ON THE GUIDANCE MODULE.
 6. REFER TO MOLEX DOCUMENT SD-75885-002 FOR ADDITIONAL DETAIL ON THE POWER MODULE.
 7. MOUNTING SCREWS WILL BE BAGGED WITH EACH CONNECTOR.
 8. PARTS ARE PACKAGED IN TUBES PER PK-70873-5041.

ITEM	PART NUMBER	DESCRIPTION	QTY
1	74046-0259	STIFFENER	1
2	74041-1051	SIGNAL WAFER-50 GOLD, LF	60
3	74037-8013	PF GUIDE MODULE	1
4	73726-0000	GUIDE MODULE MNTG SCREW	2
5	74037-0018	PF GUIDE MODULE	1
6	75885-9000	POWER MODULE, CUSTOM, LF	1
7	75885-8122	POWER MODULE, LF	1
8	75885-8202	POWER MODULE, LF	1
9	74038-1001	END CAP	2

DAUGHTERCARD HOLE PATTERN
(CONNECTOR SIDE)

CHG TO LEAD-FREE EC No: JCP 2012-2719 DRAWN BY: CHYKSDANALLEY CHECKED BY: SMILLER APPR: SMILLER DATE: 2012/01/12 DATE: 2012/01/12 DATE: 2012/02/09	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.25 ±--- 1 PLACE ±0.38 ±--- ANGULAR ±1/2°	DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. 74040-0943	DRAWN BY GB	DATE 2012/01/12	TITLE VHDM 8 ROW, LF DAUGHTERCARD SALES DRAWING	MOLEX INCORPORATED
			DOCUMENT NO. SD-74040-943	SHEET NO. 1 OF 1			
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						