







PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Zhen-Hua Liu	2015/10/13	projection	MM	size	A3	scale	3:2																	
tolerance std	ASME Y14.5	eng	Vicking Liu	2015/12/03			ecn no	-	rel level	Released																	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/12/03							product family	PwrBlade+															
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	appr	Pei-Ming Zheng	2015/12/03		<table border="1"> <tr> <td>title</td> <td>9HP</td> </tr> <tr> <td></td> <td>RA STB HEADER</td> </tr> </table>	title	9HP		RA STB HEADER	<table border="1"> <tr> <td>dwg no</td> <td>10106124-9000001</td> </tr> <tr> <td>rev</td> <td>A</td> </tr> </table>	dwg no	10106124-9000001	rev	A
linear	0.X	±0.5																									
	0.XX	±0.25																									
	0.XXX	±0.10																									
angular	0°	±2°																									
title	9HP																										
	RA STB HEADER																										
dwg no	10106124-9000001																										
rev	A																										
ASME Y14.5		www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3																						



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
X	OMITTED

dr	Zhen-Hua Liu	2015/10/13	projection		size	A3	scale	3:2
eng	Vicking Liu	2015/12/03			ecn no	-		
chr	Fancy Zhang	2015/12/03			rel level	Released		
appr	Pei-Ming Zheng	2015/12/03	product family	PwrBlade+				
			title 9HP RA STB HEADER		dwg no 10106124-9000001		rev A	
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3






Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION :10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION :GS-20-141.
PRODUCT PACKAGE SPECIFICATION:GS-14-1502.



Copyright FCI.

dr	Zhen-Hua Liu	2015/10/13	projection 	MM 	size	A3	scale	3:2
eng	Vicking Liu	2015/12/03			ecn no	-		
chr	Fancy Zhang	2015/12/03			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/12/03						
		title 9HP RA STB HEADER	dwg no 10106124-9000001	rev A				
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			