


**Data sheet | Item number: 280-336**  
Intermediate plate; 1.1 mm thick; orange

[www.wago.com/280-336](http://www.wago.com/280-336)



Color:

## Data

### Physical data

Width	1.1 mm / 0.043 inches
Height	103 mm / 4.055 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	50 mm / 1.969 inches
-------	----------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.061 MJ
Weight	4.1 g

## Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332277921
Customs tariff number	8538909990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block	
<b>Item no.: 280-549</b>	
Triple-deck terminal block; Through/through/through terminal block; for DIN-rail 35 x 15 and 35 x 7.5;	<a href="http://www.wago.com/280-549">www.wago.com/280-549</a>

Subject to changes. Please also observe the further product documentation!

2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray/gray/gray**Item no.: 280-551**Triple-deck terminal block; Through/through/through terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue/blue/blue [www.wago.com/280-551](http://www.wago.com/280-551)**Item no.: 280-552**Triple-deck terminal block; Through/through/through terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray/gray/blue [www.wago.com/280-552](http://www.wago.com/280-552)

## Shield terminal block

**Item no.: 280-548**Triple-deck terminal block; Shield/through/through terminal block; 2.5 mm<sup>2</sup>; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; white/gray/gray [www.wago.com/280-548](http://www.wago.com/280-548)**Item no.: 280-558**Triple-deck terminal block; Shield/through/through terminal block; 2.5 mm<sup>2</sup>; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; white/blue/gray [www.wago.com/280-558](http://www.wago.com/280-558)

## Carrier terminal block

**Item no.: 280-510**Triple-deck terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow/blue/gray [www.wago.com/280-510](http://www.wago.com/280-510)

## Ground terminal block

**Item no.: 280-547**Triple-deck terminal block; Shield/through/through terminal block; 2.5 mm<sup>2</sup>; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow/blue/gray [www.wago.com/280-547](http://www.wago.com/280-547)**Item no.: 280-557**Triple-deck terminal block; Shield/through/through terminal block; 2.5 mm<sup>2</sup>; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow/gray/gray [www.wago.com/280-557](http://www.wago.com/280-557)**Item no.: 280-597**Triple-deck terminal block; 6-conductor ground terminal block; 2.5 mm<sup>2</sup>; with marker carrier; internal commoning; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/280-597](http://www.wago.com/280-597)**Downloads****Documentation****Bid Text**

280-336 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
280-336 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download

**Additional Information**pdf  
2.2 MB  
Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## CAD/CAE-Data

### CAD data

2D/3D Models 280-336	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

---

### CAE data

EPLAN Data Portal 280-336	<a href="#">URL</a>	<a href="#">Download</a>
---------------------------	---------------------	--------------------------

---

WSCAD Universe 280-336	<a href="#">URL</a>	<a href="#">Download</a>
------------------------	---------------------	--------------------------

---

ZUKEN Portal 280-336	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 280-336	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

---

Intermediate plate; 1.1 mm thick; orange

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!