

Data sheet | Item number: 890-310

Mounting carrier; 2- to 5-pole; for flying leads; black

www.wago.com/890-310



Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Item description

Mounting accessories WINSTA® MINI

The mounting accessories from the WINSTA® MINI product line is the intelligent solution for straightforward installation. A comprehensive range of accessories rounds out the WINSTA® product line from WAGO. WINSTA® MINI satisfies the demand for miniaturisation. Our smallest pluggable connection system is especially suitable for lights, for example, since as a result of LED technology; due to complex systems, these offer much less space for the connection technology.

WINSTA® MINI solutions for your electrical installation – protected against mismatching and maintenance-free

The WINSTA® Pluggable Connection System is perfectly tailored to the strict requirements of building installation. It makes electrical installation pluggable, and therefore faster, more reliable, and error-free. Using this pre-assembled system decreases time spent on assembly and installation errors at the construction site. Now you can also reduce installation expenses without compromising safety and quality: The WINSTA® MINI accessory with protection against mismatching reduces the need for servicing and prevents unnecessary downtime.

-
- easy tool-free operation, a wide range of coding options
- quick replacement of defective units during ongoing operation

Data

Mechanical Data

Suitable for flying leads; 2- to 5-pole

Material Data

Note (material data)

Information on material specifications can be found here

| | |
|-----------------------------|------------------|
| Color | black |
| Insulation material | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.149 MJ |
| Weight | 5 g |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Environmental requirements

| | |
|--|--|
| Processing temperature | -5 ... +40 °C |
| Continuous operating temperature | -35 ... +85 °C |
| Note on continuous operating temperature | Insulating parts for temperatures ≤ 105 °C |

Commercial data

| | |
|-----------------------|---------------|
| Product Group | 20 (Winsta) |
| eCl@ss 10.0 | 27-44-06-92 |
| eCl@ss 9.0 | 27-44-06-92 |
| ETIM 8.0 | EC002863 |
| ETIM 7.0 | EC002863 |
| PU (SPU) | 100 pcs |
| Packaging type | bag |
| Country of origin | DE |
| GTIN | 4050821255093 |
| Customs tariff number | 39269097900 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Documentation

Bid Text

| | | | |
|------------------------|--------------|----------------|----------|
| 890-310 X81 - Datei | 2019 年2月19日 | xml 2.7 kB | Download |
| 890-310 doc - Datei | 2014 年11月20日 | doc 22.0 kB | Download |

CAD/CAE-Data

CAD data

| | | |
|----------------------|-----|----------|
| 2D/3D Models 890-310 | URL | Download |
|----------------------|-----|----------|

CAE data

Subject to changes. Please also observe the further product documentation!



WSCAD Universe 890-310

[URL](#)

[Download](#)

ZUKEN Portal 890-310

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 890-310

[URL](#)

[Download](#)

Mounting carrier; 2- to 5-pole; for flying leads; black

Installation Notes

Product family

WINSTA® MINI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.