

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



SCRJ fiber optic connector, IP67, duplex, with fast connection technology, for fiberglass multi-mode 50/125 μ m, for individual wire diameter 2.9 mm, for cable cross section 5.0 mm ... 8.5 mm



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	32.6 GRM
Custom tariff number	85367000
Country of origin	Germany

Technical data

Mechanical characteristics

Number of positions	2
Connection profile	SCRJ in acc. with IEC 61754-24
Fiber type	GOF fiber A1a, A1b
Fiber	50/125 μm and 62.5/125 μm
Ferrule diameter	2.50 mm
Insertion/withdrawal cycles	≥ 1000
External cable diameter	5 mm 8.5 mm
Color	gray

Ambient conditions

Ambient temperature (operation)	-20 °C 70 °C
Degree of protection	IP67

Material data

Inflammability class according to UL 94	V0
Housing material	PA
Material, O-ring	FPM



Technical data

Material data

Cable seal material	NBR
Material housing intermediate seal	NBR
Ferrule material	Zirconia ceramics
Ferrule holder color	White

Optical characteristics

Attenuation	≤ 0.5 dB (Insertion attenuation)
-------------	----------------------------------

Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260708
eCl@ss 7.0	27440312
eCl@ss 8.0	27440312

ETIM

ETIM 3.0	EC001122
ETIM 4.0	EC001122
ETIM 5.0	EC001122

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

UL Listed / GOST / GOST



technology, with charger for 110 V

Approvals	
Ex Approvals	
Approvals submitted	
Approval details	
UL Listed (I)	
GOST C	
GOST C	
Accessories	
Accessories Assembly tool	
Assembly tool set - V	S-GOF-FA-KONFTOOL-EU - 1658228
	Assembly tool set for fiberglass, for the field assembly of SCRJ and SC-duplex connectors, with fast connection technology, with charger for 230 V
Assembly tool set - V	S-GOF-FA-KONFTOOL-US - 1658231
	Accomply tool get for fiberglass, for the field eccembly of SCR Land SC dupley connectors, with fact connection

Protective cover



Accessories


Protective covers - VS-SCRJ-PC - 1653757



IP67 protective cover, for covering the male inserts in the sleeve housings IP67, VS-SCRJ-..., VS-04-..., VS-06-... and VS-08-...

Drawings

Dimensioned drawing



SCRJ connector IP67

© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com