


PC BOARD LAYOUT  
 RECOMMENDED PC BOARD THICKNESS 1.57[.062]

- 1 HOUSING MATERIAL: HIGH TEMPERATURE, GLASS-FILLED, POLYMER. COLOR: GRAY OR WHITE
- 2 POST MATERIAL: BRASS.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.
- 7 CSA LOGO MOLDED IN THIS AREA.
- 8 HIGH TEMPERATURE DESIGNATION MOLDED IN THIS AREA.
- 9 POST FINISH: DIN 41612 CLASS 3 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.



SUPERSEDED BY 536416-5	9	1-32	X	X	X	96	536416-9
	3	1-32	X	X	X	96	536416-5
NOTES	POSITIONS LOADED	C	B	A	NO. OF LOADED POSITIONS	PART NUMBER	
THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN L. BRINER 8/11/92		Tyco Electronics Corporation		Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVED: R. PATTERSON 8/14/92		NAME: D.C. RUBENDALL	
0. PLC ± -		1. PLC ± -		2. PLC ± -		3. PLC ± 0.13[.005]	
4. PLC ± -		ANGLES ± -		APPLICATION SPEC		SIZE: A1	
MATERIAL HSG: 1		FINISH: 3, 9		WEIGHT: -		DRAWING NO: 00779	
POST: 2		CUSTOMER DRAWING		SCALE: 5:1		SHEET 1 OF 1	