

## Profile gasket - HC-B 24-TMS-EEE-PR-DI - 1409820

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Profile gasket for sleeve housing type B24.....EEE



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Custom tariff number	40169300
Country of origin	Germany

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

#### General

Type	B24
Material	NBR, conductive

### Classifications

#### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424

# Profile gasket - HC-B 24-TMS-EEE-PR-DI - 1409820

## Classifications

### eCl@ss

eCl@ss 7.0	27440209
eCl@ss 8.0	27449290
eCl@ss 9.0	27440290

### ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC000437
ETIM 5.0	EC000437

### UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	39121522

## Approvals

### Approvals

---

#### Approvals

EAC

---

#### Ex Approvals

---

#### Approvals submitted

---


### Approval details

EAC
-----

## Drawings

## Profile gasket - HC-B 24-TMS-EEE-PR-DI - 1409820

Dimensional drawing



Dimensional drawing

---

Phoenix Contact 2016 © - all rights reserved  
<http://www.phoenixcontact.com>