




PRODUCT NUMBER
73326-XXXLF

PLATING OPTION
1= GXT 0.76 μm
3= GOLD 0.76 μm
5= GOLD 1.27 μm

PACKAGE OPTION
1= TAPE ON REEL
2= TUBE
3= TAPE ON REEL IN PLASTIC BAG



TERMINAL LOADING
1= FULLY LOADED
2= POS 2,3,4,5
3= POS 1,2,5,6

WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE, SEE NOTE 4.



NOTES:

- 1 - MATERIAL: HOUSING: HIGH TEMP. PCT, COLOUR BLACK.
TERMINAL: PHOSPHOR BRONZE.
- 2 - PLATING: CONTACT AREA: SEE TABLE.
SOLDER TAIL : 90/10 SnPb 2 μm MIN.
WHEN SUFFIX "LF" IS REQUIRED, 2 μm MIN MATTE
TIN OVER 1.27 MIN Ni IS SUPPLIED INSTEAD OF SnPb.
NO RAW EDGES EXCEPT SOLDER TAIL TIPS
- 3 - SOLDER TAILS COPLANARITY : 0.1 mm
- 4 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
 - a - PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE,
2 μm MINIMUM MATTE TIN OVER 1.27 μm
MINIMUM NICKEL UNDERPLATE.
 - b - MANUFACTURING PROCESS COMPATIBILITY
 - THE HOUSING WILL WITHSTAND EXPOSURE TO
245°C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONVECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.
 - c - LABELING:
 - MEETS PACKAGING SPECS AS PER GS-14-920
 - d - LEGAL STATEMENT: SEE GS-47-0004
- 5 - PACKAGING FOR OPTION 3 : EACH REEL IS WRAPPED INTO A PLASTIC BAG
TO PROTECT FROM MOISTURE DURING STACKING TIME.





CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection mm		product family MOD JACK	
ltr		ecn no		date		tolerances unless otherwise specified		title	
H		F06-024G		DLE 06.07.18		±0.13		SMT RA JACK	
J		F09-007G		LSA 09.07.23		linear		6 POS INSIDE	
K		B-15798		JFA 13.09.09		±2'		scale 2:1	
L		F-21888		AMA 15.09.09		dr		D LEGRAND 04.10.18	
M		F-45277		DDE 22-07-05		engr		P NIZZI 04.10.18	
G		F05-0247		DLE 05.09.12		appd		chr D LEGRAND 04.10.18	
sheet		revision		M		E		B	
index		sheet		1		2		3	
dwg no		sheet 1 of 3		size		type		CUSTOMER Drawing	
73326		A3							

PRODUCT NUMBER
SEE SHEET 1

LTR	PART NAME	QTY
1	PRODUCT	230
2	TAPE	1
3	REEL	1
4	COVER TAPE	1


SCALE 1:4



1- IN ACCORDANCE WITH EIA-481 AND IEC 296-3

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code		surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family MOD-JACK	
ltr		ecn no		dr		date		title	
D		F80620		DLE		98.11.26		SMT RA JACK	
E		F06-024G		DLE		06.07.18		6 POS. INSIDE	
				angles		linear		scale 1:1	
				dr		D LEGRAND		06.07.18	
				enr		P NIZZI		06.07.18	
				chr		D LE		06.07.18	
				app		P NZ		06.07.18	
sheet index		revision sheet						dwg no	
								73326	
								sheet 2 of 3	
								size A3	
								type CUSTOMER Drawing	



FCIconnect.com

CUSTOMER COPY FOR REFERENCE ONLY

mat'l. code		surface	tolerance	projection	product family	
		ISO 1302	ISO 406 ISO 1101		MOD JACK	
ltr	ecn no	dr	date	title		
A	F04-0363	DLE	04.10.18	SMT RA JACK		
B	F06-0240	DLE	06.07.18	6 POS INSIDE		
		angles	linear	mm	scale 2:1	
		±2°				
		dr	D LEGRAND	04.10.18	dwg no	
		engr	P NIZZI	04.10.18	sheet 3 of - size	
		chr	D LEGRAND	04.10.18	73326 A4	
		app	P NZ	04.10.18	type	
		CUSTOMER Drawing				
sheet index	revision sheet					