

Data sheet | Item number: 782-321

Busbar carrier; not suitable for use as end stop; for DIN 35 rail; 1.5 mm thick;
blue



www.wago.com/782-321



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Data****Technical data**

Main product function	Mounting accessories
-----------------------	----------------------

Physical data

Width	1.5 mm / 0.059 inches
Height	43.5 mm / 1.713 inches
Depth	82.2 mm / 3.236 inches

Material Data

Color	blue
Fire load	0.163 MJ
Weight	5.4 g

Commercial data

Product Group	17 (TOP JOB Installation Terminal Blocks)
eCl@ss 10.0	27-40-06-07
eCl@ss 9.0	27-40-06-07
ETIM 8.0	EC001166
ETIM 7.0	EC001166
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332287562
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads**Documentation****Bid Text**

782-321	2019 年2月19 日	xml	Download
X81 - Datei		2.7 kB	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



782-321	2017 年5月2日	doc	Download
doc - Datei		24.1 kB	

CAD/CAE-Data

CAE data

EPLAN Data Portal 782-321	URL	Download
WSCAD Universe 782-321	URL	Download

CAD data

2D/3D Models 782-321	URL	Download
----------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 782-321	URL	Download
Busbar carrier; not suitable for use as end stop; for DIN 35 rail; 1.5 mm thick; blue		

Installation Notes

Subject to changes. Please also observe the further product documentation!