

- NOTES:
1. TERMINALS MUST CONFORM TO SOLDERABILITY SPEC. ES-152.
 2. PARTS CONFORM TO PRODUCT SPEC 08-50.
 3. HOUSING MATERIAL: NYLON, UL LISTED
 5. TERMINAL TAIL CENTERLINES ARE TO BE WITHIN (.30)/.012 OF EACH OTHER.
 6. TERMINAL PULL OUT FORCE: 4 LBS MIN.
 7. SEE SMES-42329-*** FOR KINK PIN INFORMATION.
 8. FINISH: SEE SDES-88
- (909) *OVERALL HOT TIN DIP: .00254 MICROMETERS MIN
 (228) SELECT GOLD: .00076 MICROMETERS MIN,
 *SELECT IN: .00254 MICROMETERS MIN,
 OVERALL NICKEL UNDERPLATE: .00127 MICROMETERS MIN.
 *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN/LEAD PLATING.

A-6365- * * * * * - *
 VOID LOCATION

ASS'Y. PROC.
 A=RIGHT ANGLE
 C=TOP ENTRY
 D=TOP ENTRY WITH HOOKS CUT OFF
 E=TOP ENTRY WITH KINKED PINS


HOUSING NO.
 A=6365-N
 HOOKS & FLUX SHIELD
 B=6365-AN
 HOOKS
 C=6365-BN
 HOOKS & RAMP
 D=6365-NBK
 HOOKS, FLUX SHIELD, DYED

PACKAGING CODE
 BLANK = PER PK-6365-001

PLATING

TERMINAL NO.
 A=6441-B-I(*), BRASS
 B=6441-B-2(*), BRASS
 C=6441-C-I(*), PHOS BRONZE

NO. OF CKTS.



NO. OF CKTS.	DIM. A	DIM. B
1	()	(3.86)
2	(3.96 ± .13) (.156 ± .005)	(7.82) (.308)
3	(7.92 ± .13) (.312 ± .005)	(11.79) (.464)
4	(11.89 ± .13) (.468 ± .005)	(15.75) (.620)
5	(15.85 ± .13) (.624 ± .005)	(19.71) (.776)
6	(19.81 ± .13) (.780 ± .005)	(23.67) (.932)
7	(23.77 ± .25) (.936 ± .010)	(27.64) (1.088)
8	(27.74 ± .25) (1.092 ± .010)	(31.60) (1.244)
9	(31.70 ± .25) (1.248 ± .010)	(35.56) (1.400)
10	(35.66 ± .25) (1.404 ± .010)	(39.52) (1.556)
11	(39.62 ± .25) (1.560 ± .010)	(43.48) (1.712)
12	(43.59 ± .25) (1.716 ± .010)	(47.45) (1.868)
13	(47.55 ± .25) (1.872 ± .010)	(51.41) (2.024)
14	(51.51 ± .36) (2.028 ± .014)	(55.37) (2.180)
15	(55.47 ± .36) (2.184 ± .014)	(59.33) (2.336)

ENTER DESCRIPTION EC NO: UCP2005-1551 DRWN:KSA/MEC CHKD: 2005/01/27 APPR: YMARGULLI 2005/01/31 REV AB1	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .014 1 PLACE ± 0.36 ± --- ANGULAR ±1/2°	DIMENSION STYLE IN/MM DRAWN BY DATE GUZIK 12/10/87 CHECKED BY DATE PATEL 12/10/87 APPROVED BY DATE LENZ 12/10/87	SCALE 1:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			TITLE P.C. TAIL HOUSING ASSEMBLY .156 CL
	ENTER PART SDA-6365		MOLEX INCORPORATED	
	MATERIAL NO. SDA-6365		SHEET NO. 1 OF 00	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

13 12 11 10 9 8 7 6 6365 4 3 2 1

A-6365-CCNC(50 I)-* A-6365-ABNC(P909)-* A-6365-CBNA(50 I)-* A-6365-DBNA(50 I)-*

PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.
				-AB01C(P909)			-CB01A(50 I)			-DB01A(50 I)	
26-29-202 I	-CC2C(50 I)		26-16-6029	-AB02C(P909)		022-10-7022	-CB02A(50 I)		022-10-7023	-DB02A(50 I)	
26-29-203 I	-CC3C(50 I)		26-16-6039	-AB03C(P909)		022-10-7032	-CB03A(50 I)		022-10-7033	-DB03A(50 I)	
26-29-204 I	-CC4C(50 I)		26-16-6049	-AB04C(P909)		022-10-7042	-CB04A(50 I)		022-10-7043	-DB04A(50 I)	
26-29-205 I	-CC5C(50 I)		26-16-6059	-AB05C(P909)		022-10-7052	-CB05A(50 I)		022-10-7053	-DB05A(50 I)	
26-29-206 I	-CC6C(50 I)		26-16-6069	-AB06C(P909)		022-10-7062	-CB06A(50 I)		022-10-7063	-DB06A(50 I)	
26-29-207 I	-CC7C(50 I)		26-16-6079	-AB07C(P909)		022-10-7072	-CB07A(50 I)		022-10-7073	-DB07A(50 I)	
26-29-208 I	-CC8C(50 I)		26-16-6089	-AB08C(P909)		022-10-7082	-CB08A(50 I)		022-10-7083	-DB08A(50 I)	
26-29-209 I	-CC9C(50 I)		26-16-6099	-AB09C(P909)		022-10-7092	-CB09A(50 I)		022-10-7093	-DB09A(50 I)	
26-29-210 I	-CC10C(50 I)		26-16-6109	-AB10C(P909)		022-10-7102	-CB10A(50 I)		022-10-7103	-DB10A(50 I)	
26-29-211 I	-CC11C(50 I)		26-16-6119	-AB11C(P909)		022-10-7112	-CB11A(50 I)		022-10-7113	-DB11A(50 I)	
26-29-212 I	-CC12C(50 I)		26-16-6129	-AB12C(P909)		022-10-7122	-CB12A(50 I)		022-10-7123	-DB12A(50 I)	
26-29-213 I	-CC13C(50 I)		26-16-6139	-AB13C(P909)		022-10-7132	-CB13A(50 I)		022-10-7133	-DB13A(50 I)	
26-29-214 I	-CC14C(50 I)		26-16-6149	-AB14C(P909)		022-10-7142	-CB14A(50 I)		022-10-7143	-DB14A(50 I)	
26-29-215 I	-CC15C(50 I)		26-16-6159	-AB15C(P909)		022-10-7152	-CB15A(50 I)		022-10-7153	-DB15A(50 I)	

COLUMN NO. 1 CONT. IN COLUMN NO. SHEET NO. COLUMN NO. 2 CONT. IN COLUMN NO. SHEET NO. COLUMN NO. 3 CONT. IN COLUMN NO. SHEET NO. COLUMN NO. 4 CONT. IN COLUMN NO. SHEET NO.

SEE SHEET I	SEE SHEET I	DIMENSIONS SHOWN (METRIC) INCH	▽ = 0	▼ = 0	REVISE ONLY ON CAD SYSTEM
SEE SHEET I	SEE SHEET I	UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°	TITLE HOUSING ASSY PC TAIL (3,96)/.156 Q TRIFURCON ASSEMBLY		
SEE SHEET I	AB	INCH METRIC	MOLEX INCORPORATED SHEET NO. DATE 6 03/25/91		
SEE SHEET I	AA12	3 PLACE ± .005 ---	PART NO. SDA-6365		
SEE SHEET I	AA9	2 PLACE ± .01 ± 0.13	SEE CHART		
SEE SHEET I	AA7	1 PLACE --- ± 0.25	FILE NAME S6365X6 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
SEE SHEET I	AA	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DRWG. NO. SDA-6365		
LTR.	REVISIONS	DRWG. BY SAMIEC	CHK'D. BY PATEL	DATE	SIZE C
LTR.	REVISIONS	APP'D. BY LENZ	SCALE		

13 12 11 10 9 8 7 6 5 4 3 2 1

6365