



rev	ecn no	dr	date
A	V07-0606	LP	2007/09/19




Copyright FCI.

spec ref	-	dr	Bill Lin	2010/02/02	projection 	mm 	size	A4	scale	21:10	
tolerance std	ASME Y14.5	eng	Nickor Zuo	2011/06/20			ecn no	ELX-DG-003943-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Alex Cao	2011/06/24			product family	GIG-Array		rel level	Released
		appr	Pei-Ming Zheng	2011/06/27			product family	GIG-Array		rel level	Released
surface	✓	 www.fci.com			title GIG-Array 11mm RECP. ASSY. 200 SIG. POS.		dwg no 10081496		rev	B	
-	linear								0.X	±0.30	Product - Customer Drw
		angular	0°	±2°							

ProjE File - REV C - 2009-06-09



Copyright FCI.



BOARD PATTERN

spec ref		-		dr	Bill Lin	2010/02/02	projection	mm	size	A4	scale	21:10			
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Nickor Zuo	2011/06/20					ecn no	ELX-DG-003943-1			
				chr	Alex Cao	2011/06/24						rel level	Released		
surface	✓	linear	0.X	±0.30		title GIG-Array 11mm RECP. ASSY. 200 SIG. POS.	product family GIG-Array	dwg no 10081496	rev B	-					
			0.XX	±0.10						www.fci.com	cat. no.	Product - Customer Drw	sheet 2 of 5		
			0.XXX	±0.05											
		angular	0°	±2°											


PrdE File - REV C - 2009-06-09

A

B

C

D



RECEPTACLE INTERFACE DESCRIPTION




Copyright FCI.


spec ref		-		dr	Bill Lin	2010/02/02	projection 	mm 	size	A4	scale	21:10				
tolerance std		ASME Y14.5		eng	Nickor Zuo	2011/06/20			ecn no	ELX-DG-003943-1						
-		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Alex Cao	2011/06/24			rel level	Released						
surface		linear	0.X	±0.30	FCI 	title		GIG-Array	10081496	11mm RECP. ASSY. 200 SIG. POS.	www.fci.com	cat. no.	Product - Customer Drw	sheet 3 of 5	rev	B
-			0.XX	±0.10		GIG-Array										
-		0.XXX	±0.05	11mm RECP. ASSY. 200 SIG. POS.												
-		angular	0°	±2°	www.fci.com		Product - Customer Drw		sheet 3 of 5							

PreE File - REV C - 2009-06-09

FLAT AREA
FOR
PICK-UP CAP
SCALE 2:1



DIM "A" REF.
MATED HEIGHT
AFTER REFLOW
SEE NOTE 3.



END VIEW OF MATED CONNECTORS
SCALE 2:1

DIM. "A"	PLUG ASSEMBLY P/N
21	55737
23	10026802
24	10055142
26	55738
31	55739
36	10054783



Copyright FCI.

spec ref		-		dr	Bill Lin	2010/02/02	projection 	mm 	size	A4	scale	1:10	
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED				eng			Nickor Zuo	2011/06/20	ecn no	ELX-DG-003943-1	
						chr			Alex Cao	2011/06/24		rel level	Released
surface	✓	linear	0.X	±0.30	FCI www.fci.com	title			GIG-Array	product family	GIG-Array		dwg no
			0.XX	±0.10									
			0.XXX	±0.05									
		angular	0°	±2°	cat. no.	Product - Customer Drw			sheet 4 of 5				

PRODUCT NUMBER	SOLDER BALL COMPOSITION	CONTACT PLATING PERFORMANCE LEVEL
10081496-001	STANDARD (EUTECTIC)	PERFORMANCE-BASED PLATING, QUALIFIED TO MEET THE REQUIREMENTS OF FCI PRODUCT SPECIFICATION GS-12-192, INCLUDING TELCORDIA CENTRAL OFFICE Au over Ni
10081496-001LF	LEADFREE	
10081496-201	STANDARD (EUTECTIC)	
10081496-201LF	LEADFREE	

NOTES:

- ①. MATERIAL:
HOUSING: LCP
CONTACT: COPPER ALLOY
PLATING (CONTACT): Au OVER Ni.
UL RATING: 94 V-0
SOLDER BALL: (SEE TABLE) EUTECTIC
SnPb OR LEAD FREE 95.5 Sn/4Ag/0.5Cu.
- ②. SOLDER BALLS WILL NOT BE PERFECT SPHERICAL SHAPE DUE TO REFLOW ATTACHMENT.
- ③. MATED HEIGHT EFFECTED BY CUSTOMERS' PCB PAD SIZE, PLATING, SOLDER REFLOW PROFILE & SOLDER PASTE.
- ④. CONTACTS IN ROWS A, C, E, G, J, K, M, P, R AND T ARE SINGLE BEAM CONTACTS, USED AS GROUND PINS.
(NOTE: CONTACTS IN ROWS J & K ARE TIED TOGETHER [COMMONED])
- ⑤. CONTACTS IN ROWS B, D, F, H, L, N, Q AND S ARE DUAL BEAM CONTACTS, TYPICALLY USED AS SIGNAL PINS.

NOTES:

- ⑥. SPECIFIED POSITIONAL TOLERANCE DEFINES PAD TO PAD LOCATION WITHIN LAND PATTERN. POSITIONAL TOLERANCE OF LAND PATTERN TO FUDICIAL MARKS OR PCB DATUMS SHALL BE DEFINED BY CUSTOMER. FOR RECOMMENDED PRODUCT APPLICATION AND PCB DESIGN DETAILS, SEE DOC. NO. GS-20-016.
- ⑦. FOR PROPER APPLICATION FOLLOW FCI APPLICATION SPECIFICATION GS-20-033. LEAD FREE SOLDER BALLS WILL NOT SOLDER PROPERLY IN A LEADED SOLDER PROCESS DUE TO A HIGHER REFLOW TEMPERATURE. LEADFREE PRODUCT IS THEREFORE NOT BACKWARDS COMPATIBLE WITH LEADED OR SOME SOLDERING APPLICATIONS. REFERENCE FCI APPLICATION SPECIFICATION.
- ⑧. THIS PRODUCT MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. PRODUCT MEETING THIS DIRECTIVE IS IDENTIFIED IN THE CODE NUMBER MARKED ON EACH PART BY HAVING AN "X" IN THE SEVENTH CHARACTER POSTION.

spec ref	-	dr	Bill Lin	2010/02/02	projection 	mm 	size	A4	scale	21:10
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Nickor Zuo	2011/06/20			ecn no	ELX-DG-003943-1		
ASME Y14.5		chr	Alex Cao	2011/06/24				rel level	Released	
surface	linear	appr	Pei-Ming Zheng	2011/06/27	product family	GIG-Array		rev	B	
-		angular	www.fci.com		cat. no.	Product - Customer Drw	sheet 5 of 5			
	0.X	±0.30			title	GIG-Array		dwg no	10081496	
	0.XX	±0.10				11mm RECP. ASSY. 200 SIG. POS.				
	0.XXX	±0.05								
	0°	±2°								