






- 1 MATERIALS:
- HOUSING: HIGH TEMPERATURE NYLON, UL94 V-0
LATCH & CAP: HIGH TEMPERATURE THERMOPLASTIC, UL94 V-0
CONTACTS: COPPER ALLOY
RETENTION BARB: STAINLESS STEEL
- 2 INTERFACE FINISH:
- (1) 0.00038 MIN THK GOLD OVER 0.00127 MIN THK NICKEL.
(2) GOLD FLASH OVER 0.00127 MIN THK NICKEL.
- 3 SOLDER TAIL FINISH:
- 0.00300 MIN THK MATTE TIN OVER 0.00127 MIN THK NICKEL.
- 4 KEEP OUT ZONE.
- 5 KEEP OUT AREA RESERVED FOR SOCKET EXTRACTORS, BOTH ENDS.
- 6 FINISHED HOLE SIZE. 0.15 MAXIMUM ANNULAR RING.
- 7 LED LOCATION AS APPLICABLE PER CUSTOMER.
- 8 DATUM Z IS CONNECTOR SIDE SURFACE OF PCB.

NATURAL	GREEN (375C)	15u" MIN. (1)	4.00	2.40	2199188-9
NATURAL	NATURAL	G/F	4.00	2.40	2199188-6
NATURAL	BLACK		4.00	2.40	2199188-5
NATURAL	BLUE(661C)	15u" MIN. (1)	4.00	2.40	2199188-4
BLACK	BLACK		4.00	2.40	2199188-3
EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE 2	DIM C	DIM B	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RICHARD MA 19JUL2013 CHK SIMON LI 19JUL2013 APVD COREL WANG 19JUL2013	TE Connectivity		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± - ANGLES ± - FINISH	PRODUCT SPEC 108-115076 APPLICATION SPEC - WEIGHT -	NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION		
MATERIAL -		CUSTOMER DRAWING	SIZE A2 CAGE CODE 00779 SCALE 1:1	DRAWING NO C=2199188 SHEET 1 of 6	RESTRICTED TO - REV B



LEFT LONG LATCH



NATURAL	NATURAL	BLUE(661C)	15u" MIN. (1)	4.00	2.67	1-2199188-2
		BLACK		4.00	2.67	1-2199188-1
CAP COLOR	EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	DIM C	DIM B	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN RICHARD MA 19JUL2013	TE Connectivity		
			CHK SIMON LI 19JUL2013			
			APVD COREL WANG 19JUL2013	NAME		
			PRODUCT SPEC			
			108-115076	SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION		
			APPLICATION SPEC			
			WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=2199188
			CUSTOMER DRAWING	SCALE 1:1	SHEET 2 of 6	REV B

D

C

B

A



RIGHT LONG LATCH


NATURAL	NATURAL	BLUE(661C) BLACK	15u" MIN. (1)	4.00	2.67	2-2199188-2
CAP COLOR	EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	DIM C	DIM B	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN RICHARD MA 19JUL2013 CHK SIMON LI 19JUL2013 APVD COREL WANG 19JUL2013 PRODUCT SPEC 108-115076 APPLICATION SPEC -	TE Connectivity		
DIMENSIONS: mm			TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± - ANGLES ± - FINISH -	NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION		
MATERIAL -			WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C-2199188
			CUSTOMER DRAWING	SCALE 1:1	SHEET 3 of 6	REV B

D


C

B

A




SECTION A-A




DUAL SHORT LATCH

BLACK	BLACK	15u" MIN. (1)	4.00	2.67	3-2199188-2
NATURAL	NATURAL		4.00	2.67	3-2199188-1
NATURAL	BLUE(661C)		4.00	2.67	2199188-2
	BLACK		4.00	2.67	2199188-1
EXTRACTOR COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE 2	DIM C	DIM B	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RICHARD MA 19JUL2013 CHK SIMON LI 19JUL2013 APVD COREL WANG 19JUL2013 PRODUCT SPEC 108-115076 APPLICATION SPEC -	TE Connectivity		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± - ANGLES ± -	108-115076	SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION		
MATERIAL -	FINISH -	WEIGHT -	SIZE A2	CAGE CODE 00779	RESTRICTED TO -
CUSTOMER DRAWING			SCALE 1:1	SHEET 4 of 6	REV B



RECOMMENDED PCB LAYOUT


VIEWED FROM CONNECTOR SIDE






RECOMMENDED MODULE LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RICHARD MA 19JUL2013		 TE Connectivity				
DIMENSIONS: mm		CHK SIMON LI 19JUL2013						
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD COREL WANG 19JUL2013		NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION			
	0 PLC ± -		PRODUCT SPEC 108-115076					
	1 PLC ± 0.25		APPLICATION SPEC					
	2 PLC ± 0.15		—					
3 PLC ± -0.10		WEIGHT —		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
4 PLC ± -		FINISH —		A2	00779	C=2199188	—	
MATERIAL —		CUSTOMER DRAWING		SCALE 1:1		SHEET 5 of 6	REV B	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		—	SEE SHEET 1	—	—	—



1. MATERIALS :
- TRAY: PVC, COLOR: TRANSPARENT.
- BOX: CORRUGATED FIBERBOARD
- TRANSPARENT BAG: PE
2. DIMENSIONS:
- TRAY: L=372;W=280;H=30.5
- BOX: L=400;W=320;H=350
3. QUANTITY:
- 10 PCS/TRAY
- 540 PCS/BOX
4. WEIGHT:
- NET WEIGHT:4.1KG
- GROSS WEIGHT:6.1KG



THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN RICHARD_MA 19JUL2013 CHK SIMON_LI 19JUL2013 APVD COREL_WANG 19JUL2013 PRODUCT SPEC 108-115076 APPLICATION SPEC — WEIGHT — CUSTOMER DRAWING		TE TE Connectivity NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION SIZE A2 CAGE CODE 00779 DRAWING NO C=2199188 RESTRICTED TO —		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SCALE			
mm		0 PLC ± — 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± — ANGLES ± —		1:1		SHEET	
		FINISH		6 OF 6		REV	
MATERIAL		—		B			