RTV Silicones



ALL MG PRODUCTS 👻

ump to Product Number
Product Number
Accessories
Adhesives
<u>Brushes</u>
Cleaners / Degreasers
Contact Cleaners
Desoldering Braid
Dusters & Circuit Coolers
EMI / RFI Shielding
<u>Epoxies</u>
Flux and Flux Remover
Glass & Screen Cleaners
Isopropyl Alcohol
Lead Free Solder
Lubricants
Potting & Encapsulating
Protective Coatings
Pens
Prototyping Materials
RTV Silicones
Soldering/desoldering
Specialized Cleaners
Swabs
<u>Thermal Management</u>
Thermally Conductive Adhesives
<u>Wipes</u>

RTV Silicones by AMAGENTIVE Primer for 2-part RTV Silicones SS4155



- Primary Characteristics
 Blue
 For one and two part silicones
- Applications
- Airframe/External
- ExteriorInterior

Ready to use, silicone primer for use with one and two part room temperature or heat cured RTV silicone compounds to bind to metals, ceramics, some rigid plastics and wood. Blue color makes easy visual determination of uniform coating.

Available Sizes

Catalog Number	Sizes Available	Description	Case Qty
SS4155-1P	1 pint	0.8 lbs	6

Specifications

Appearance	Blue	
D.O.T. Label	Flammable	
Density	0.82 g/cm³	
Dry time	60.0 minute(s)	
Flash Point	37.0 C	
Silicone Content	10.0 %	
Solvent	Mineral spirits	



Technical Support for RTV Silicones

255-8886

M.G. Chemicals Disclaimer for RTV Silicones >

Locate Distributor >

Quick Links

- MSDS
- Specifications
- Available Sizes
- Primer Guide



Resources

- Selection Guide >
- One Part Chart
- 🕨 <u>Two Part Chart</u> 🌆

Find by Application

<u>General Purpose</u> >

<u>Aerospace</u> >

<u>Marine</u> >

High Performance Assembly >

Electronics >

Thermal Conductivity >

High Temperature >

Low Temperature >

Google Search MG



Return to top ^

© 2000 - 2007 MG Chemicals. All rights reserved. Site Map Terms & Conditions Contact Us

web site design by offbeat studio