

"High Frequency Ceramic Solutions"

2.45 GHz Band Pass Filter

P/N 2450BP15B100

Detail Specification: 10/07/09

Page 1 of 2

General Specifications

Part Number	2450BP15B100	
Frequency (MHz)	2400 - 2500	
Attenuation (min.)	1200 ~ 1300MHz	25 dB
Attenuation (min.)	2000MHz	10 dB
Attenuation (min.)	3000MHz	12 dB
Attenuation (min.)	3600 ~ 3800MHz	30 dB
Attenuation (min.)	4800 ~ 5000MHz	34 dB

Insertion Loss	2.2 dB max.
Return Loss	9.5 dB min.
Input Power	500 mW max.
Impedance	50 Ω
Operating Temperature	-40 to +85°C
Reel Quantity	4,000



P/N	Packaging Style	Bulk	Suffix = S	Eg. 2450BP15B100S
		T & R	Suffix = E	Eg. 2450BP15B100E
Suffix	Termination Style	100% Tin	Suffix = None	Eg. 2450BP15B100(E or S)
		Tin / Lead	Suffix = /Pb	Please contact factory

Terminal Configuration

No.	Function
1	GND
2	OUT
3	GND
4	IN

Mechanical Dimensions


	In	mm
L	0.079 \pm 0.006	2.00 \pm 0.15
W	0.049 \pm 0.004	1.25 \pm 0.10
T	0.022 \pm 0.004	0.55 \pm 0.10
a	0.051 \pm 0.006	1.30 \pm 0.15
b	0.012 \pm 0.006	0.30 \pm 0.15
c	0.010 \pm 0.006	0.25 \pm 0.15
d	0.014 \pm 0.006	0.35 \pm 0.15

Mounting Considerations

Mount these devices with brown mark facing up.

Line width should be designed to provide 50 Ω impedance matching characteristics.



Units: mm

Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2009 Johanson Technology, Inc. All Rights Reserved

"High Frequency Ceramic Solutions"


2.45 GHz Band Pass Filter

P/N 2450BP15B100

Detail Specification: 10/07/09

Page 2 of 2

Typical Electrical Performance (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2009 Johanson Technology, Inc. All Rights Reserved