





used for: D-SUB HD

No. of Pos.	A ^{-0.76}	B ^{-0.25}	C ^{+0.12} ^{-0.13}	Part No.
15	31.19	16.46	25.00	164A17359X
26	39.52	24.79	33.30 ^{+0.15} ^{-0.1}	164A17369X
44	53.42	38.50	47.04 ± 0.13	164A17379X
62	69.70	54.96	63.50 ± 0.13	164A17389X



NOTES:

- METALSHELLS: STEEL; min. 315µin TIN over 40-80µin NICKEL
- INSULATORS: PBT GF UL 94 V-0, BLACK
- CONTACTS: COPPER ALLOY
PLATING: 8µin HARD GOLD OVER min. 50µin NICKEL
- THREADED SPACER CLIP: COPPER ALLOY; min. 200µin TIN over 80µin NICKEL
PCB-HOLE: $\phi 3.1 \pm 0.1$; PCB THICKNESS 1.6mm
- COLLAR: COPPER ALLOY; min. 200µin TIN over 80µin NICKEL
- P.C.B. HOLE DRILLINGS ON SHEET 2
- MAXIMUM TORQUE VALUE FOR THREAD: 6 in.LB
- CONNECTOR IS PART MARKED: PART-NO. CONEC ABC



APPROVAL * FREIGABE * DEBLOCAGE * AUTORIZACION * APPROVAL	
CUSTOMER APPROVAL DATE:	
NAME:	TITLE:
COMPANY NAME:	
APPROVAL * FREIGABE * DEBLOCAGE * AUTORIZACION * APPROVAL	

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY, WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH DO NOT ALTER CAD DRAWING BY HAND


rev.	description	date	name
a	Origin		

tolerance		scale:	2:1 (5:1)
	dim. in mm	material:	SEE NOTES
2006	date	name	title:
drawn	03.08.	Lehmenkühler	D-SUB HD FEMALE
appd.	03.08.	Kühle	15-62pos. SOLDER PIN STRAIGHT
norm			with threaded spacer clip
d-old			dwg no: AutoCAD 2006
			DIN-A
			3
part no: SEE TABLE			sh:1/2


dwg no:	AutoCAD 2006	DIN-A
16K2A676		3
part no: SEE TABLE		sh:1/2

used for: D-SUB HD


15 pos.




26 pos.



44 pos.



62 pos.



APPROVAL * FREIGABE * DEBLOCAGE * AUTORIZACION * APPROVAL

CUSTOMER APPROVAL DATE:

NAME: TITLE:

COMPANY NAME:

APPROVAL * FREIGABE * DEBLOCAGE * AUTORIZACION * APPROVAL

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY, WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC Gmbh DO NOT ALTER CAD DRAWING BY HAND

rev.	description	date	name
a	Origin		

tolerance		scale:	2:1
	dim. in mm	material:	SEE SHEET 1
2006	date	name	
drawn	03.08.	Lehmenkühler	
appd.	03.08.	Kühle	
norm	DIN 41652		
d-old			

title: P.C.B. HOLE DRILLINGS
D-SUB HD FEMALE 15-62pos. SOLDER PIN with threaded spacer clip

dwg no: AutoCAD 2006 DIN-A 3 sh:2/2

16K2A676

part no: SEE SHEET 1