

## Terminal markers DEK 8 GR NEUTRAL

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



The **dekafix (DEK)** marker is the universal marker for all conductor and plug-in connectors as well as for electronics modules. The system is ideal for small groups of consecutive numbers and covers a large range of ready-printed markers. Being mounted as strips means that they are quickly clipped on in one operation. The printing is easy to read, has excellent contrast, and is available in five widths.

- Large selection of ready-to-use markers
- In strips for fast installation
- Connector markers are suitable for all Weidmüller conductor connectors
- Available as blank cards, MultiCard or as cards with standard printing

### General ordering data

Order No.	<a href="#">1277091691</a>
Type	DEK 8 GR NEUTRAL
Version	Terminal markers, Card, 5 x 8 mm, Polyamide 66, Colour: Grey
GTIN (EAN)	4032248048052
Qty.	500 pc(s).

**Terminal markers  
DEK 8 GR NEUTRAL**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data****Dimensions and weights**

Length	5 mm	Width	8 mm
Net weight	0.08 g		

**Markings**

Cadmium	No	Can be labelled with thermal transfer printers	No
Can be printed with plotter	Yes	Can be written with dot-matrix printer	No
Can be written with laser printer	No	Colour	Grey
Conductor O.D.		Halogen	No
Material	Polyamide 66	Material colour according to resistance code	8
Operating temperature range, max.	100 °C	Operating temperature range, min.	-40 °C
Pin can be written (STI)	Yes	Pitch in mm (P)	8 mm
PrintJet	No	Silicone	No
Speed marking laser	No	UL 94 flammability rating	V-2

**Classifications**

ETIM 2.0	EC000761	ETIM 3.0	EC000761
UNSPSC	30-21-18-07	eClass 4.1	24-19-02-19
eClass 5.1	27-14-11-37	eClass 6.2	27-14-11-37
eClass 7.1	27-14-11-37		

**Approvals**

Approvals	
ROHS	Conform