

#### 3240979

https://www.phoenixcontact.com/us/products/3240979

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Transition sleeve from hose to cable, material: TPE, color: black, flammability rating in acc. with UL 94:  $\ensuremath{\mathsf{HB}}$ 

### Commercial data

Item number	3240979
Packing unit	1 pc
Minimum order quantity	25 pc
Sales key	BF68
Product key	BF7DSA
Catalog page	Page 585 (C-3-2019)
GTIN	4046356710978
Weight per piece (including packing)	9.232 g
Weight per piece (excluding packing)	9.232 g
Customs tariff number	39174000
Country of origin	DE



#### 3240979

https://www.phoenixcontact.com/us/products/3240979

## Technical data

#### Product properties

Product type	Protective cap		
Dimensions			
Length	44.2 mm		
Diameter	34.5 mm		
Material specifications			
Material	TPE		
Flammability rating according to UL 94	HB		
Components	halogen-free		
Environmental and real-life conditions			
Ambient conditions			
Ambient temperature (operation)	-40 °C 120 °C		
Short-term temperature	150 °C		



3240979

https://www.phoenixcontact.com/us/products/3240979

### Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/3240979

UL Recognized



#### 3240979

https://www.phoenixcontact.com/us/products/3240979

### Classifications

### ECLASS

	ECLASS-11.0	27430316	
	ECLASS-12.0	27430316	
	ECLASS-13.0	27430316	
ETIM			
	ETIM 8.0	EC000519	
UNSPSC			
	UNSPSC 21.0	39121400	



3240979

https://www.phoenixcontact.com/us/products/3240979

### Environmental product compliance

China RoHS

Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com