



REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER (DIM0.15) CONTROL METAL SPACER POSITION (DIM1.5)	Revuzo 8/05/13



NOTES:


- MATERIAL:
CONNECTOR
HOUSING: GLASS FILLED LCP, UL94 V-0, BLACK
TERMINALS: PHOS-BRONZE t=0.2mm .
OVERMOLDED TERMINALS HOUSING: GLASS FILLED LCP, UL94 V-0, BLACK
CAGE ASSEMBLY: COPPER-NICKEL-ZINC ALLOY t=0.25mm.
LIGHT PIPES: POLYCARBONITE UL94V-0, CLEAR.
- FINISH:
TERMINAL:
1)50u" MIN NICKEL PLATING OVER ALL.
2)COMPLIANT TAIL: 50u" TIN OVER 50u" MIN NICKEL.
3)30u" MIN GOLD PLATING ON MATING AREA.
- PRESS FIT HOLES:
CONTACT:
1)HOLE DIAMETER AFTER PLATING: 0.41-0.51mm.
2)DRILLED HOLE: 0.535-0.585mm
CAGE:
1)HOLE DIAMETER AFTER PLATING: 1.00-1.10mm.
2)DRILLED HOLE: 1.125-1.175mm.
- RATING:
1)VOLTAGE: 120V r.m.s
2)CURRENT RATING: 0.5Amp. MAXIMUM PER INDIVIDUAL CONTACT.
3)OPERATING TEMPERATURE: -55°C TO 85°C
4)INSULATION RESISTANCE: 1000 mega-ohms Min.

Qty Per:	TRAY	CARTON
	3	18


		RoHS Compliant			
TOLERANCES EXCEPT AS NOTED MM .0 ± 0.25 ± .00 ± 0.20 ± .000 ± 0.10 ±		TITLE METAL GASKET SFP PLUS 2 BY 4 CAGE+CONNECTOR_P			
ANGLES ± 1° 		DFTO : JACK DATE : 10/15/10 SCALE : 1:1		DRAWING NO. CSFPP014-L /PART NO. SFPP014-L DO NOT SCALE DRAWING	
DETACHED LISTS		SIZE A3		REV 11	
		SHEET 1 OF 4			

8 7 6 5 4 3 2 1

REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER (DIM0.15) CONTROL METAL SPACER POSITION (DIM1.5)	Royzuo 6/05/13'





BEZEL CUT-OUT CENTER SPACING DETAIL
BEZEL THICKNESS:0.8-2.6



DETACHED LISTS			RoHS Compliant			
	TOLERANCES EXCEPT AS NOTED					
	MM	±				
	.0 ± 0.25	±				
.00 ± 0.20	±					
.000 ± 0.10	±					
ANGLES ± 1°		DFTO : JACK		DRAWING NO. CSFPP014-L		SIZE
		DATE : 10/15/10		/PART NO. SFPP014-L		A3
		SCALE : 1:1		DO NOT SCALE DRAWING		REV
				SHEET 2 OF 4		11

REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER (DIM0.15) CONTROL METAL SPACER POSITION (DIM1.5)	Royzuo 6/05/13'




<p>← MM (INCH) →</p> <p>TOLERANCES EXCEPT AS NOTED</p> <table border="1"> <tr> <td>MM</td> <td>±</td> </tr> <tr> <td>.0 ± 0.25</td> <td>±</td> </tr> <tr> <td>.00 ± 0.20</td> <td>±</td> </tr> <tr> <td>.000 ± 0.10</td> <td>±</td> </tr> </table> <p>ANGLES ± 1°</p> <p>THIRD ANGLE PROJECTION</p>		MM	±	.0 ± 0.25	±	.00 ± 0.20	±	.000 ± 0.10	±	<p>RoHS Compliant</p> <p>Pulse Electronics</p> <p>TITLE: METAL GASKET</p> <p>SFP PLUS 2 BY 4 CAGE+CONNECTOR_P</p>	<p>SIZE: A3</p> <p>REV: 11</p>
MM	±										
.0 ± 0.25	±										
.00 ± 0.20	±										
.000 ± 0.10	±										
<p>DETACHED LISTS</p>		<p>DFTO: JACK</p> <p>DATE: 10/15/10</p> <p>SCALE: 1:1</p>	<p>DRAWING NO. CSFPP014-L</p> <p>/PART NO. SFPP014-L</p> <p>DO NOT SCALE DRAWING</p>								
		<p>SHEET 3 OF 4</p>									


8 7 6 5 4 3 2 1

H
G
F
E
D
C
B
A


REVISION RECORD		
REV	DESCRIPTION	DRFT
11	EXTEND MIDDLE METAL SPACER (DIM0.15) CONTROL METAL SPACER POSITION (DIM1.5)	Royzuo 6/05/13'



KEEP-OUT ZONE DETAIL
SCALE 6:1



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD



DETAIL A
SCALE 6:1

NOTES: LED PROFILE (0603)
HEIGHT: 0.6mm~0.8mm
VIEW ANGLE: $\leq 120^\circ$

		RoHS Compliant			
TOLERANCES EXCEPT AS NOTED		TITLE METAL GASKET			
MM		SFP PLUS 2 BY 4 CAGE+CONNECTOR_P			
.0 ± 0.25	±	DFTO : JACK		DRAWING NO. CSFPP014-L	SIZE A3
.00 ± 0.20	±	DATE : 10/15/10		/PART NO. SFPP014-L	REV 11
.000 ± 0.10	±	SCALE : 1:1		DO NOT SCALE DRAWING	
ANGLES ± 1° 		SHEET 4 OF 4			