

# XVCZ13

Harmony XVC, Aluminium mounting tube, with metal fixing plate, for tower light XVC Ø100, and beacon XVR 106 and 120 mm



## Main

Range of Product	Harmony XVC1
Accessory / separate part designation	Aluminium expansion tube with metal fixing plate
Accessory / Separate Part Type	Expansion tube with fixing plate
Accessory / separate part category	Mounting and fixing accessories
Accessory / separate part destination	Complete pre-wired monolithic tower light

## Complementary

Diameter	5.51 in (140 mm)
Height	11.81 in (300 mm)
Net Weight	1.54 lb(US) (0.7 kg)

## Ordering and shipping details

Category	22617 - XVC TOWER LIGHTS
Discount Schedule	XV
GTIN	3606480032882
Nbr. of units in pkg.	1
Package weight(Lbs)	31.53 oz (894 g)
Returnability	Yes
Country of origin	JP

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	6.30 in (16 cm)
Package 1 width	6.10 in (15.5 cm)
Package 1 Length	12.60 in (32 cm)
Unit Type of Package 2	S04
Number of Units in Package 2	3
Package 2 Weight	8.67 lb(US) (3.934 kg)
Package 2 Height	11.81 in (30 cm)
Package 2 width	15.75 in (40 cm)
Package 2 Length	23.62 in (60 cm)
Unit Type of Package 3	P06
Number of Units in Package 3	12
Package 3 Weight	53.59 lb(US) (24.308 kg)
Package 3 Height	30.31 in (77 cm)
Package 3 width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)

## Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions and Mounting

