


- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.



1,16	2-15	16	B	5148103-1
1,16	2-15	16	A	
POSITIONS LOADED WITH 4.93 [.194] CONTACTS		POSITIONS LOADED WITH 4.16 [.164] CONTACTS		NO. OF LOADED POSITIONS
THIS DRAWING IS A CONTROLLED DOCUMENT.		DIMENSIONS: mm [INCHES] TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 [.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		THIS DRAWING IS A CONTROLLED DOCUMENT. DIM: J. POLIGNONE CHK: A. SHARPE APVD: A. SHARPE PRODUCT SPEC: - APPLICATION SPEC: - MATERIAL: 1, 2 FINISH: 3
Tyco Electronics Corporation Harrisburg, Pa 17105-3608		NAME: ASSEMBLY, PIN, EUROCARD, TYPE 1/2B, 32 POSITION, 2.64 [.104] SOLDER POST WITH MFBL CONTACTS		RESTRICTED TO
CUSTOMER DRAWING		SCALE: 5:1	SHEET 1 OF 1	REV 01