

1445534-1 ✓ ACTIVE

AMP | AMP CPC

TE Internal #: 1445534-1

Circular Power Connectors, Housing, 250 VDC, 30 – 18 AWG Wire Size, .0509 – .823 mm² Wire Size, Wire-to-Wire, 3 Position, Sealable, AMP CPC

[View on TE.com >](#)



Connectors > Power Connectors > Circular Power > Circular Power Connectors > Mini Circular Plastic Connectors (CPC)



Connector Product Type: **Housing**

Operating Voltage: **250 VDC**

Wire Size: **.0509 – .823 mm²**

Connector System: **Wire-to-Wire**

[All Mini Circular Plastic Connectors \(CPC\) \(53\)](#)

Features

Product Type Features

| | |
|-----------------------------------|-----------------|
| Connector Seal & Plug Type | Wire Entry Seal |
| Connector Product Type | Housing |
| Connector System | Wire-to-Wire |
| Sealable | Yes |
| Connector & Contact Terminates To | Wire & Cable |
| Connector & Housing Type | Plug |
| Circular Connector Shell Type | All Plastic |

Configuration Features

| | |
|----------------------------|---|
| Number of Positions | 3 |
| Number of Power Positions | 0 |
| Number of Signal Positions | 3 |

Electrical Characteristics

| | |
|-------------------|---------|
| Operating Voltage | 250 VAC |
|-------------------|---------|



Contact Features

| | |
|------------------------------|--------|
| Reverse Gender | No |
| Contact Type | Socket |
| Contact Current Rating (Max) | 7.5 A |

Termination Features

| | |
|------------------------------------|-------|
| Termination Method to Wire & Cable | Crimp |
|------------------------------------|-------|

Mechanical Attachment

| | |
|-----------------------|-------------------|
| Mating Alignment | With |
| Mating Retention Type | Threaded Coupling |
| Thread Size | 1/2-20 UNF-2A |
| Mating Retention | With |
| Panel Mount Feature | Without |

Housing Features

| | |
|-------------------------------|---------------|
| Housing Color | Black |
| Housing Material | Thermoplastic |
| Circular Connector Shell Size | 8 |

Dimensions

| | |
|-----------|------------------------------|
| Wire Size | .0509 – .823 mm ² |
|-----------|------------------------------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
| Fluid Resistance | Immersion |

Operation/Application

| | |
|---------------------|----------------|
| Circuit Application | Power & Signal |
| Shielded | No |

Industry Standards

| | |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

| | |
|--------------------|-----|
| Packaging Quantity | 100 |
| Packaging Method | Bag |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1604089-1
CAP,DUST,SIZE 8



TE Part # CAT-AM71-C83998EE
Mini Circular Plastic Connectors (CPC)



TE Part # 1604196-1
NUT,JAM,5/8-24,PKG QTY 100



TE Part # 1-770988-1
MINI UMNL SOK 22-18AWG LP LF



TE Part # 1-770985-0
MINI UMNL PIN 26-22AWG AU LP



TE Part # 1-770987-0
MINI UMNL PIN 22-18 AWG AU LP











TE Part # 770988-3
MINI UMNL SOK 22-18AWG AU LP



TE Part # 1-770988-0
MINI UMNL SOK 22-18AWG AU




Also in the Series | AMP CPC






Insertion & Extraction Tools(1)



Power Contacts(6)



Sealing Sleeves(2)


Customers Also Bought



TE Part #211398-4
CPC RECPT. SIZE 13-7, THRD INST



TE Part #YD369-G99-NP400000
369 9 WAY INLINE 90 PCB REC, GOLD, PIN




TE Part #1604196-1
NUT, JAM, 5/8-24, PKG QTY 100



TE Part #3-747579-2
SHLDNG FERRULE, PLTD, BULK PKG



TE Part #1-794058-0
MINI UMNL SOK L/P LF



TE Part #1445771-1
STR REL ASY, RIGHT ANGLE SIZE 8




TE Part #770077-1
04P .093 COMM P&S PLUG HSG



TE Part #1604001-3
120A SGL POLE HSG SUBASY, WHITE



TE Part #1445420-1
SEAL, FLANGE, SIZE 8/M13.5



TE Part #878659-000
000W212-CLIP

Documents

Product Drawings

[PLUG, 8-3, SMALL INS, STD KEY](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_1445534-1_B2.3d_igs.zip](#)

English

Customer View Model



[ENG_CVM_CVM_1445534-1_B2.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1445534-1_B2.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1773902-9_CPC_Catalog](#)

English

[1-1773902-9_CPC_Catalog](#)

[1-1773902-9_CPC_Catalog](#)

German

[1-1773902-9_CPC_Catalog](#)

Japanese

[AMP Circular Connectors for Commercial Signal & Power Applications Continued](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English