

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN APVD
C		REV PER ECO 17-002345	2-22-17	CT KH

1 SLEEVE HOUSING: ALUMINUM ALLOY 6061, FRONT & REAR HOUSING: GLASS-FILLED LCP THERMOPLASTIC, UL 94 V-0 RATED, COLOR: NATURAL (BEIGE). TERMINI RETENTION CLIP: STAINLESS STEEL PER AISI 301. SLEEVE HOUSING SCREW & HOUSING NUT: STAINLESS STEEL PER AISI 303. REAR SCREW AND BUTTON-HEAD SCREW: STAINLESS STEEL. SLEEVES: ZIRCONIA

2 SLEEVE HOUSING: ANODIZED PER MIL-A-8625, COLOR: GOLD.

3 POCKETS FOR 4.76 [3/16 in] HEX NUT

4 AREA REQUIRED FOR CONNECTOR PLACEMENT.

5 DATUM ESTABLISHED BY CUSTOMER.

6 BASIC DIMENSION ESTABLISHED BY CUSTOMER.

7 DATE CODE: YEAR & WEEK (YY WW)

8 MISALIGNMENT ALLOWED BETWEEN THE MODULE CONNECTOR & THE CUTOUT FOR THE BACKPLANE CONNECTOR, TYCO PART NUMBER 1738965-1: 1mm MAX

9 ACCOMMODATES PC BOARD THICKNESS RANGE 1.47-3.05 mm.

10. RECOMMENDED TERMINI APPLICATION TOOLING:
 INSTALLING TOOL: DANIELS MFG. CORP. P/N DAK83-16
 REMOVAL TOOL: DANIELS MFG. CORP. P/N DRK83-16

11. THE SLEEVE HOLDER ASSEMBLY, 1954573-1, IS AVAILABLE SEPARATELY.

12. LuxCis® IS A REGISTERED TRADEMARK OF RADIALL SA.

RECOMMENDED PCB LAY-OUT 8 9

	1738960-2
SUPERCEDED BY: 1738960-2	1738960-1
	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BH 09MAY2004	TE Connectivity	
DIMENSIONS: mm		CHK JPM 09MAY2004		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD JPM 09MAY2004	NAME	
0 PLC ±0.1		PRODUCT SPEC	CONNECTOR, MODULE, 24 POSITION, FOR LuxCis OPTICAL TERMINI	
1 PLC ±0.1		108-2247	-	
2 PLC ±0.1		APPLICATION SPEC	-	
3 PLC ±		114-13192	-	
4 PLC ±		WEIGHT	-	
ANGLES ±		CUSTOMER DRAWING	-	
FINISH ±		SCALE 2:1	SHEET 1 OF 1	
-		RESTRICTED TO	-	

1471-9 (3/13)