


**Data sheet | Item number: 282-384**  
Lock-out; for disconnect link; yellow

[www.wago.com/282-384](http://www.wago.com/282-384)



Color:

## Data

### Material Data

Note (material data)

Information on material specifications can be found here

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Color	yellow
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.013 MJ
Weight	0.4 g

### Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	100 (20) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332283212
Customs tariff number	39269097900

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Downloads

#### Documentation

#### Bid Text

282-384 X81 - Datei	2019 年2月19日	xml 2.6 kB	Download
282-384 doc - Datei	2017 年3月3日	doc 23.6 kB	Download

#### Additional Information

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



pdf  
2.3 MB      Download

---

## CAD/CAE-Data

### CAE data

WSCAD Universe 282-384	URL	Download
------------------------	-----	----------

ZUKEN Portal 282-384	URL	Download
----------------------	-----	----------

### CAD data

2D/3D Models 282-384	URL	Download
----------------------	-----	----------

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 282-384 Lock-out; for disconnect link; yellow	URL	Download
---	-----	----------

---

## Installation Notes



Lock-out snaps into one of two notched positions, preventing accidental operation of the disconnect link.

Subject to changes. Please also observe the further product documentation!