1-163081-7 ACTIVE

AMP | AMP Type III+

TE Internal #: 1-163081-7

Power Contacts, Contact, Silver, 18 – 16 AWG Wire Size, .75 – 1.5 mm² Wire Size, Wire & Cable, Crimp, Power & Signal, Pin, AMP

Type III+

View on TE.com >



Connectors > Power Connectors > Power Contacts











Power Contact Type: Contact

Contact Mating Area Plating Material: Silver

Wire Size: .75 – 1.5 mm²

Connector & Contact Terminates To: Wire & Cable

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
Power Contact Type	Contact
Connector & Contact Terminates To	Wire & Cable
Contact Features	
Contact Size	Size 16
Contact Mating Area Plating Material	Silver
Contact Current Rating (Max)	13 A
Contact Type	Pin
Contact Retention Within Housing	With
Mating Pin Diameter	1.57 mm[.062 in]
Contact Base Material	Brass
Contact Mating Area Plating Material Thickness	1.52 μm[60 μin]
Contact Mating Area Plating Material Finish	Matte
Wire Contact Termination Area Plating Thickness	1.52 μm[60 μin]
Wire Contact Termination Area Plating Material	Silver



Wire Contact Termination Area Plating Material Finish	Matte
Contact Orientation	Straight
Contact Underplating Material	Nickel
Contact Underplating Material Thickness	.76 μm[30 μin]
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	.75 – 1.5 mm²
Compatible Insulation Diameter Range	2 – 2.5 mm[.078 – .098 in]
Usage Conditions	
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
Operation/Application	
Circuit Application	Power & Signal
Identification Marking	
Contact Color Code	Blue
Packaging Features	
Packaging Quantity	5000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 58495-2
PROCRIMPER DIE ASSY MULTIMATE



TE Part # 91505-1
CCII TYPE III+ 24-16 ASSY



TE Part # 200893-2
INSERTION TOOL CONT





TE Part # 539972-1
EXTRACTION TOOL



TE Part # 305183
EXTRACT TOOL TYPE 2 20-16



TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 2151023-1 OCEAN_2.0_Applicator-S-080F120O



TE Part # 2-2151023-1 OCEAN_2.0_Applicator-S-080F120O



TE Part # 2-2151023-2 OCEAN_2.0_Applicator-S-080F120O



TE Part # 2151023-2 OCEAN_2.0_Applicator-S-080F120O



TE Part # 5-2151023-1
OCEAN_2.0_Applicator-S-080F120O










Also in the Series | AMP Type III+







Customers Also Bought



TE Part #5-1879022-3 SMD Power Resistor: 7 Watt, 200-2M Ohm




TE Part #211401-2 RECEPT,SZ 13-7,CPC



TE Part #151439 PIDG 22 RING #6



TE Part #152871 14-12 PIDG R/T 1/4 STUD WHITE



.062 DIA PIN ASSY 3+



TE Part #66109-2 III+ SKT,26-24,TIN-LEAD,LP



TE Part #1623149-1 CRG0805 1% 20K



TE Part #1-1609165-5

CDEUL150A6-S=F6320B



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-163081-7_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-163081-7_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-163081-7_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English