# 1-177648-5 - ACTIVE

# Dynamic Series | Dynamic 3000 Series

TE Internal #: 1-177648-5 Housing, Housing for Male Terminals, Wire-to-Wire, 5 Position, .15 in [3.81 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 3000 Series

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >

Receptacle and Tab Housing: 3.81 mm pitch, 250V



Connector Product Type: Housing Connector & Housing Type: Housing for Male Terminals Connector System: Wire-to-Wire Number of Positions: 5 Centerline (Pitch): 3.81 mm [.15 in ]

All Receptacle and Tab Housing: 3.81 mm pitch, 250V (45)

# Features

**Product Type Features** 



Connector Product Type	Housing				
Connector & Housing Type	Housing for Male Terminals				
Connector System	Wire-to-Wire				
Sealable	No				
Connector & Contact Terminates To	Wire & Cable				
Configuration Features					
Number of Positions	5				
Number of Rows	1				
Body Features					
Primary Product Color	Black				
Termination Features					
Termination Method to Wire & Cable	Crimp				
Mechanical Attachment					
Mating Retention	With				
Connector Mounting Type	Cable Mount (Free-Hanging)				

## 1-177648-5

Housing, Housing for Male Terminals, Wire-to-Wire, 5 Position, .15 in [3.81 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 3000 Series



lousing Features			
Centerline (Pitch)	3.81 mm[.15 in]		
Usage Conditions			
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]		
Operation/Application			
Circuit Application	Power & Signal		
Product Compliance			
Product Compliance For compliance documentation, visit the product page on TE.com>			
•	Compliant		
For compliance documentation, visit the product page on TE.com>	Compliant Compliant		
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	•		
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant		

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

### 1-177648-5

Housing, Housing for Male Terminals, Wire-to-Wire, 5 Position, .15 in [3.81 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 3000 Series




TE Part # CAT-D9934-A75 Contact: Component To Wire; 15A, 28-14 wire size

# Also in the Series | Dynamic 3000 Series

# Image: Section 2 and Sectio

PCB Headers & Receptacles(283)	PCB Terminal Blocks(25)	Standard Rectangular Connectors(2)	Wire-to-Board Connector Assemblies
			& Housings(152)



# Customers Also Bought



# 1-177648-5

Housing, Housing for Male Terminals, Wire-to-Wire, 5 Position, .15 in [3.81 mm] Centerline, Crimp, 1 Row, Black, Mating Retention, Dynamic 3000 Series



# Documents

Product Drawings D3100S DYNAMIC W-T-W TAB HSG

English

## **CAD** Files

### 3D PDF

English

Customer View Model

ENG\_CVM\_1-177648-5\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_1-177648-5\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_1-177648-5\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1-1773732-4\_DYNAMIC\_SERIES\_CATALOG\_ENGLISH

Japanese

1-1773732-4\_DYNAMIC\_SERIES\_CATALOG\_ENGLISH

English

0

Product Specifications Product Specification

English

**Product Environmental Compliance** 

**Product Compliance** 

English

**Product Compliance** 

English

Agency Approvals TUV Certificate

English