

Features

Material & Hardness AISI 410 Stainless Steel 45 Rockwell Hardness (HRC)

Handles Monocomponent ESD handles

The Joints

Box Joint

Ideal-tek precision pliers feature a unique joint design that allows the two parts of the pliers to be mated at an earlier stage of the manufacturing process. The resulting perfect alignment delivers a precision fit that eliminates "slack" or "play" and ensures long life with minimal wear.

The extra rigidity and sturdy construction of Ideal-tek precision pliers supports our longer jaws and greater taper – ideal for precision work.

Maintenance

In order to preserve your pliers perfectly efficient keep a thin oil film on the tips head.

Pliers | Available Models


- Snipe Nose
- Flat Nose
- Round Nose
- Round/ Flat Nose
- Round/ Concave Nose
- Snipe/ Flat Nose




Snipe Nose - Chain Nose | Pliers Line

Popular for use in electronic assembly, rework and the fine jewelry trade.




















Art. No.	Туре	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	Jaw Shape
241BLM	Snipe Nose	115	23	9.5	6.5	1.3	1	Smooth
241ABLM	Snipe Nose, Tapered	115	23	9.5	6.5	1.4	1.2	Smooth
237BLM	Snipe/ Flat Nose	130	25	11.5	7.5	1.9	4.5	Smooth
235M	Snipe Nose	130	25	11.5	7.5	1.3	0.8	Serrated
235BLM	Snipe Nose	130	25	11.5	7.5	1.3	0.8	Smooth

ideal-tek.com

Flat Nose | Pliers Line

Flat Nose pliers feature a very fine tip, smooth or serrated jaws and inner edges



Art. No.	Туре	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	Jaw Shape
0045114		100	05					
231BLM	Flat Nose Long	130	25	11.5	7.5	1.6	3.6	Smooth
231M	Flat Nose Long	130	25	11.5	7.5	1.6	3.6	Serrated
239BLM	Flat Nose	115	23	9.5	6.5	1.3	3	Smooth
232BLM	Flat Nose, Tapered	130	25	11.5	7.5	1.4	1	Smooth
232M	Flat Nose, Tapered	130	25	11.5	7.5	1.4	1	Serrated

Round Nose | Pliers Line


Round Nose pliers have jaws formed by two cones. Generally used both for clamping and forming loops on leads or wire.



B




Round Nose





Round/ Flat Nose





Round/ Concave Nose

	E		D F	-
		-		
В				
		A		

Art. No.	Туре	A[mm]	B[mm]	C[mm]	D[mm]	E[mm]	F[mm]	Jaw Shape
234BLM	Round Nose Long	130	25	11.5	7.5	2	1	Smooth
234M	Round Nose Long	130	25	11.5	7.5	2	1	Serrated
240BLM	Round Nose	115	23	9.5	6.5	1.8	1	Smooth
236BLM	Round/ Flat Nose	130	25	11.5	7.5	2.6	4.5	Smooth
238BLM	Round/ Concave Nose	130	25	11.5	7.5	2.2	3	Smooth

ideal-tek.com

Mail address Ideal-tek SA· p.o. box 17 6830 Chiasso· Switzerland

Shipping address Ideal-tek SA · via Motta 4 6828 Balerna · Switzerland

 Phone
 +41 91 683 32 29

 Fax
 +41 91 683 03 71

 E-mail
 info@ideal-tek.com

 Web
 www.ideal-tek.com

(ideal-tek